Publications of the AIAA

1974 Subject and Author Indexes

AIAA Journal

Journal of Spacecraft and Rockets

Journal of Aircraft

Journal of Hydronautics

Progress in Astronautics and Aeronautics

Astronautics & Aeronautics



A Publication of the American Institute of Aeronautics and Astronautics

AIAA

AMERICAN INSTITUTE OF AERONAUTICS AND ASTRONAUTICS 1290 Avenue of the Americas, New York, N.Y. 10019 (212) 581-4300

1974

TECHNICAL EDITORS

AIAA JOURNAL

EDITOR-IN-CHIEF George W. Sutton

ASSOCIATE EDITORS

Charles D. Babcock Jr.
Richard H. Battin
Anthony Demetriades
John B. Dicks Jr.
Fernando L. Fernandez
I. E. Garrick
Henry J. Kelley
Nelson H. Kemp
Tom J. Love Jr.
Theodore H. H. Pian
Louis A. Povinelli
Walter R. Warren

JOURNAL OF SPACECRAFT AND ROCKETS

EDITOR-IN-CHIEF Ralph R. Ragan

ASSOCIATE EDITORS

Kenn E. Clark Francis W. French Paul F. Holloway Leonard Meirovitch Joseph V. Mullin William F. Powers

JOURNAL OF AIRCRAFT

EDITOR-IN-CHIEF Allen E. Fuhs

ASSOCIATE EDITORS

James E. Dougherty Jr.
John H. Povolny
Roy E. Reichenbach
Edwin B. Stear
Sheila E. Widnall
E. Carson Yates

JOURNAL OF HYDRONAUTICS

EDITOR-IN-CHIEF John P. Breslin

PROGRESS IN ASTRONAUTICS AND AERONAUTICS

EDITOR-IN-CHIEF Martin Summerfield

ASTRONAUTICS & AERONAUTICS

EDITOR-IN-CHIEF

John Newbauer

MANAGING EDITOR

Bruce Frisch

1974 OFFICERS

President DANIEL E. FINK

Treasurer JOHN H. SIDEBOTTOM

Vice Presidents

Education: DANIEL B. DeBRA
Publications: GORDON L. DUGGER
Section Affairs: HARVEY M. COOK JR.
Technical Activities: STARR J. COLBY

1974 STAFF OFFICERS

Executive Secretary
JAMES J. HARFORD

Secretary and Controller EDWARD H. SEYMOUR

1974 BOARD OF DIRECTORS

Directors-Technical RICHARD E. ANDEEN FRANK A. CLEVELAND EUGENE S. LOVE WILLIAM M. MAGRUDER RENE H. MILLER GEORGE E. MUELLER Directors-at-Large RICHARD D. DELAUER ROBERT E. HAGE GRANT L. HANSEN JOHN W. LUCAS WILBUR L. PRITCHARD JAMES T. STEWART Directors-Regional
WILLIAM B. BRIGGS
CHARLES W. DUFFY JR.
HERBERT FOX
WALTER T. OLSON
ALAN POPE
JAMES A. RALPH

Director-Past President: HOLT ASHLEY

MEMBERS OF THE 1974 PUBLICATIONS COMMITTEE

Vice President-Publications and Chairman: GORDON L. DUGGER

H. NORMAN ABRAMSON PIER L. BARGELLINI STARR J. COLBY HARVEY M. COOK LESTER L. CRONVICH DANIEL B. DEBRA DONALD C. FRASER DAVID H. GARBER JERRY GREY STEPHEN H. MASLEN BERNARD S. MORGAN JR. BENJAMIN PINKEL JOHN LEITH POTTER EDWARD W. PRICE JOSEPH A. SCHETZ LEO STEG MARTIN SUMMERFIELD WALTER C. SWAN CHANG-LIN TIEN

1974 JOURNAL AND PROGRESS SERIES STAFF

DIRECTOR, SCIENTIFIC PUBLICATIONS RUTH F. BRYANS

MANAGING EDITOR, SCIENTIFIC PUBLICATIONS ANNE HUTH PRODUCTION MANAGER BONNIE SILVERSTEIN

ADMINISTRATIVE ASSISTANT JEANNE GODETTE

1974 A&A STAFF
ASSOCIATE EDITOR STANLEY BEITLER

Subject and Author Indexes of Technical Papers Published in the AIAA Journals, Progress in Astronautics and Aeronautics, and Astronautics & Aeronautics in 1974

AIAA Journal (Vol. 12	, 1974)		
Issue	Pages	Issue	Page
January	1-128	July	881-100
February	129-256	August	1009-116
March	257-416	September	1169-129
April	417-576	October	1297-1456
May	577-736	November	1457-1616
June	737-880	December	1617-1770
Journal of Spacecraft a	and Rockets (Vol. 11, 1974)		
Issue	Pages	Issue	Pages
January	1-64	July	449-544
February	65-128	August	545-608
March	129-208	September	609-672
April	209-272	October	673-736
May	273-352	November	737-800
June	353-448	December	801-864
Journal of Aircraft (Vo	l. 11, 1974)		
Issue	Pages	Issue	Pages
January	1-64	July	369-432
February	65-128	August	433-496
March	129-192	September	497-592
April	193-256	October	593-656
May	257-304	November	657-720
June	305-368	December	721-784
Journal of Hydronautic	es (Vol. 8, 1974)		
Issue	Pages	Issue	Page
January	1-44	July	77-124
April	45-76	October	125-172

Progress in Astronautics and Aeronautics (Vols. 32-35, 1974)

Astronautics & Aeronautics (Vol. 12, 1974; Each issue starts with page 1; month and page are given for each entry in the indexes.)

SYN, SA, TN, EN, TC, and ERR indicate Synoptic, Survey Article, Technical Note, Engineering Note, Technical Comment, and Errata, respectively. All other items are regular full-length articles. The initials of the publication in which the paper was published are in parentheses at the end of each entry. In the Subject Index, papers are listed alphabetically by title, regardless of publication or category.

Table of Contents

					Page		
List of Subject Index To	opic	Titles		 	 2		
Subject Index				 	 4		
Author Index				 	 34		

LIST OF SUBJECT INDEX TOPIC TITLES

AIRCRAFT TECHNOLOGY, CONVENTIONAL	Shock Waves and Detonations	
Aircraft Aerodynamics (Including Component	Subsonic and Transonic Flow	
Aerodynamics)4	Supersonic and Hypersonic Flow	. 13
Aircraft Cabin Environment and Life Support	Viscous Nonboundary-Layer Flows	.16
Systems4	Wave Motion and Sloshing	. 16
Aircraft Configuration Design		
Aircraft Crew Training	INTERDISCIPLINARY TOPICS	
Aircraft Deceleration Systems4	Aerospace Management	16
Aircraft Economics (Including System Economics)	Aerospace Management Aerospace Technology Utilization	14
Aircraft Fabrication5	Atmospheric, Space, and Oceanographic Sciences	15
Aircraft Flight Operations5	Checkout Systems	15
Aircraft Fuels and Fuel Systems5	Computer Technology and Computer Simulation	. 1 /
Aircraft Gust Loading and Wind Shear5	Techniques	17
Aircraft Handling, Stability, and Control5	Electric Power Generation Research	
Aircraft Landing Dynamics	Lasers	
Aircraft Navigation, Communication, and Traffic	Law, History, Policy, and Sociology	15
Control	Navigation, Control, and Guidance Theory	18
Aircraft Noise, Aerodynamics (Including Sonic	Reliability, Quality Control, and Maintainability	18
Boom5	Research Facilities and Instrumentation	
Aircraft Noise, Powerplant	Safety	
Aircraft Performance6	builty	
Aircraft Powerplant Design and Installation6	LAUNCH VEHICLE AND MICCHE	
Aircraft Structural Design (Including Loads)6	LAUNCH VEHICLE AND MISSILE	
Aircraft Structural Materials6	(LV/M) TECHNOLOGY	
Aircraft Subsystem Design	LV/M Aerodynamic Heating	.19
Aircraft Testing (Including Component Wind	LV/M Aerodynamics	.19
Tunnel Testing)7	LV/M Configurational Design	.19
Aircraft Vibration	LV/M Dynamics and Control	.19
Air Transportation Systems	LV/M Dynamics, Uncontrolled	.19
General Aviation Systems	LV/M Fabrication	. 20
Ground Support Systems7	LV/M Flight Testing	. 20
Military Aircraft Missions7	LV/M Fuel and Propellant Systems (Including	
	Storage and Transfer)	. 20
AIRCRAFT TECHNOLOGY, VTOL	LV/M Guidance Systems (Including Command	
C 1/ W C C NEW 11	and Information Systems)	
Ground (or Water-Surface) Effect Machines	LV/M Gust Loading and Wind Shear	
Rotary Wing Aerodynamics	LV/M Mission Studies and Economics	. 20
VTOL Aircraft Design	LV/M Propulsion System Integration	
VTOL Cabin Habitability and Design8	LV/M Simulation	
VTOL Flight Operations	LV/M Structural Design (Including Loads)	20
VTOL Handling, Stability, and Control	LV/M Subsystem Design	20
VTOL Landing Dynamics	LV/M System and Component Ground Testing	20
VTOL Missions and Transportation Systems	LV/M Trajectories	20
VTOL Powerplant Design and Installation	Launch Vehicle Systems (Including Ground Support)	
VTOL Structural Design (Including Loads)	Missile Systems	
VTOL Testing8	Sounding Rocket Systems Tracking Systems	20
VTOL Vibration8	Tracking Systems	20
TOE TOIL TOIL TOIL TOIL TOIL TOIL TOIL TOIL	MA DINE TECHNIQUE OCCU	
FLUID DYNAMICS	MARINE TECHNOLOGY	
FLUID D'INAMICS	Marine Electric Power Systems	.21
Boundary Layers and Convective Heat	Marine Hydrodynamics, Vessel and Control	
Transfer—Laminar8	Surface	.21
Boundary-Layers and Convective Heat	Marine Materials, Corrosion/Erosion	
Transfer—Turbulent9	Marine Mooring Systems and Cable Mechanics	.21
Boundary-Layer Stability and Transition	Marine Propulsion System Integration	.21
Hydrodynamics10	Marine Vessel Design (Including Loads)	
Jets, Wakes, and Viscid-Inviscid Flow Interactions	Marine Vessel Systems, Submerged	.21
Multiphase Flows11	Marine Vessel Systems, Surface	.21
Nonsteady Aerodynamics	Marine Vessel Trajectories, Stability, and Control	
Nozzle and Channel Flow	Marine Vessel Vibration	
Plasma Dynamics and MHD13	Oceanography, Physical and Biological	
Radiatively Coupled Flows and Heat Transfer	Propulsion System Hydrodynamics	
Rarefield Flows	Sea Pollution Containment and Control	
Peactive Flows	Undersea Acoustics	71

Undersea Communication	Spacecraft Communication Systems Spacecraft Configurational and Structural Design (Including Loads) Spacecraft Electric Power Systems Spacecraft Flight Testing Spacecraft Ground Testing and Simulation	27
PROPULSION	(Including Components). Spacecraft Habitability and Life Support Systems Spacecraft Mission Studies and Economics	27
Airbreathing Engine Testing 21 Airbreathing Propulsion, Hypersonic 22 Airbreathing Propulsion, Subsonic and Supersonic 22 Combustion in Gases 22 Combustion in Heterogeneous Media 22 Combustion Stability, Ignition, and Detonation 23 Electric and Advanced Space Propulsion 23 Fuels and Propellants, Properties of 23 Liquid Rocket Engines 24 Marine Propulsion 24 Nuclear Propulsion 24 Rocket Engine Testing 24 Solid and Hybrid Rocket Engines 24	Spacecraft Navigation, Guidance, and Flight-Path Control Systems Spacecraft Propulsion Systems Integration Spacecraft Sterilization Spacecraft Temperature Control Systems Spacecraft Tracking Space Crew Training Space Medicine (Including Weightlessness, Radiation Effects, Psychology, etc) Space Station Systems, Manned STRUCTURAL MECHANICS AND MATERIALS	27 28 28 28 28 28 28
SPACECRAFT TECHNOLOGY Data Sensing and Presentation or Transmission Systems	Aeroelasticity and Hydroelasticity Hypervelocity Impact Materials, Properties of Structural Composite Materials (Including Coatings) Structural Design, Optimal Structural Dynamic Analysis Structural Stability Analysis Structural Static Analysis Thermal Stresses	29 29 29 30 31 31
Entry Vehicle Mission Studies and Flight Mechanics	THERMOPHYSICS AND THERMOCHEMISTRY Atomic, Molecular, and Plasma Properties Heat Conduction	32
Manned	Liquid and Solid Thermophysical Properties Material Ablation Radiation and Radiative Heat Transfer Thermal Modeling and Experimental Thermal Simulation	32 32 33
Radiation Protection Systems	Thermal Surface Properties Thermochemistry and Chemical Kinetics	33

SUBJECT INDEX

AIRCRAFT TECHNOLOGY, CONVENTIONAL

Aircraft Aerodynamics (Including Component Aerodynamics)

Analysis of embedded shock waves calculated by relaxation methods. Earll M. Murman (AIAA J) 626

Comment on "Analysis of embedded shock waves calculated by relaxation methods." Tsze C. Tai (AIAA J) 735

Reply by author to T. C. Tai. Earll M. Murman (AIAA J) 736

Analysis of high-aspect ratio jet-flap wings of arbitrary geometry. P. B. S. Lissaman (JA) 259

Boundary-layer theory for pressure and drag of a wavy surface. Kenneth H. Rogers (JA) 382

Calculation of aircraft wake velocity profiles and comparison with ex-perimental measurements. Coleman duP. Donaldson, Richard S. Snedeker, and Roger D. Sullivan (JA) 547

Calculation of initial vortex roll-up in aircraft wakes, John E. Yates (IA) 397

Comment on "A finite-element method for calculating aerodynamic coefficients of a subsonic airplane." William P. Rodden, Joseph P. Giesling, Terez P. Kalman, and Jack C. Rowan (JA, TC) 366

Reply by author to W. P. Rodden, J. P. Giesing, T. P. Kalman, and J. C. Rowan. Hsichun M. Hua (JA, TC) 367

Comment on "Correlation of wing-body combination lift data." Alexander H. Flax (JA, TC) 303

Conceptual study of leading-edge-vortex enhancement by blowing, A. R. G. Bradley and W. O. Wray (JA) 33

Design and operation of aircraft to minimize their sonic boom. A. R. Seebass and A. R. George (JA) 509

Effect of upper-surface blowing on static longitudinal stability of a swept wing. Paul L. Coe Jr. and D. Kulla (JA) 537

Evaluation of drag integral using cubic splines. R. M. James and V. D. Panico (JA, EN) 494

Extension of a vortex-lattice method to include the effects of leading-edge separation. D. T. Mook and S. A. Maddox (JA, EN) 127

External-store loads using nonplanar lifting surface theory. William R. Chadwick (JA) 181

F-12 series aircraft aerodynamic and thermodynamic design in retrospect. Ben R. Rich (JA) 401

Flow separation over axisymmetric afterbody models. Walter M. Presz Jr. and Edward T. Pitkin (JA) 677

Incompressible potential flow solutions for arbitrary bodies of revolution. William L. Oberkampf and Leon E. Watson Jr. (AIAA J, TN) 409

Influence of flaps and engines on aircraft wake vortices. David C. Burnham and Thomas E. Sullivan (JA, EN) 591

Laminar stall prediction and estimation of Clamax). Suresh H. Goradia and Victor Lyman (JA) 528

Laser anemometer measurements of surface pressure distributions. S. J. Barker and H. W. Liepmann (AIAA J, TN) 1758

Lifting-surface theory for a semi-infinite wing in oblique gust. Sing Chu and Sheila E. Widnall (AIAA J) 1672

Lifting-surface theory for an oscillating T-Tail. Koji Isogai (AIAA J) 28 Lifting surface theory of axial compressor blade rows: Part I-Subsonic compressor. Olufemi Okurounmu and James E. McCune (AIAA J) 1363

-Lifting surface theory of axial compressor blade rows: Part II-Transonic compressor. Olufemi Okurounmu and James F. McCune (AIAA J) 1372

Methods for the design and analysis of jet-flapped airfoils. N. D. Halsey (IA) 540

Method of orthogonal loadings -- A fresh look. Rajendra K. Bera and S. M. Ramachandra (JA, EN) 650

Minimum induced drag of semi-elliptic ground effect wing. Hiroshi Mamada and Shigenori Ando (JA, SYN) 257

On calculation of induced drag and conditions downstream of a lifting wing. W. R. Sears (JA, EN) 191

Oscillatory supersonic kernel function method for interfering surfaces. Atlee M. Cunningham Jr. (JA) 664

Oscillatory supersonic kernel function method for isolated wings. Atlee M. Cunningham Jr. (JA) 609

Potential flow past annular aerofoils. V. Krishnamurthy and N. R. Subramanian (JA) 712

Quasi-vortex-lattice method in thin wing theory, A. C. Edward Lan (JA) 518

Recent advances in aerodynamics for transport aircraft. Part II. Lloyd T. Goodmanson and Louis B. Gratzer (A/A, January) 52 Roll-up of aircraft trailing vortices using artificial viscosity. A. M. Bloom

and H. Jen (JA, EN) 714

Shock capturing numerical method for calculating supersonic flows. F. Walkden, G. T. Laws, and P. Caine (AIAA J) 642 Slender delta wing with conical camber. Rajendra K. Bera (JA, EN) 245 Some characteristics of airfoil-jet interaction with Mach number nonuniformity. C. Edward Lan (JA, EN) 491

Some remarks on the solution of the lifting line equation. Rajendra K. Bera (JA, EN) 647

Supersonic flow in the corner formed by two intersecting wedges. Paul Kutler (AIAA J. SYN) 577

Toward a second-generation supersonic transport. Laurence K. Loftin Jr.

Trailing vortex effects on following aircraft. James D. Iversen and Shmuel Bernstein (JA, EN) 60

Transonic inviscid flow over lifting airfoils by the method of integral relations. Tsze Cheng Tai (AIAA J) 798

Vortex measurements behind a swept wing transport model. K. L. Orloff and D. L. Ciffone (JA, EN) 362

Vorticity associated with a jet in a cross flow. Richard Fearn and Robert P. Weston (AIAA J) 1666

Warping of delta wings for minimum drag. Rajendra K. Bera (JA, EN)

Water tank study of the decay of trailing vortices. Dietrich K. Lezius (AIAA J) 1065

Aircraft Cabin Environment and Life Support Systems

In-flight oxygen generation for aircraft breathing systems. Edward J. Boscola (JA) 444

Aircraft Configuration Design

Aft-end design techniques for twin-engine fighters. Edsel R. Glasgow and Don M. Santman (JA) 39

Air Force concepts for RPV application. John A. Palmer (A/A, Oct.) 52 Application of computer-aided aircraft design in a multidisciplinary environment, Robert E. Fulton, I. Sobieszczanski, O. Storaasli, Emma Jean Landrum, and D. Loendorf (JA, SYN) 369

Comment on "A finite-element method for calculating aerodynamic coefficients of a subsonic airplane." William P. Rodden, Jeseph P. Giesing, Terez P. Kalman, and Jack C. Rowan (JA, TC) 366

-Reply by author to W. P. Rodden, J. P. Giesing, T. P. Kalman, and J. C. Rowan. Hsichun M. Hua (JA, TC) 367

Handling qualities effects on precision weapons delivery. G. Warren Hall, Norman C. Weingarten, and Jerry L. Lockenour (JA, SYN) 497

Integrated airframe-nozzle performance for designing twin-engine fighters. E. R. Glasgow (JA) 354

Managerial implications of computerized aircraft design synthesis. William L. Straub Jr. (JA) 129

Recent advances in aerodynamics for transport aircraft. Part H. Lloyd T. Goodmanson and Louis B. Gratzer (A/A, January) 52

Recent contributions to experiments on cylindrical shell panel flutter. W. Horn, G. Barr, L. Carter, and R. Stearman (AIAA J) 1481

Remotely piloted vehicles for the Army. Vitalij Garber (A/A, Oct.) 46 RPRVs: The first and future flights. R. Dale Reed (A / A, April) 26 RPV potential for naval applications. Curtis V. Bryan and James H.

Pennington (A/A, Oct.) 58

Transonic transport wings—Oblique or swept? Robert T. Jones and James W. Nisbet (A/ A, January) 40

Aircraft Crew Training

An optimized video output from a wide angle optical probe. J. A. Mays and R. E. Holms (JA, EN) 124

Visual perception of pilots in carrier landing. Theodore Gold (JA) 723

Aircraft Deceleration Systems

Analysis of deployment and inflation of large ribbon parachutes. D. F. McVey and D. F. Wolf (JA) 96

Parachute mortar design. James E. Pleasants (JSR) 246 Simplified dynamic model of parachute inflation, A. Dean Wolf (JA) 28

Subsonic flow into a downstream facing inlet. Theo G. Keith Jr. (JA, EN)

Aircraft Economics (Including System Economics)

Aeroplanes for the eighties. Stephen Wheatcroft (A / A, March) 34 Airline airplanes for the eighties—A response. Jack Steiner (A/A, March)

Concorde: Testing the market. Richard D. FitzSimmons (A/ A, July-August) 46

Engine aids and the metrologist syndrome. H. M. Snowball (PS, V. 34) 505 High-low mix-Solution or problem? George Spangenberg (A / A, Sept.)

High-performance composite material airframe weight and cost estimating relations. Donald F. Adams (JA) 751

Mini-RPVs: Big potential, small cost. Kent Kresa and William F. Kirlin (A / A. Sept.) 48

Rating aircraft on energy. Dal V. Maddalon (A/A, Dec.) 26

Analysis of bonded joints in vehicular structures. Richard M. Barker and Fritz Hatt (AIAA J, ERR) 1168

Aircraft Flight Operations

Automatic control of adverse yaw in the landing environment using optimal control theory. David Bischoff, Robert Duffy, and Howard Kaufman (IA. SYN) 499

Aircraft 4-D constant velocity control system. Edwin C. Foudriat (JA) 326 Command and control challenge for RPVs. Starr J. Coiby, Charles E. Franklin, and Dougal W. S. Prins (A/A, Sept.) 64

Computer simulation of near midair collisions in the terminal environment. Richard B. Jones and Frederick H. Lutze Jr. (JA) 457

Engine sensory requirements for energy management. I. A. Carnegis (PS, V. 34) 419

Generalized quasi-linearization method. D. K. Scharmack and N. R. Sandell Jr. (AIAA J) 1236

RPVs-Exploring civilian applications. Thomas J. Gregory, Rodney O. Bailey, and Walter P. Nelms (A/A, Sept.) 38

Study of control system effectiveness in alleviating vortex wake upsets. Walter A. Johnson, Gary L. Teper, and Herman A. Rediess (JA) 148 Visual perception of pilots in carrier landing. Theodore Gold (JA) 723

Aircraft Fuels and Fuel Systems

AIAA holds fuel-saving session. Jerry Grey (A/ A, May) 52

Case for hydrogen-fueled transport aircraft, The. G. Daniel Brewer (A/A, May) 40

Cavity growth and collapse phase of hydraulic ram. G. C. Cardea and P. J. Torvik (JA. EN) 252

Future availability of liquid hydrogen. William J. D. Escher (A/A, May)

Future engines and fuels. Jerry Grey (A / A, Sept.) 14 New experimental method for the investigation of fuel spray evaporation. A. J. K. S. Wong, R. Sandri, and J. A. Newman (AIAA J) 269

Refining of turbine fuels by modern hydrotreating. Ryden L. Richardson and Bernal Peralta (JA) 771

Simulation of the speed control for gas turbines using vibrating reed regulators. Jacques Dat, Jean Fabre, and Liber Sanjurjo (JA) 624

Aircraft Gust Loading and Wind Shear

Generalized quasi-linearization method. D. K. Scharmack and N. R. Sandell Jr. (AIAA J) 1236

Passage of a swept airfoil through an oblique gust. John J. Adamczyk (JA) 281

Shear and moment response of the airplane wing to nonstationary tur-bulence. Yoshinori Fujimori (AIAA J, SYN) 1459

Aircraft Handling, Stability, and Control

Automatic control of adverse yaw in the landing environment using optimal control theory. David Bischoff, Robert Duffy, and Howard Kaufman (JA, SYN) 499

Comment on "A finite-element method for calculating aerodynamic Giesing, Terez P. Kalman, and Jack C. Rowan (JA, TC) 366

Reply by author to W. P. Rodden, J. P. Giesing, T. P. Kalman, and J. C. Rowan Hsichun M. Hua (JA, TC) 367 Concerning lateral dynamics of flight on a great circle. John E. Cochran Jr. (AIAA J., TN) 557

Design principles for digital autopilot synthesis. Howard Berman and

Richard Gran (JA) 414

Development of the F-12 aircraft flight control system. John R. McMaster and Frederick L. Schenk (JA) 225

Digital fly-by-wire: Computers lead the way. Donald C. Fraser and Philip G. Felleman (A/A, July-August) 24

Direct side force control for STOL crosswind landings. E. M. Boothe and H. J. Ledder (JA) 631

Effect of thrust on the longitudinal oscillations of missiles. E. V. Laitone

and Wen-Fan Lin (JSR, EN) 121

Evaluation of spoilers for light aircraft flight path control. David L.

Kohlman and Carl H. Brainerd (JA) 449

Explicit model following control scheme incorporating integral feedback. Igal Tiroshi and Jarrell R. Elliott (JA, EN) 364

F-12 series aircraft aerodynamic and thermodynamic design in retrospect. Ben R. Rich (JA) 401

Handling qualities effects on precision weapons delivery. G. Warren Hall, Norman C. Weingarten, and Jerry L. Lockenour (JA, SYN) 497

Influence of static aeroelasticity on oblique winged aircraft. Terrence A. Weisshaar (JA, EN) 247

-Influence of static aeroelasticity on oblique winged aircraft. Terrence A. Weisshaar (JA, ERR) 784

Maximum likelihood identification of aircraft stability and control derivatives. Raman K. Mahra, David E. Stepner, and James S. Tyler

On the dynamics of human pilots in marginally controllable systems. Norihiro Goto and Kyuichiro Washizu (AIAA J) 310

Practical aspects of electrostatic stabilization. Ralph Markson (A/A, April) 44

RPRVs: The first and future flights. R. Dale Reed (A/A, April) 26 Stability and control of hingeless rotor heicopter ground resonance. Maurice I. Young and David J. Bailey (JA) 333

Stability limits for downsprings. Gottfried Sachs (JA, EN) 710
Static aeroelasticity and the flying wing, revisited. Terrence A. Weisshaar and Holt Ashley (JA, EN) 718

Study of control system effectiveness in alleviating vortex wake upsets. Walter A. Johnson, Gary L. Teper, and Herman A. Rediess (JA) 148 Study of wind effects on electrostatic autopilots. Edmund Sullivan Jr. (JA) 221

-Comment on "Wind effects on electrostatic autopilots." Maynard L.

Hill and William A. Hoppel (JA, TC) 781

—Reply by author to M. L. Hill and W. A. Hoppel. Edmund Sullivan Jr. (JA, TC) 782

Synthesis of a separate surface wing leveler. Jan Roskam and Samuel Henry (JA, SYN) 657

Transfer function synthesis by state vector feedback. Peter Murdoch (AIAA J. TN) 1765

Wind-tunnel investigation of a B-52 model flutter suppression system. L. T. Redd, J. Gilman Jr., D. E. Cooley, and F. D. Sevart (JA) 659

Aircraft Landing Dynamics

Arrested landing studies for STOL aircraft. Chen-Chung Hsin (JA) 159 Direct side force control for STOL crosswind landings. E. M. Boothe and H. J. Ledder (JA) 631

Drop testing naval aircraft and the VSD landing gear dynamic test facility. C. C. Daughetee (JA) 758

Dynamic properties of aircraft tires. S. K. Clark, R. N. Dodge, and G. H. Nybakken (IA) 166

Evaluation of spoilers for light aircraft flight path control. David L. Kohlman and Carl H. Brainerd (JA) 449

Aircraft Navigation, Communication, and Traffic Control

Acoustic backscatter radar system for tracking aircraft trailing vortices. Martin Balser, Charles A. McNary, and Arthur E. Nagy (JA) 556
Aircraft 4-D constant velocity control system. Edwin C. Foudriat (JA) 326
Command and control challenge for RPVs. Starr J. Colby, Charles E. Franklin, and Dougal W. S. Prins (A / A, Sept.) 64

Mathematical model of a damped rate-of-climb indicator. D. Adler (JA)

OMEGA-Past, present, and future. Robert Sanders (A/A, April) 50 Optimum skewed redundant inertial navigators. Arthur J. Pejsa (AIAA J) 999

Some aspects of collision avoidance. T. L. Vincent, E. M. Cliff, W. J. Grantham, and W. Y. Peng (AIAA J, SYN) 3

Study on satellite communications for mobiles. Y. Hirata, M. Kyogoku, and E. Isomura (PS, V. 32) 249

Aircraft Noise, Aerodynamics (Including Sonic Boom)

Analysis of sonic boom flight test measurements near the shock wave extremity. G. T. Haglune and E. J. Kane (JA) 745

British contribution to structural response to noise. B. L. Clarkson (JA) 697

Design and operation of aircraft to minimize their sonic boom. A. R. Seebass and A. R. George (JA) 509

Engine-over-the-wing noise research. Meyer Reshotko, Jack H. Goodykoontz, and Robert G. Dorsch (JA, SYN) 195

Evaluation of jet noise sources by cross-correlation of far field microphone

signals. S. P. Parthasarathy (AIAA J) 583

Hot-wire measurements in a supersonic jet at low Reynolds numbers.

Dennis K. McLaughlin and Charles J. McColgan (AIAA J, TN) 1279 Investigation of acoustic effects of leading-edge serrations on airfoils. Alan S. Hersh, Paul T. Soderman, and Richard E. Hayden (JA) 197

Lifting surface theory of axial compressor blade rows: Part I—Subsonic compressor. Olufemi Okurounmu and James E. McCune (AIAA J) 1363 -Lifting surface theory of axial compressor blade rows: Part II-Transonic compressor. Olufemi Okurounmu and James E. McCune (AIAA J) 1372

Maximum noise abatement trajectories. Saydean Zeldin and Jason Speyer (JA, EN) 119

Minimum noise climbout trajectories of a VTOL aircraft. Frohmut Henschel, Ermin Plaetschke, and Hans-Kurt Schulze (JA, EN) 429

On the accuracy of Whitham's method. G. I. Zahalak and M. K. Myers (AIAA I) 203

Pressure sources for a wave model of jet noise. Y. Y. Chan (AIAA J, TN) 241

Putting all our noise technology to work. Roy P. Jackson (A/ A, January)

Recent advances in aerodynamics for transport aircraft. Part II. Lloyd T. Goodmanson and Louis B. Gratzer (A/A, January) 52
Role of jet stability in edgetone generation. James P. Woolley and K.

Karamcheti (AIAA J) 1457

Transonic transport wings-Oblique or swept? Robert T. Jones and James W. Nisbet (A/A, January) 40

Aircraft Noise, Powerplant

Attenuation of instabilities in propulsion system combustors. Harold T. Couch and Leonard S. Cohen (JA) 571

Designing small gas turbine engines for low noise and clean exhaust. H. C. Eatock, J. C. Plucinsky, and J. A. Saintsbury (JA) 616

Effect of bulk-reacting liners on wave propagation in ducts. Ali Hasan Nayfeh, John Sun, and Demetri P. Telionis (AIAA J) 838

Effect of inlet turbulence on compressor noise. B. Robbins and B. Lakshminarayana (JA) 273

Engine-over-the-wing noise research. Meyer Reshotko, Jack H. Goodykoontz, and Robert G. Dorsch (JA, SYN) 195

Investigation of acoustic effects of leading-edge serrations on airfoils. Alan S. Hersh, Paul T. Soderman, and Richard E. Hayden (JA) 197 Lifting surface theory of axial compressor blade rows: Part I— Subsonic compressor. Olufemi Okurounmu and James E. McCune (AIAA J) 1363

-Lifting surface theory of axial compressor blade rows: Part II-Transonic compressor. Olufemi Okurounmu and James E. McCune (AIAA J)

Noise characteristics of a turbulent crosswind jet. John E. Cole III (AIAA J) 198

Noise characteristics of combustion augmented jets at midsubsonic speeds.

A. N. Abdelhamid, D. T. Harrje, E. G. Plett, and M. Summerfield (AIAA J) 336

Toward a second-generation supersonic transport. Laurence K. Loftin Jr.

Turbulence and acoustic characteristics of screen perturbed jets. Roger E. A. Arndt, Nam C. Tran, and Galen Barefoot (AIAA J, SYN) 261

Aircraft Performance

Aft-end design techniques for twin-engine fighters. Edsel R. Glasgow and Don M. Santman (JA) 39

Analysis of high-aspect ratio jet-flap wings of arbitrary geometry. P. B. S. Lissaman (JA) 259

Engine sensory requirements for energy management. I. A. Carnegis (PS, . 341 419

F-12 series aircraft propulsion system performance and development. David H. Campbell (JA) 670

Fuel optimality of cruise. Robert L. Schultz (JA, EN) 586

Integrated airframe-nozzle performance for designing twin-engine fighters. R. Glasgow (JA) 354

Minimum induced drag of semi-elliptic ground effect wing. Hiroshi Mamada and Shigenori Ando (JA, SYN) 257

Minimum time and minimum fuel flight path sensitivity. M. A. Nichols and I. Karl Hedrick (JA) 320

S-3A-A new dimension in airborne sea control. R. R. Heppe, L. E. Channel, And C. W. Cook (JA) 577

Some aspects of airfoil stall in low-speed flow. Hsino C. Kno (JA) 177 Toward a second-generation supersonic transport. Laurence K. Loftin Jr.

Aircraft Powerplant Design and Installation

F-12 series aircraft propulsion system performance and development. David H. Campbell (JA) 670

Future engines and fuels. Jerry Grey (A/ A, Sept.) 14

Ground testing and simulation—An overview: Part III: Flight simulation. Philip A. Reynolds (A/A, July-August) 58

Ground testing and simulation—An overview: Part IV: Propulsion testing.

Michael Pindzola (A/ A, July-August) 63

Impact of emission regulations on future gas turbine engine combustors. F. J. Verkamp, A. J. Verdouw, and J. G. Tomlinson (JA) 340

Turbine blade pyrometer system in the control of the Concorde engine. K. R. Curwen (PS, V. 34) 399

Aircraft Structural Design (Including Loads)

Advanced headed and tubular structural panels. Max D. Musgrove, Bruce E. Greene, John L. Shideler, and Herman L. Bohon (JA) 68

Application of computer-aided aircraft design in a multidisciplinary en-vironment. Robert E. Fulton, J. Sobieszczanski, O. Storaasli, Emma Jean Landrum, and D. Loendorf (JA, SYN) 369

British contribution to structural response to noise. B. L. Clarkson (JA) 697

Cavity growth and collapse phase of hydraulic ram. G. C. Cardea and P. J. Torvik (JA. EN) 252

Comment on "Finite element structural analysis of local instability." W. H. Wittrick (AIAA J, TC) 123

-Reply by author to W. H. Wittrick. J. S. Przemieniecki (AIAA J, TC)

Drop testing naval aircraft and the VSD landing gear dynamic test facility. C. C. Daughetee (JA) 758

-A test integrated damage modeling approach. Darrell Simpkins, Robert L. Neulieb, and Dennis J. Golden (JA) 563

Fatigue crack delay and arrest due to single peak tensile overloads. E. P. Probst and B. M. Hillberry (AIAA J) 330
Fracture mechanics. Herbert F. Hardrath (JA, Dryden Research Lecture)

cy determination from similarity considerations. Stanley E. Hillard (JA, EN) 651

Hodographic prediction of cyclic creep behavior. A. Berkovits (JA) 10 Improved approximation of constitutive elasto-plastic stress-strain relationship for finite element analysis. T. R. Hsu and A. W. M. Bertels

(AIAA J, TN) 1450 Incremented flutter analysis. R. F. O'Connell (JA) 236 Influence of static aeroelasticity on oblique winged aircraft. Terrence A. Weisshaar (JA, EN) 247

-Influence of static aeroelasticity on oblique winged aircraft. Terrence A. Weisshaar (JA, ERR) 784

Penny-shaped crack in a linear viscoelastic medium under torsion. Purna N. Kaloni and Raymond Smith (AIAA J, TN) 1745

Preliminary design of aircraft structures to meet structural integrity requirements. J. C. Ekvall, T. R. Brussat, A. F. Liu, and Matthe Creager (JA) 136

Programing approach to optimal structural design using structural indices, A. Leonard Spunt (AIAA J, TN) 865

Reliability analysis of aircraft structures under random loading and periodic inspection. J.-N. Yang and W. J. Trapp (AIAA J) 1623

Reliability and quality control of production engineering computer programs. S. D. Hansen and Q. D. McHarg (JA) 232

Shell instability analysis applied to a radome. Terry L. Janssen and Thomas G. Swaney (AIAA J, TN) 714

Stress diffusion in thick stiffened panels. Grant P. Steven (JA, EN) 779

Transonic transport wings-Oblique or swept? Robert T. Jones and James W. Nisbet (A/ A, January) 40

Aircraft Structural Materials

Advanced composites. Alan M. Lovelace (JA, von Karman Lecture) 501 Analysis of longitudinal thickness—shear stiffness of a monolayer filamentary composite. S. Chang and C. W. Bert (AIAA J) 1358

Crack in a thin infinite plate of viscoelastic medium. Satyanarayan Mandal (AIAA J. TN) 233

Fatigue-A test integrated damage modeling approach. Darrell Simpkins, Robert L. Neulieb, and Dennis J. Golden (JA) 563

Fatigue crack delay and arrest due to single peak tensile overloads. E. P. Probst and B. M. Hillberry (AIAA J) 330
Fracture mechanics. Herbert F. Hardrath (JA, Dryden Research Lecture)

305

High-performance composite material airframe weight and cost estimating relations. Donald F. Adams (JA) 751

Hodographic prediction of cyclic creep behavior. A. Berkovits (JA) 10 Penny-shaped crack in a linear viscoelastic medium under torsion. Purna N. Kaloni and Raymond Smith (AIAA J) 1745

X2048, a high strength, high toughness aluminum alloy for aircraft applications. S. A. Levy, R. E. Zinkham, and G. E. Spangler (JA) 202

Aircraft Subayatem Design

Development of the F-12 aircraft flight control system. John R. McMaster and Frederick L. Schenk (JA) 225

Mathematical model of a damped rate-of-climb indicator. D. Adler (JA)

S-3A-A new dimension in airborne sea control. R. R. Heppe, L. E. Channel, and C. W. Cook (JA) 577

Aircraft Testing (Including Component Wind Tunnel Testing)

Comment on "A criterion for assessing wind-tunnel wall interference at Mach I." Earll M. Murman and Frank W. Steinle Jr. (JA, TC) 782
—Reply by author to E. M. Murman and F. W. Steinle Jr. Theodore R. Goodman (JA, TC) 783

Drop testing naval aircraft and the VSD landing gear dynamic test facility. C. C. Daughetee (JA) 758

Effect of transducer diameter on resolution of total pressure fluc-tuations in a turbulent flows. W. G. Steenken (PS, V. 34) 167

Engine condition monitor system to detect foreign object damage and crack development. H. R. Hegner (PS, V. 34) 531

Experimental studies of a Ludweig tube high Reynolds number transonic tunnel, R. F. Starr and C. J. Schueler (AIAA J. SYN) 267

Flight simulation characteristics of the Langley high Reynolds number cryogenic transonic tunnel. Robert A. Kilgore, Jerry B. Adcock, and Edward J. Ray (JA) 593

Flutter test analysis in the time domain using a recursive system representation. Jan Robert Wright (JA, EN) 774

Ground testing and simulation-An overview: Part I: Economics. Jack D. Whitfield (A/ A, June) 54

Ground testing and simulation—An overview: Part II: Aerodynamic testing. Bain Dayman Jr. and Anthony W. Fiore (A/ A, June) 56

Ground testing and simulation—An overview: Part III: Flight simulation. Philip A. Reynolds (A/A, July-August) 58

Ground testing and simulation-An overview: Part IV: Propulsion testing. Michael Pindzola (A/A, July-August) 63

Inlet distortion evaluation from limited high-response instrumentation. Stanley H. Ellis and Barry J. Brownstein (JA) 112 Instrumentation for in-flight determination of steady-state and dynamic inlet performance in supersonic aircraft. R. H. Smith and F. W. Burcham Jr. (PS, V. 34) 41

Langley cryogenic high Reynolds number wind-tunnel program, The. E. C. Polhamus, R. A. Kilgore, J. B. Adcock, and E. J. Ray

(A / A. Oct.) 30

On multiple-shaker resonance testing. R. R. Craig Jr. and Y.-W. T. Su (AIAA J) 924

Research instrumentation requirements for flight/ wind-tunnel tests of the YF-12 propulsion system and related flight experience. William G. Schweikhard and Earl J. Montoya (PS, V. 34) 19

RPRVs: The first and future flights. R. Dale Reed (A/A, April) 26 System for evaluation of F-15 inlet dynamic distortion. A. P. Farr and G. A. Schumacher (PS, V. 34) 59

Transonic wind-tunnel and flight buffet pressures on a swept wing. C. E. Lemley and R. E. Mullans (JA) 173

Aircraft Vibration

Automated method for determining the flutter velocity and the matched point, An. Kumar G. Bhatia (JA) 21 Automated procedure for computing flutter eigenvalues, An. Robert

N. Desmarais and Robert M. Bennett (JA) 75

Average structural response to locally stationary random excitation. Peter D. Schmitz and Neil P. McManus (AIAA J, TN) 229

Axisymmetric vibration of circular sandwich plates. Shaukat Mirza and Anand V. Singh (AIAA J, TN) 1418

British contribution to structural response to noise. B. L. Clarkson (JA) 697

Design of missile-aircraft component white noise isolators. Anthony San Miguel (JA) 704

Determination of bending influence coefficients from bending slope data. Henry E. Fettis (AIAA J, TN) 112

Flutter test analysis in the time domain using a recursive system representation. Jan Robert Wright (JA, EN) 774

Frequency determination from similarity considerations. Stanley E. Hillard (JA, EN) 651

Generalization of Dunkerley's formula for finding the lowest critical velocity of rotating shafts. Bruno Atzori (JA, EN) 648

Minimization method for treating convergence in modal synthesis, A. T. K. Hasselman and Gary C. Hart (AIAA J) 316

On multiple-shaker resonance testing. R. R. Craig Jr. and Y.-W. T. Su (AIAA J) 924

Probability of first passage failure for stationary random vibration. J. B. Roberts (AIAA J) 1636

Shear and moment response of the airplane wing to nonstationary turbulence. Yoshinori Fujimori (AIAA J, SYN) 1459

Stability and control of hingeless rotor helicopter ground resonance. Maurice I. Young and David J. Bailey (JA) 333

Variations of eigenvalues and eigenfunctions in continuum mechanics. Mehdi Farshad (AIAA J, TN) 560 Wind-tunnel investigation of a B-52 model flutter suppression

system. L. T. Redd, J. Gilman Jr., D. E. Cooley, and F. D. Sevart (IA) 659

Air Transportation Systems

Aeroplanes for the eighties. Stephen Wheatcroft (A / A, March) 34 AIAA holds fuel-saving session. Jerry Grey (A / A, May) 52

Airline airplanes for the eighties-A response. Jack Steiner (A/ A. March)

Airship can meet the energy challenge, The. J. Gordon Vaeth (A/A, February) 25

Case for hydrogen-fueled transport aircraft, The. G. Daniel Brewer (A/A. May) 40

Concorde: Testing the market. Richard D. FitzSimmons (A/A, July-August) 46

Putting all our noise technology to work. Roy P. Jackson (A/ A. January)

Rating aircraft on energy. Dal V. Maddalon (A/A, Dec.) 26

Remoteby piloted mini-blimps for urban applications. Gerald R. Seeman, Gordon L. Harris, Glen J. Brown, and Charles A. Cullian (A/A, February) 31

RPVs-Exploring civilian applications. Thomas J. Gregory, Rodney O. Bailey, and Walter P. Nelms (A/ A, Sept.) 38

Simple active aerodynamic suspension systems for high-speed ground vehicles. E. P. Nolte, R. O. Stearman, and P. E. Russell (JA) 690 Zeppelins? Not again! Walter P. Maiersperger (A/ A, February) 28

General Aviation Systems

Evaluation of spoilers for light aircraft flight path control. David L. Kohlman and Carl H. Brainerd (JA) 449

Synthesis of a separate surface wing leveler. Jan Roskam and Samuel Henry (JA, SYN) 657

Ground Support Systems

Growing procedural problems of washing mammoth aircraft. H. J. Singletary (JA, EN) 587

Simple active aerodynamic suspension systems for high-speed ground vehicles. E. P. Nolte, R. O. Stearman, and P. E. Russell (JA) 690

Military Aircraft Missions

Air Force concepts for RPV application. John A. Palmer (A/A, Oct.) 52 Cavity growth and collapse phase of hydraulic ram. G. C. Cardea and P. J. Torvik (JA, EN) 252

Command and control challenge for RPVs. Starr J. Colby, Charles E. Franklin, and Dougal W. S. Prins (A/A, Sept.) 64

F-12 series aircraft aerodynamic and thermodynamic design in retrospect. Ben R. Rich (JA) 401

High-low mix-Solution or problem? George Spangenberg (A / A, Sept.)

Mini-RPVs: Big potential, small cost. Kent Kresa and William F. Kirlin

(A/ A, Sept.) 48 Remotely piloted vehicles for the Army. Vitalij Garber (A/A, Oct.) 46

RPV potential for naval applications. Curtis V. Bryan and James H. Pennington (A/A, Oct.) 58 S-3A—A new dimension in airborne sea control. R. R. Heppe, L. E. Channel, and C. W. Cook (JA) 577

AIRCRAFT TECHNOLOGY, VTOL

Ground (or Water-Surface) Effect Machines

Minimum induced drag of semi-elliptic ground effect wing. Hiroshi Mamada and Shigenori Ando (JA, SYN) 257

Reduction of TACV power requirements by multiple-stage air cushions. William R. Eberle (JA) 154

Rotary Wing Aerodynamics

Instantaneous velocity measurements in the near wake of a helicopter rotor. Christian Maresca, Daniel Favier, and Jean Rebont (AIAA J, TN) 1165 Optimum propeller in viscous flow. Ole Fanoe (JA, EN) 241

Passage of a swept airfoil through an oblique gust. John J. Adamczyk (JA)

Pitch damping of helicopter rotor with nonuniform inflow. Akira Azuma and Yoshiya Nakamura (JA) 639

Sensitivity of rotor blade vibration characteristics to torsional oscillations. Theodore Bratanow and Akin Ecer (JA) 375

Some measurements on dynamic stall. A. G. Parker and J. Bicknell (JA)

Spatial correlation method and a time-varying flexible structure. F. Y. M. Wan and C. Lakshraikantham (AIAA J) 700

Theoretical analysis of the aerodynamic stability of multiple, interdigitated helical vortices. B. P. Gupta and R. G. Loewy (AIAA J) 1381

VTOL Aircraft Design

Advanced technology thrust vectoring exhaust systems. J. C. Gill (JA) 764 Cambered Joukowsky airfoil in a nonuniform weak shear flow. A. K. Gupta and S. C. Sharma (JA, EN) 653 Cost of noise reduction in intercity commercial helicopters, The. H. B.

Faulkner (IA) 89

Eddy viscosity for variable density coflowing streams. Robert E. Boyle Jr. and Hermann Viets (JA, SYN) 721

Evaluation of hypermixing for thrust augmenting ejectors. Paul M. Bevilaqua (JA) 348

Vorticity associated with a jet in a cross flow. Richard Fearn and Robert P. Weston (AIAA I) 1666

VTOL Cabin Habitability and Design

VTOL Flight Operations

Generalized quasi-linearization method. D. K. Scharmack and N. R. Sandell Jr. (AIAA J) 1236

Minimum noise climbout trajectories of a VTOL aircraft. Frohmut Henschel, Ermin Plaetschke, and Hans-Kurt Schulze (JA, EN) 429

VTOL Ground Support Systems

VTOL Handling, Stability and Control

On the dynamics of human pilots in marginally controllable systems. Norihiro Goto and Kyuichiro Washizu (AIAA J) 310

Pitch damping of helicopter rotor with nonuniform inflow. Akira Azuma and Yoshiya Nakamura (JA) 639

VTOL Landing Dynamics

VTOL Missions and Transportation Systems

Advanced technology thrust vectoring exhaust systems. J. C. Gill (JA) 764 Airship can meet the energy challenge, The. J. Gordon Vaeth (A/A, February) 25

Cost of noise reduction in intercity commercial helicopters, The. H. B. Faulkner (JA) 89

Remotely piloted mini-blimps for urban applications. Gerald R. Seemann, Gordon L. Harris, Glen J. Brown, and Charles A. Cullian (A/A, February) 31

Zeppelins? Not again! Walter P. Maiersperger (A/ A, February) 28

VTOL Powerplant Design and Installation

Advanced technology thrust vectoring exhaust systems. J. C. Gill (JA) 764 Test results of a VTOL propulsion concept utilizing a turbofan powered augmentor. D. R. Campbell and B. Quinn (JA) 467

VTOL Structural Design (Including Loads)

Blade torsional tuning to manage large amplitude control loads. R. Gabel and F. Tarzanin Jr. (JA) 460

VTOL Testing

VTOL Vibration

Aeroelastic stability of periodic systems with application to rotor blade flutter. P. Friedmann and L. J. Silverthorn (AIAA J) 1559

Analysis of helicopter rotor blade stall flutter. Peter Crimi (JA) 407 Sensitivity of rotor blade vibration characteristics to torsional oscillations

Theodore Bratanow and Akin Ecer (JA) 375
Spatial correlation method and a time-varying flexible structure. F. Y. M.
Wan and C. Lakshmikantham (AIAA J) 700

Study of lifting rotor flapping response peak distribution in atmospheric turbulence, A. G..H. Gaonkar (JA) 104

FLUID DYNAMICS

Boundary Layers and Convective Heat Transfer-Laminar

Additional two-dimensional wake and jet-like flows. James E. Danberg and Kevin S. Fansler (AIAA J, TN) 1432

Approximate method for solving boundary-layer equations. Gambhir M. hrestha (AIAA J, TN) 382

Calculation of laminar boundary layers on continuous surfaces by Meksyn's method. A. V. Murthy and K. S. Hebbar (AIAA J. TN) 732 ent on "Unsteady boundary-layer flow of power law fluids." T. Y. Na (AIAA J, TC) 1775

—Reply by author to T. Y. Na. Sreedhan Roy (AIAA J, TC) 1775

Comments on "Solution of nonlinear problems in magnetofluiddynamics and non-Newtonian fluid mechanics through parametric differentation." W. J. Franks (AIAA J. TC) 1455

Reply by author to W. J. Franks. G. Nath (AIAA J) 1456

Comments on the "Increase of boundary-layer heat transfer by mass injection." Andrzej Wortman (AIAA J, TC) 573

Reply by authors to A. Wortman. K. Gersten and J. F. Gross (AIAA J.

Correlation of peak heating in the reattachment region of separated flows. Richard D. Matthews and Jean J. Ginoux (AIAA J, TN) 397

Cross-flow effects on the boundary layer in a plane of symmetry. Anthony Agnone (JSR, EN) 542

Effect of nose geometry on the aerothermodynamic environment of shuttle entry configurations. John J. Bertin, H. Tom Faria, Winston D. Goodrich, and W. R. Martindale (JSR) 275

Evaluation of aerodynamic heating uncertainties for space shuttle. R. V. Masek, D. Hender, and J. A. Forney (JSR) 368

Extension of the momentum integral method to three-dimensional viscousinviscid interactions. M. P. Georgeff (AIAA J, TN) 1603

Film cooling by oblique slot injection. R. H. Nilson and Y. G. Tsuei (AIAA J. TN) 727

Finite-difference version of quasi-linearization applied to boundary-layer equations. Kenji Inouye and Atsushi Tate (AIAA J, TN) 558

Finite-thickness diffusion flames over a pyrolyzing fuel plate. Harold Kerzner and Herman Krier (AIAA J, TN) 1155 Flowfield measurements in an asymmetric axial corner at M = 12.5. James

R. Cooper and Wilbur L. Hankey Jr. (AIAA J) 1353 Foreign gas injection at windwardmost meridians of yawed sharp cones.

Andrzej Wortman (AIAA J, SYN) 741 Further comments on "Local nonsimilarity boundary-layer solutions."

David F. Rogers (AIAA J, TC) 1007 Higher order boundary layer for viscous flow past sharp wedges. S. N. Evbuoma, J. S. Walker, and J. M. Robertson (AIAA J, TN) 1001

Highly accelerated laminar flow at moderately large Reynolds number.

Noor Afzai and V. K. Luthra (AIAA J) 529 Hypersonic lifting body boundary-layer analysis at high angles of incidence.

J. C. Adams Jr. and W. R. Martindale (JSR) 721

Influence of segmentation and ambipolar diffusion on MHD nonequilibrium boundary layers. E. D. Doss, H. A. Swyer, and M. A. Hoffman (AIAA J) 155

Laminar boundary layer behind a shock wave propagating along perforated walls. K. Takayama (AIAA J, TN) 1152 Laminar boundary-layer induced wave forces on a submerged flat-plate

hydrofoil. Allen Plotkin (JH) 47

Laminar boundary layer near the symmetry plane of a prolate spheroid. K. C. Wang (AIAA J) 949

Laminar boundary-layer response to freestream disturbances. P. J. Erens and V. A. L. Chasteau (AIAA J, TN) 93

Laminar shear-stress pattern for nonsimilar incompressible boundary layers. Tsai-tse Kao and Harold G. Elrod Jr. (AIAA J) 1401

Laminar stall prediction and estimation of C_{L(max)}. Suresh H. Goradia and Victor Lyman (JA) 528

Large amplitude, low frequency solutions for a certain class of laminar boundary-layer problems. James C. Williams III (AIAA J, SYN) 265
Method for calculating aerodynamic heating on sounding rocket tangent ogive noses. L. D. Wing (JSR) 357

Model wall and recovery temperature effects on experimental heat-transfe data analysis. D. A. Throckmorton and D. R. Stone (AIAA J, SYN)

Momentum integral method for viscous-inviscid interactions with arbitrary

wall cooling. Michael P. Georgeff (AIAA J) 1393
New method for supersonic boundary-layer separations. M. J. Werle and V. N. Vatsa (AIAA J) 1491

Note on boundary layer in a dusty gas. K. M. Chakrabarti (AIAA J, TN) 1136

Note on interacting boundary layers, A. H. E. Eickhoff (AIAA J, TN) 392 Note on unsteady boundary-layer separation. James C. Williams III and W. Donald Johnson (AIAA J, TN) 1427

One-parameter solution of the spanwise rotating blade boundary-layer equation. Z. U. A. Warsi (AIAA J, TN) 1421

Oscillating laminar boundary layers and unsteady separation. D. Th. Tsahalis and D. P. Telionis (AIAA J) 1469

Recent progress in boundary-layer research. Hermann Schlichting (AIAA I-37th Wright Brothers Lecture) 427

Response of separation to impulsive changes of outer flow. D. P. Telionis and D. T. Tsahalis (AIAA J) 614

Reversed boundary-layer flows with variable fluid properties. A. Wortman and W. J. Franks (AIAA J. TN) 406

Semisimilar solutions to unsteady boundary-layer flows including separation. James C. Williams III and W. Donald Johnson (AIAA J)

Separating laminar boundary layers with prescribed wall shear. Harry P. Horton (AIAA J, TN) 1772

Shock wave boundary-layer interactions in laminar transonic flow. H. M. Brilliant and T. C. Adamson Jr. (AIAA J) 323

Supersonic laminar base pressure, heat-transfer, and upstream influence correlations for small steps. G. R. Inger (AIAA J, TN) 1157

Supersonic laminar flow past a small rear-facing step. G. R. Inger (AIAA J.

Surface flowfield induced by the turbulent boundary layer on a yawed cone. Jacques Marcillat (AIAA J, TN) 1164

Surface heat transfer in the flow of dissociated nitrogen. Norbert Peters (AIAA J, TN) 1747

Symmetric far wake behind a cylinder beneath the free surface. Allen Plotkin (JH, EN) 41

Thermal analysis for antenna window in AGM nosetip. Jimmie H. Smith (JSR, TN) 198

Three-dimensional laminar boundary layer oMer a body of revolution at incidence and with separation. W. Geissler (AIAA J, TN) 1743

Viscous effects in massively ablating planetary entry body flowfields. G. R. Inger (JSR, EN) 540

Viscous flow over spinning cones at angle of attack. T. C. Lin and S. G. Rubin (AIAA J) 975

Wall shear at a three-dimensional stagnation point with a moving wall. Paul A. Libby (AIAA J. TN) 408

Boundary Layers and Convective Heat Transfer-Turbulent

Aerodynamic heat transfer to RSI tile surfaces and gap intersections. James C. Dunavant and David A. Throckmorton (JSR, EN) 437

Analysis of compressible turbulent flow over a yawed cone. A. Robin Mowlem and Russell A. Smith (AIAA J, SYN) 1171

Arbitrary pressure gradient integral technique for predicting boundary layer and thermal parameters. Richard J. Flaherty (JA) 293

Attachment-line flow on an infinite swept wing. Tuncer Cebeci (AIAA J. TN) 242

Boundary-layer theory for pressure and drag of a wavy surface. Kenneth H. Rogers (JA) 382

Calorimeter measurement of heat transfer at hypersonic conditions. Mitchell R. Wool, Andrew J. Murphy, and Roald A. Rindal (JSR) 363 Calculation of three-dimensional boundary layers I. Swept infinite cylinders and small cross flow. Tuncer Cebeci (AIAA J) 779

Combustion of carbon particles in a hypersonic turbulent boundary layer.

A. T. Wassel and A. F. Mills (JSR) 803

Comment on "Calculation of turbulent boundary-layer shock-wave in-teraction." Daniel C. Reda (AIAA J, TC) 1291

-Reply by author to D. C. Reda. David C. Wilcox (AIAA J, TC) 1292 Comment on "Evaluation of Preston tube calibration equations in supersonic flow." P. Bradshaw and K. Unsworth (AIAA J, TC) 1293

—Reply by author to P. Bradshaw and K. Unsworth. Jerry M. Allen (AIAA J, TC) 1295

Comment on "Mean velocity profile of a thick turbulent boundary layer along a circular cylinder." G. N. V. Rao (AIAA J, TC) 574

Comments on Crocco's solution and the independence principle for compressible turbulent boundary layers. Ivan E. Beckwith (AIAA J, TN1 245

Computation of hypersonic turbulent boundary layers with heat transfer. J. S. Shang (AIAA J, SYN) 883

Contribution of a wall shear stress to the Magnus effect on nose shapes. Ira D. Jacobson (AIAA J, TN) 1003

Cooling by discrete and porous injection into a turbulent, supersonic boundary layer. K. J. Clark, C. T. Nardo, N. A. Jaffe, and M. A. Covington (AIAA J) 1679

Cross-flow effects on the boundary layer in a plane of symmetry. Anthony Agnone (JSR, EN) 542

Cross-hatching studies-A critical review. Rudolph J. Swigart (AIAA J.

Effect of adverse pressure gradient on film cooling effectiveness. V. Zakkay, Chi R. Wang, and M. Miyazawa (AIAA J. TN) 708

Effect of finite chemical reaction rates on heat transfer to the walls of combustion-driven supersonic MHD generator channels. J. W. Daily, J. Raeder, and G. Zankl (AIAA J. TN) 403 Effect of nose geometry on the aerothermodynamic environment of shuttle entry configurations. John J. Bertin, H. Tom Faria, Winston D. Goodrich, and W. R. Martindale (JSR) 275

Effect of wall temperature spatial variations on aerodynamic heating to an actively cooled aircraft. Robert A. Jones and Christine B. Richie (JA,

Estimation of turbulent energy dissipation using available transfer theories.

Z. U. A. Warsi and L. J. Mertaugh (AIAA J, TN) 237 Evaluation of aerodynamic heating uncertainties for space shuttle. R. V.

Masek, D. Hender, and J. A. Forney (JSR) 368

Flowfield analysis for successive oblique shock wave-turbulent boundarylayer interactions. Chen-Chih Sun and Morris E. Childs (JA) 54 Generalized flow in gaps and slots including the effects of ablation. Larry

Cooper and Kurt E. Putz (JSR) 287

Growth of turbulent boundary layers over nonstationary boundaries. Alan T. Roper and Garl L. Gentry (AIAA J. TN) 95

Heat transfer measurements in turbines. J. F. Louis, A. M. Demirjian, and R. F. Topping (PS, V. 34) 331

Hypersonic lifting body boundary-layer analysis at high angles of incidence. J. C. Adams Jr. and W. R. Martindale (JSR) 721

Hypersonic, turbulent skin-friction and heat-transfer measurements on a sharp cone. Kuei-Yuan Chien (AIAA J) 1522

Incipient separation of axially symmetric hypersonic turbulent boundary layers. G. T. Coleman and J. L. Stollery (AIAA J, TN) 119

Influence of segmentation and ambipolar diffusion on MHD nonequilibrium boundary layers. E. D. Doss, H. A. Dwyer, and M. A. Hoffman (AIAA J) 155

Integral solution of the turbulent energy equation. Paolo Baronti and Gabriel Miller (AIAA J, TN) 108

Laminar stall prediction and estimation of CL(max). Suresh H. Goradia and Victor Lyman (JA) 528

Laser anemometer measurements of surface pressure distributions. S. J. Barker and H. W. Liepmann (AIAA J. TN) 1758

Method for calculating aerodynamic heating on sounding rocket tangent ogive noses. L. D. Wing (JSR) 357

Method for calculating unsteady turbulent boundary layers in two- and

three-dimensional flows, Robert E. Singleton and John F. Nash (AIAA

New diagnostic technique for the study of turbulent boundary-layer separation. C. C. Horstman and F. K. Owen (AIAA J, TN) 1436 Numerical study of supersonic turbulent boundary layer over a small

protuberance, A. Polak (AIAA J. TN) 1409 Prediction of axisymmetric turbulent swirling boundary layers. The. M. L.

Koosinlin and F. C. Lockwood (AIAA J) 547 Prediction of turbulent heat transfer and pressure on swept leading edges.

Hugh W. Coleman and E. Clark Lemmon (JSR) 376 Prediction of turbulent separated boundary layers, The. Gary D. Kuhn and Jack N. Nielsen (AIAA J. SYN) 881

Recent progress in boundary-layer research. Hermann Schlichting (AIAA J—37th Wright Brothers Lecture) 427

Some response characteristics of parabolic hot films in water. A. R. M. Nowell (JH, EN) 169

Stability of flow through porous plates: Coalescent jets effect. Marcos Pimenta and Robert J. Moffat (AIAA J, TN) 1438

Strong planar shock waves generated by explosively-driven spherical implosions. I. I. Glass, S. K. Chan, and H. L. Brode (AIAA J) 367 Supersonic, turbulent boundary-layer separation. C. Herbert Law (AIAA

Surface flowfield induced by the turbulent boundary layer on a yawed cone. Jacques Marcillat (AIAA J, TN) 1164

Swept-slot film-cooling effectiveness in hypersonic turbulent flow. Jerry N. Hefner and Aubrey M. Cary Jr. (JSR, EN) 351 Theoretical suction and pressure distribution bounds for flow separation in

retarded flow. Tuncer Cebeci and G. F. Witherspoon (JA, EN) 61 Thermal analysis for antenna window in AGM nosetip. Jimmie H. Smith

(ISR. EN) 198

Transonic wind-tunnel and flight buffet pressures on a swept wing. C. E. Lemley and R. E. Mullans (JA) 173 Transpiration nosetip coolant flow control. John R. Schuster, Roger A.

Glickman, and Douglas R. Hender (JSR) 152, Turbulence measurements in a compressible boundary layer. William C.

Rose (AIAA J) 1060

Turbulence measurements in a Mach 2.9 boundary layer using laser velocimetry. Dennis A. Johnson (AIAA J, TN) 711 Turbulence-model predictions for turbulent boundary layers. P. G. Saff-

man and D. C. Wileox (AIAA J) 541

Turbulent boundary-layer flow separation measurements using holographic interferometry. Albert G. Havener and Roger J. Radley Jr. (AIAA J) Turbulent boundary-layer shear stress distributions for compressible adverse pressure gradient flow. Walter B. Sturek (AIAA J. TN) 375

Turbulent compressible three-dimensional mean flow profiles. Michael C. Fischer and Leonard M. Weinstein (AIAA J, SYN) 131

Turbulent swirling flame prediction. David G. Lilley (AIAA J) 219

Two-layer model of turbulent boundary layers. Barry L. Reeves (AIAA J) 932

Wall shear and boundary-layer measurements in shock separated flow. Paul J. Waltrup and James M. Cameron (AIAA J. TN) 878

Wall shear in strongly retarded and separated compressible turbulent boundary layers. M. W. Rubesin, J. D. Murphy, and W. C. Rose (AIAA J, TN) 1442

Boundary-Layer Stability and Transition

Blowing simulation of asymmetric transition effects on slender ablating vehicles. Lars E. Ericsson (JSR, EN) 58

Boundary-layer transition on cones near Mach one. J. Leith Potter (AIAA J. TN) 570

Boundary-layer transition on the same model in two supersonic windtunnels. R. Ross (AIAA J. TN) 992

Calculation of low Reynolds number flow past a square protuberance. Clarence W. Kitchens Jr. (AIAA J, TN) 1005 Comparison of NASA helium tunnel transition data with noise-transition

correlation. S. R. Pate (AIAA J. TC) 1615

Correlation of attitude effects on slender vehicle transition. Lars E. Ericseon (AIAA J) 523

Dynamic flow studies by application of pressure and velocity sensors on axial flow fan blades. John T. Carroll (PS, V. 34) 115

Hypersonic lifting body boundary-layer analysis at high angles of incidence. J. C. Adams Jr. and W. R. Martindale (JSR) 721

Laminar boundary-layer response to freestream disturbances. P. J. Erens

and V. A. L. Chasteau (AIAA J. TN) 93 Laminar-turbulent transition in flow of pseudoplastic fluids with yield stresses. Richard W. Hanks and Brad L. Ricks (JH) 163

Linear spatial stability of the plane Poiseuille flow. R. K. Leong (AIAA J.

TN) 1605

Role of jet stability in edgetone generation. James P. Woolley and K. Karamcheti (AIAA J, SYN) 1457 Taylor-Gortler instability of a boundary layer with suction or blowing.

Ryoji Kobayashi (AIAA J, TN) 394 Transition effects on slender vehicle stability and trim characteristics. Lars

E. Ericsson (JSR) 3

-Transition effects on slender vehicle stability and trim characteristics. Lars E. Ericsson (JSR, ERR) 448

Transition prediction technique. J. A. Benek and M. D. High (AIAA J. TN1 1425

Turbulent compressible three-dimensional mean flow profiles. Michael C. Fischer and Leonard M. Weinstein (AIAA J, SYN) 131

Hydrodynamics

Additional two-dimensional wake and jet-like flows. James E. Danberg and Kevin S. Fansler (AIAA J. TN) 1432

Analytical prediction of the influence of polymer additives on the shear drag of bodies of revolution. Frederick L. Test (JH, SYN) 45

Axisymmetric cavity flows past slender bodies of revolution. Y. S. Chou (IH) 13

Axisymmetric potential flow in a circular tube. L. Landweber (JH) 137 Calculation of low Reynolds number flow past a square protuberance. Clarence W. Kitchens Jr. (AIAA J, TN) 1005

Calculation of the viscous resistance of bodies of revolution. A. Nakayama and V. C. Patel (JH) 154

Comment on "The lift force due to von Karman's vortex wake." Peter R. Payne (JH, TC) 121

—Reply by author to P. R. Payne. D. W. Sallet (JH, TC) 123 Comment on "The lift force due to von Karman's vortex wake." M. Tanner (JH, TC) 124

Correlation of force measurements and separated flow regions on surface piercing struts. P. D. Swales, R. C. McGregor, and A. J. Wright (JH, EN) 72

Doublet lattice-source method for calculating unsteady loads on cavitating hydrofoils. James F. Unruh and Robert L. Bass III (JH) 146

Effect of the adverse pressure gradient on vortex breakdown. Turgut Sarpkaya (AIAA J) 602

Electric probes in stationary and flowing plasmas: Part I. Collisionless and transitional probes. P. M. Chung, L. Talbot, and K. J. Touryan (AIAA J. SAI 133

Electric probes in stationary and flowing plasmas: Part 2. Continuum probes. P. M. Chung, L. Talbot, and K. J. Touryan (AIAA J, SA) 144 Higher order boundary layer for viscous flow past sharp wedges. S. N. Evbuoma, J. S. Walker, and J. M. Robertson (AIAA J, TN) 1001

Hydrodynamics of large objects in the sea. Part I-Hydrodynamic analysis. C. J. Garrison (JH) 5

Incompressible potential flow solutions for arbitrary bodies of revolution. William L. Oberkampf and Leon E. Watson Jr. (AIAA J. TN) 409

Influence of viscosity on the stability of a cylindrical jet. J. N. Anno (AIAA L TN) 1137

Irrotational subsonic flow of an ideal gas in two-dimensional ducts Optimal ducts and ducts with plane sonic exits. M. J. Cohen and H. Portnoy (AIAA J) 608

Laminar boundary-layer induced wave forces on a submerged flat-plate hydrofoil. Allen Plotkin (JH) 47

Laminar-turbulent transition in flow of pseudoplastic fluids with yield stresses. Richard W. Hanks and Brad L. Ricks (JH) 163

Laser anemometer measurements of surface pressure distributions. S. I. Barker and H. W. Liepmann (AIAA J, TN) 1758

Laser burnthrough time reduction due to tangential airflow—An in-terpolation formula. R. L. Johnson and J. D. O'Keefe (AIAA J) 1106

Linear spatial stability of the plane Poiseuille flow. R. K. Leong (AIAA J, TN) 1605

Separation over a flat plate-wedge configuration at oceanic Reynolds numbers. David R. Campbell (JH, SYN) 3

Shaping of axisymmetric bodies for minimum drag in incompressible flow.

Jerome S. Parsons, Raymond E. Goodson, and Fabio R. Goldschmied

Symmetric far wake behind a cylinder beneath the free surface, The. Allen Plotkin (JH, EN) 41

Various aspects of the structural theory of liquids. David A. Hunt (AIAA J)

Wake growth and collapse in stratified flow. Gordon E. Merritt (AIAA J) 940

Jets, Wakes, and Viscid-Inviscid Flow Interactions

Additional two-dimensional wake and jet-like flows. James E. Danberg and Kevin S. Fansler (AIAA J, TN) 1432

Aircraft turbine engine emissions under simulated supersonic flight conditions. R. C. German, C. E. Robinson, M. D. High, and R. F. Lauer (JA) 472

Aircraft wake vortex transport model. M. R. Brashears and James N. Hallock (JA) 265

Application of laser Raman scattering to the study of turbulence. Danny L. Hartley (AIAA J) 816

Application of Raman effect to flowfield diagnostics, S. Lederman and J. Bornstein (PS, V. 34) 283

Application of turbulence model equations to axisymmetric wakes. W. S. Lewellen, M. Teske, and Coleman duP. Donaldson (AIAA J) 620

Approximate distribution of particle mass flux in a high altitude solid propellant rocket plume, An. Blaine E. Pearce (AIAA J, TN) 718 Approximate method for estimating wake vortex strength. John E. Fidler

Axial flow measurements in trailing vortices. D. L. Ciffone and K. L. Orloff (AIAA J. TN) 1154

Base flow analysis for a dual-engine booster. Yong S. Hong (JSR, SYN)

Blowing simulation of asymmetric transition effects on slender ablating vehicles. Lars E. Ericsson (JSR, EN) 58

Boundary-layer transition on the same model in two supersonic wind tunnels. R. Ross (AIAA J, TN) 992

Calculation of aircraft wake velocity profiles and comparison with ex-perimental measurements. Coleman duP. Donaldson, Richard S. Snedeker, and Roger D. Sullivan (JA) 547

Calculation of compressible turbulent free shear layers. Youn H. Oh (AIAA

Calculation of free turbulent mixing by the interaction approach. Thomas Morel and T. Paul Torda (AIAA J) 533

Calculation of initial vortex roll-up in aircraft wakes. John E. Yates (JA)

Cambered Joukowsky airfoil in a nonuniform weak shear flow. A. K. Gupta and S. C. Sharma (JA, EN) 653

Centerline velocity decay of compressible free jets. Peter O. Witze (AIAA J.

Comment on "Calculation of turbulent boundary-layer shock-wave interaction." Daniel C. Reda (AIAA J, TC) 1291

-Reply by author to D. C. Reda. David C. Wilcox (AIAA J, TC) 1292 Comment on "Stability of rotating stratified fluids." Ulrich H. Kurzweg (AIAA J. TC) 415

-Reply by author to U. H. Kurzweg. Sheridan C. Johnston (AIAA J. TC) 416

Comment on "The lift force due to von Karman's vortex wake." Peter R. Payne (JH, TC) 121

—Reply by author to P. R. Payne. D. W. Sallet (JH, TC) 123 Comment on "The lift force due to von Karman's vortex wake." M. Tanner (JH, TC) 124

Correlation for estimating vortex rotational velocity downstream depen-

dence. D. L. Ciffone (JA, EN) 716
Development of the Viking parachute configuration by wind-tunnel investigation. Sy Steinberg, Paul M. Siemers III, and Robert G. Slayman (JSR) 101

Direct mixing and combustion efficiency measurements in ducted, particle laden jets. S. W. Abbott, L. D. Smoot, and K. Schadow (AIAA J) 275 Dispersion and dilution of jet aircraft exhaust at high-altitude flight conditions. James D. Holdeman (JA) 483

Eddy viscosity for variable density coflowing streams. Robert E. Boyle Jr. and Hermann Viets (JA, SYN) 721

Effect of nose geometry on the aerothermodynamic environment of shuttle entry configurations. John J. Bertin, H. Tom Faria, Winston D. Goodrich, and W. R. Martindale (JSR) 275

Evaluation of hypermixing for thrust augmenting ejectors. Paul M. Bevilaqua (JA) 348

Experimental investigation of gas injection through a transverse slot into a subsonic cross flow. George Rudinger (AIAA J, TN) 566

Experimental investigation of small scale transport mechanisms in the stratosphere. N. W. Rosenberg, R. E. Good, W. K. Vickery, and E. M. Dewan (AIAA J) 1094

Experimental study of separation from the base of a cone at supersonic speeds. Lyle D. Kayser and James E. Danberg (AIAA J, TN) 1607 xperimental wake flow properties of a Viking '75 entry vehicle. James F. Experimental wake flow properties of a Viking

Campbell and Clarence A. Brown Jr. (JSR) 11

Extension of the momentum integral method to three-dimensional viscousinviscid interactions. M. P. Georgeff (AIAA J, TN) 1603 Flight test base pressure results for sharp 80 cones. Richard G. Batt (AIAA

J, TN) 555

Flowfield measurements in an asymmetric axial corner at M=12.5. James R. Cooper and Wilbur L. Hankey Jr. (AIAA J) 1353 Flow separation over axisymmetric afterbody models. Walter M. Presz Jr.

and Edward T. Pitkin (JA) 677

Hot-wire measurements in a supersonic jet at low Reynolds numbers.

Dennis K. McLaughlin and Charles J. McColgan (AIAA J, TN) 1279 Incipient separation of axially symmetric hypersonic turbulent boundary layers, G. T. Coleman and J. L. Stollery (AIAA J, TN) 119

Influence of flaps and engines on aircraft wake vortices. David C. Burnham

and Thomas E. Sullivan (JA, EN) 591

Inviscid supersonic far wake flow past pointed bodies. Prabhakara P. Rao (AIAA J. SYN) 421

Laminar viscous-inviscid interactions at transonic speeds. Donald J. Collins (AIAA J. TN) 1146

Laser velocimeter system development and testing. Jeffrey A. Asher (PS, V. 34) 141 Mach disk from underexpanded axisymmetric nozzle flow. I.-Shih Chang

and W. L. Chow (AIAA J) 1079

Mean flow development and surface heating for an attaching compressible free shear layer. David H. Rudy and Stanley F. Birch (JSR, EN) 348

Measurements in the near field of supersonic nozzles for chemical laser systems. D. L. Whitfield, J. W. L. Lewis, and W. D. Williams (AIAA J. TN) 870 Method for producing a uniform low Reynolds number jet. George C. Greene and Donald F. Brink (JSR, EN) 604

Methods for the design and analysis of jet-flapped airfoils. N. D. Halsey (JA) 540 Momentum integral method for viscous-inviscid interactions with arbitrary

wall cooling. Michael P. Georgeff (AIAA J) 1393

Navier-Stokes solutions for flow past a class of two-dimensional s3mi-infinite bodies. U. Ghia and R. T. Davis (AIAA J) 1659

New method for supersonic boundary-layer separations. M. J. Werle and V. N. Vatsa (AIAA J) 1491

Noise characteristics of a turbulent crosswind jet. John E. Cole III (AIAA J) 198

Noise characteristics of combustion augmented jets at midsubsonic speeds. A. N. Abdelhamid, D. T. Harrje, E. G. Plett, and M. Summerfield (AIAA J) 336 Normal impingement of jets. V. Parameswaran and S. A. Alpay (JA, EN)

Numerical solution of three-dimensional Navier-Stokes equations showing trailing tip vortices. J. F. Thompson, S. P. Shanks, and J. C. Wu (AIAA J) 787

Numerical study of supersonic turbulent boundary layer over a small protuberance. A. Polak (AIAA J, TN) 1409

On prediction of separated boundary layers with pressure distribution specified. Philip M. Gerhart (AIAA J, TN) 1278

On the structure of jet plumes. John H. Fox (AIAA J, TN) 105

Penetration of particles injected into a constant cross flow. George Rudinger (AIAA J, TN) 1138 Prediction of turbulent separated boundary layers. Gary D. Kuhn and Jack

N. Nielsen (AIAA J. SYN) 881

Prediction of yawing force at high angle of attack. Andrew B. Wardlaw Jr. (AIAA J. TN) 1142

Pressure sources for a wave model of jet noise. Y. Y. Chan (AIAA J. TN) 241

Radial base heat-transfer gradients in turbulent flow. Bruce M. Bulmer (JSR, EN) 798

Recent progress in boundary-layer research. Hermann Schlichting (AIAA J-37th Wright Brothers Lecture) 427

Response of miniature pressure transducers to fluctuations in supersonic flow. E. Grande and G. C. Oates (PS, V. 34) 3

Role of jet stability in edgetone generation. James P. Woolley and K. Karamcheti (AIAA J, SYN) 1457

Simple technique for predicting Type III and IV shock interference. T. Taz Bramlette (AIAA J, TN) 1151

Simplified mixing length model of flame stability in swirling combustion, A. D. S. Hacker (AIAA J) 65 Stability of flow through porous plates: Coalescent jets effect. Marcos Pimenta and Robert J. Moffat (AIAA J, TN) 1438

Steady, incompressible, swirling jets and wakes. Artur Mager (AIAA J)

Study of compressible potential and asymptotic viscous flows for corner region, A. K. N. Ghia and R. T. Davis (AIAA J) 355

Study of compressible potential and asymptotic viscous flows for corner region, A. K. N. Ghia and R. T. Davis (AIAA J, ERR) 1456 Study of methods for modeling centerline mass fraction decay in turbulent

jets. S. W. Zelazny (AIAA J, TN) 235 Symmetric far wake behind a cylinder beneath the free surface, The. Allen Plotkin (JH, EN) 41

Thick, two-dimensional, turbulent boundary layers separated by steps and slot jets. Richard T. Driftmyer (AIAA J) 21 Trailing vortex wind-tunnel diagnostics with a laser velocimeter. Kenneth

L. Orloff (JA) 477

Transient molecular concentration measurements in turbulent flows using Rayleigh light scattering. S. C. Graham, A. J. Grant, and J. M. Jones (AIAA J. TN) 1140

Turbulent swirling flame prediction. David G. Lilley (AIAA J) 219 Unsteady flow downstream of an airfoil oscillating in a supersonic stream. Joseph M. Verdon (AIAA J, TN) 999

Vortex entrainment model applied to slender delta wings, A. Paul L. Coe Jr. (AIAA J, TN) 110

Vortex measurements behind a swept wing transport model. K. L. Orloff and D. L. Ciffone (JA, EN) 362

Vorticity associated with a jet in a cross flow. Richard Fearn and Robert P. Weston (AIAA J) 1666

Wake growth and collapse in stratified flow. Gordon E. Merritt (AIAA J) 940

Water tank study of the decay of trailing vortices. Dietrich K. Lezius (AIAA J) 1065

Multiphase Flows

Analysis of gas-solid particle flows in shock tubes. Bernard Otterman and Andrew S. Levine (AIAA J, SYN) 579

Approximate distribution of particle mass flux in a high altitude solid propellant rocket plume, An. Blaine E. Pearce (AIAA J, TN) 718

Boundary-layer theory for pressure and drag of a wavy surface. Kenneth H. Rogers (JA) 382

NaK-nitrogen liquid metal MHD converter tests at 30 kw. D. J. Cerini (AIAA J) 78

Particle flow in turbomachinery with application to laser-Doppler velocimetry. Barry R. Maxwell (AIAA J, SYN) 1297

Penetration of particles injected into a constant cross flow. George Rudinger (AIAA J, TN) 1138

Some effects caused by solid particles in flows. A. Hamed and W. Tabakoff (AIAA J. SYN) 581

Strong spherical blast waves in a dust-laden gas. Nathan Gerber and Joan M. Bartos (AIAA J. TN) 120

Variable energy blast wave measurements. P. M. Sherman and D. Gell (AIAA J. TN) 117

Nonsteady Aerollynamics

Aerodynamic inflation of shell type, parachute structures. B. W. Roberts (JA) 390

Analysis of gas-solid particle flows in shock tubes. Bernard Otterman and Andrew S. Levine (AIAA J, SYN) 579

Analysis of three-dimensional unsteady viscous flow around oscillating wings. Theodore Bratanow and Akin Ecer (AIAA J) 1577 Automated procedure for computing flutter eigenvalues, An. Robert N. Desmarais and Robert M. Bennett (JA) 75

Automatic detection and suppression of inlet buzz. L. O. Billig (PS, V.

34) 453

Axisymmetric, self-excited oscillations in parachutes. Bryan W. Roberts (JA) 736 Blade torsional tuning to manage large ampltude control loads. R. Gabel and F. Tarzanin Jr. (JA) 460

Calculations of flow around a semi-infinite flat plate in a shock tube.

Tomiko Ishiguro (AIAA J. TN) 376 Calculation of unsteady transonic aerodynamics for oscillating wings with thickness. S. Y. Ruo, E. Carson Yates Jr., and J. G. Theisen (IA) 601

Combined effects of nose bluntness and cone angle on unsteady aerodynamics. L. E. Ericsson, R. A. Guenther, W. R. Stake, and G. S. Olmsted (AIAA J, TN) 729

omment on "Stability of rotating stratified fluids." Ulrich H. Kurzweg (AIAA J. TC) 415 Comment on

Reply by author to U. H. Kurzweg. Sheridan C. Johnston (AIAA J. TC) 416

Comment on "Unsteady boundary-layer flow of power law fluids." T. Y. No (AIAA J, TC) 1775

-Reply by author to T. Y. Na. Sreedhan Roy (AIAA J. TC) 1775 Compressibility effects in unsteady thin-airfoil theory. Roy K. Amiet (AIAA J, TN) 252

Compressor distortion estimates using parallel compressor theory and stall delay. James A. Korn (JA, EN) 584

Dynamic flow studies by application of pressure and velocity sensors on axial flow fan blades. John T. Carroll (PS, V. 34) 115

Effect of inlet turbulence on compressor noise. B. Robbins and B. Lakshminarayana (JA) 273

Effect of transducer diameter on resolution of total pressure fluctuations in a turbulent flows. W. G. Steenken (PS, V. 34) 167

Experimental investigation of a cylindrical resonator. James H. T. Wu, P. Perry Ostrowski, Rafik A. Neemeh, and Patrick H. W. Lee (AIAA J) 1076

Inlet distortion evaluation from limited high-response in-strumentation. Stanley H. Ellis and Barry J. Brownstein (JA) 112 Investigation of acoustic effects of leading-edge serrations on airfoils.

Alan S. Hersh, Paul T. Soderman, and Richard E. Hayden (JA) 197

Large amplitude, low frequency solutions for a certain class of laminar boundary-layer problems. James C. Williams III (AIAA J.

Lift and moment for arbitrary power-law upwash in oscillating subsonic unsteady thin-airfoil theory. Nelson H. Kemp (AIAA J, TNI 413

Lifting-surface theory for an oscillating T-Tail. Koji Isogai (AIAA J)

Lifting-surface theory for a semi-infinite wing in oblique gust. Sing Chu and Sheila E. Widnall (AIAA J) 1672

Linearized integral theory of three-dimensional unsteady flow in a

shear layer. John E. Yates (AIAA J) 596

Measurement of instantaneous air angle and total temperature fluctuations behind transonic compressor rotors. Bruce V. Johnson, Henry V. Marman, John A. Brent, and Richard M. Hooper (PS, V. 34) 179

Method for calculating unsteady turbulent boundary layers in two-and three-dimensional flows. Robert E. Singleton and John F. Nash (AIAA J) 590

Note on boundary layer in a dusty gas. K. M. Chakrabarti (AIAA J. TN) 1136

Note on unsteady boundary-layer separation. James C. Williams III and W. Donald Johnson (AIAA J. TN) 1427

Numerical solution of three-dimensional Navier-Stokes equations showing trailing tip vortices. J. F. Thompson, S. P. Shanks, and J. C.

Wu (AIAA J) 787

Numerical study of unsteady viscous flow past a lifting plate. Robert
A. Schmall and Robert B. Kinney (AIAA J) 1566

Oblique compressible Sears function. L. T. Filotas (AIAA J, TN) 1601 On the applications of the finite element method in unsteady aerodynamics. Theodore Bratanow and Akin Ecer (AIAA J) 503

Oscillating laminar boundary layers and unsteady separation. D. Th. Tsahalis and D. P. Telionis (AIAA J) 1469

Passage of a swept airfoil through an oblique gust. John J. Adamczyk (JA) 281

P3G—A new dynamic distortion generator. P. H. Kutschenreuter Jr., T. P. Collins, and W. F. Vier III (JA) 344 Prediction of unsteady airloads for oblique blade-gust interaction in

compressible flow. Sing Chu and Sheila E. Widnall (AIAA J) 1228 Response of separation to impulsive changes of outer flow. D. P. Telionis and D. T. Tsahalis (AIAA J) 614

Semisimilar solutions to unsteady boundary-layer flows including separation. James C. Williams III and W. Donald Johnson (AIAA J)

Some measurements on dynamic stall, A. G. Parker and J. Bicknell (IA) 371

Subsonic potential aerodynamics for complex configurations: A general theory. Luigi Morino and Ching-Chiang Kuo (AIAA J) 191 Total pressure averaging in pulsating flows. L. N. Krause, T. J. Dudzinski, and R. C. Johnson (PS, V. 34) 193

Unsteadiness measurements in the flow through an oblique shock wave. E. R. Bergstrom, W. E. Boley, and S. Raghunathan (AIAA J,

TN) 997

Unsteady serodynamic response of a two-dimensional airfoil at high reduced frequency. G. L. Commerford and F. O. Carta (AIAA J) 43 Unsteady expansion waveforms generated by diaphragm rupture. J. Gordon Hall, G. Srinivasan, and Jaipal S. Rathi (AIAA J, TN) 724 Unsteady flow downstream of an airfoil oscillating in a supersonic

stream. Joseph M. Verdon (AIAA J. TN) 999

Unsteady lift and radiated sound from a wake cutting airfoil. Hajime Fujita and Leslie S. G. Kovasznay (AIAA J) 1216

Unsteady subsonic aerodynamic loadings caused by control surface motions. W. S. Rowe, B. A. Winther, and M. C. Redman (JA) 45 Unsteady transonic flow analysis for low aspect ratio, pointed wings. K. R. Kimble, D. D. Liu, S. Y. Ruo and J. M. Wu (AIAA J) 516

Unsteady vortex flow past an inflating, decelerating wedge. K. R. Reddy (JA, EN) 427

Nozzle and Channel Flou

Approximate configuration factors for a gray nonisothermal gas-filled conical enclosure. R. B. Bannerot and F. A. Wierum (PS, V. 351 41

Axisymmetric potential flow in a circular tube. L. Landweber (JH)

Boundary conditions and uniqueness in internal gas dynamic flows. Anthony A. Ganz and Raymond A. Serra (AIAA J, SYN) 263

Boundary-layer considerations in the design of aerodynamic contractions. G. E. Chmielewski (JA, SYN) 435

Computation of steady nozzle flow by a time-dependent method.

Michael C. Cline (AIAA J, SYN) 419

Design of maximum thrust nozzles for nonequilibrium chemically reacting flow. Allan A. Taylor and Joe D. Hoffman (AIAA J, SYN)

Design of shrouded-plug nozzles for maximum thrust. Richard Vander Veen, Roy Gentry, and Joe D. Hoffman (AIAA J) 1193

Development of an MHD-augmented, high enthalpy, shock tunnel facility. S. R. Pate, L. G. Siler, D. W. Stallings, and D. A. Wagner (AIAA J) 289

Electron nonequilibrium in open-cycle MHD generators. G. S. Argyropoulos, S. T. Demetriades, E. D. Doss, and D. A. Oliver (AIAA J) 669

Experimental investigation of a cylindrical resonator. James H. T. Wu, P. Perry Ostrowski, Rafik A. Neemeh, and Patrick H. W. Lee (AIAA J) 1076

Experimental investigation of gas injection through a transverse slot into a subsonic cross flow. George Rudinger (AIAA J, TN) 566

Flowfield in the combustion chamber of a solid propellant rocket motor. R. Dunlap, P. G. Willoughby, and R. W. Hermsen (AIAA J, TN) 1440

Flow properties in expansion tube with helium, argon, air, and CO2. Charles G. Miller (AIAA J. TN) 564

Gas dynamic gain of supersonic thrust nozzles. Joe D. Hoffman and A. R. Maykut (JSR) 697

Holography of nozzles, jets, and spraying systems. J. D. Trolinger, R. A. Belz, and J. E. O'Hare (PS, V. 34) 249

Improved static probe design, An. S. Z. Pinckney (AIAA J. TN) 562 Integral relations method computations of annular and asymmetric plane nozzle flowfields. Signey G. Liddle (JSR) 146

Integral theory for inviscid, rotational flow in variable area ducts, An. M. Sajben (AIAA J, TN) 378

Investigation of the use of holography in studying supersonic flow in inlets. W. C. Spring III and W. C. Ragsdale (PS, V. 34) 95

Irrotational subsonic flow of an ideal gas in two-dimensional ducts-Optimal ducts and ducts with plane sonic exits. M. J. Cohen and H. Portnoy (AIAA J) 608

Laser absorption and gain by Ar + -ion states in a supersonic ex-pansion. David L. Murphree, Richard P. Carter, and Dennis R. Smith (AIAA J, TN) 1732

Maximum thrust nozzles for gas particle flows. Arnold A. Elsbernd and Joe D. Hoffman (AIAA J) 283

Measurements in the near field of supersonic nozzles for chemical laser systems. D. L. Whitfield, J. W. L. Lewis, and W. D. Williams (AIAA J, TN) 870

Numerical solution of the incompressible Navier-Stokes equations in doubly connected regions. Des R. Sood and Harold G. Elrod Jr. (AIAA J) 636

On the inverse calculation of the mass flow parameter. Joe Der Jr. and John K. Stauffer (JA, EN) 121

Particle flow in turbomachinery with application to laser-Doppler velocimetry. Barry R. Maxwell (AIAA J, SYN) 1297

Penetration of particles injected into a constant cross flow. George Rudinger (AIAA J, TN) 1138

Prediction of pressure drop in straight vortex tubes. William J. Love (AIAA J) 959

Prediction of pressure fluctuation in sounding rockets and manifolded recovery systems. John F. Laudadio (JSR, EN) 119

Rocket exhaust flow in tube launchers. James L. Batson and John J. Bertin (JSR, SYN) 739

Unsteady expansion waveforms generated by diaphragm rupture. J. Gordon Hall, G. Srinivasan, and Jaipal S. Rathi (AIAA J, TN) 724 Wall shear and boundary-layer measurements in shock separated

flow. Paul J. Waltrup and James M. Cameron (AIAA J. TN) 878 Structure of shock waves in cylindrical ducts. Paul J. Waltrup and Frederick S. Billig (AIAA J. TC) 736

Plasma Dynamics and M HD

Basic limitation in microwave measurement of plasma temperature. A. Singer and J. M. Minkowski (AIAA J, TN) 1286

Development of an MHD-augmented, high enthalpy, shock tunnel facility. S. R. Pate, L. G. Siler, D. W. Stallings, and D. A. Wagner (AIAA J) 289

Effect of finite chemical reaction rates on heat transfer to the walls of combustion-driven supersonic MHD generator channels. J. W. Daily, J. Raeder, and G. Zankl (AIAA J, TN) 403

Effective electrical conductivity and related properties of a nonequilibrium high pressure MHD plasma. G. Brederlow and K. J. Witte (AIAA J) 83

Electric probes in stationary and flowing plasmas: Part 1. Collisionless and transitional probes. P. M. Chung, L. Talbot, and K. J. Touryan (AIAA J, SA) 133

Electric probes in stationary and flowing plasmas: Part 2. Continuum probes. P. M. Chung, L. Talbot, and K. J. Touryan (AIAA J, SA) 144 Electron nonequilibrium in open-cycle MHD generators. G. S. Argyropoulos, S. T. Demetriades, E. D. Doss, and D. A. Oliver

(AIAA I) 669 Electrolytic capacitor power source design for quasi-steady magnetoplasmadynamic arcs. Marco S. Di Capua and Helmut L. Kurtz (JSR)

Electrostatic probe measurements of chemical injection effects during a re-entry flight test. D. T. Hayes, S. B. Herskovitz, J. F. Lennon, and J. L. Poirier (JSR) 388

Establishment of quasi-steady conditions in a blow-down nonequilibrium MHD generator. J. J. Rosciszewski aad T. T. Yeh (AIAA I) 1021

Exhaust plume structure in a quasi-steady MPD accelerator. Adam P. Bruckner and Robert G. Jahn (AIAA J) 1198

Experimental study of mixed convection heat transfer in an MHD channel. H. K. Yang and C. P. Yu (AIAA J, TN) 1740

Flow rate limitations in the self-field accelerator. Helmut Hugel (AIAA J, SYN) 1461

Influence of segmentation and ambipolar diffusion on MHD nonequilibrium boundary layers. E. D. Doss, H. A. Dwyer, and M. A. Hoffman (AIAA J) 155

Ion current collection by cylindrical electrostatic probe in a flowing plasma. Keiichi Kusumoto, Takso Yoshikawa, and Toshimitsu Murasaki (AIAA J, TN) 726

Jet-diagnostics of a self-field accelerator with Langmuir probes. F. Maisenhalder and W. Mayerhofer (AIAA J) 1203 Laser absorption and gain by Ar+ -ion states in a supersonic ex-

pansion. Davil L. Murphree, Richard P. Carter, and Dennis R. Smith (AIAA J, TN) 1732

Local thermal equilibrium in a transient arc. David M. Benenson and August A. Cenkner Jr. (AIAA J, TN) 116

NaK-nitrogen liquid metal MHD converter tests at 30 kw. D. J. Cerini (AIAA J) 78

Performance of a Faraday rare gas alkali MHD generator. G. Brederlow, K. J. Witte, and H. Zinko (AIAA J) 481

Plasma fluctuations in a Kaufman thruster. John S. Serafini and Fred F. Terdan (JSR) 752

Role of plasma boundary conditions in the comparison of electron plasma temperatures. A. Singer and J. M. Minkowski (AIAA J, TN)

Sensing incipient engine failure with electrostatic probes. Robert P. Couch, Dennis R. Rossbach, and Ray W. Burgess Jr. (PS, V. 34) 515

Simple spectroscopic technique for the arc region of plasma ac-celerators. Robert P. Collier and David S. Scott (AIAA J. TN) 103 Small signal gain calculations for high-flow CO discharge lasers. Neill S. Smith, H. A. Hassan, and Roy M. McInville (AIAA J, SYN) 1619

Stability of nonequilibrium MHD plasma in the regime of fully ionized seed. Takashi Nakamura and Wolfgang Riedmuller (AIAA

Suppression of ionization instability in an MHD disk generator. Susumu Shoda and Hiroyuki Yamasaki (AIAA J, TN) 1763

Radiatively Coupled Flows and Heat Transfer

Approximate configuration factors for a gray nonisothermal gas-filled conical enclosure. R. B. Bannerot and F. A. Wierum (PS, V.

Computations of CO2 laser radiation absorption in SF6-air boundary layers. John D. Anderson Jr. (AIAA J) 1527

Coupled nongray radiating flow about ablating planetary entry bodies. Kenneth Sutton (AIAA J) 1099

Engineering approximations for radiating nonequilibrium shock layers, Leland A. Carlson (AIAA J) 832

Hydrogen ionization in the shock layer for entry into the outer planets. John T. Howe (AIAA J, TN) 875

Propulsion by absorption of laser radiation. A. N. Pirri, M. J. Mon-sler, and P. E. Nebolsine (AIAA J) 1254 Radiation-gas dynamic shock layer coupling. Carl D. Engel and Richard C. Farmer (AIAA J, TN) 1144

Radiation heat transfer in multilayer insulation having perforated shields. C. L. Tien and G. R. Cunnington (PS, V. 35) 65

Thermal modeling of a plate with coupled heat-transfer modes. Manohar S. Sohal and John R. Howell (PS, V. 35) 99 Thick-thin approximation for radiative transfer, Walter B, Olstad (PS, V. 35) 75

Rarefied Flores

Application of Smith's model to rotational temperature measurements in nitrogen. Jean-Claude Lengrand and Michel Cloupeau (AAAA J)

Density survey in the hypersonic viscous shock layer on a sharp flat plate. J. M. Avidor and S. Lederman (AIAA J, TN) 993

Hypersonic merged stagnation shock layers. Part I: Adiabatic wall case. A. C. Jain and V. Adimurthy (AIAA J) 342

Hypersonic merged stagnation shock layers. Part II: Cold wall case. A. C. Jain and V. Adimurthy (AIAA J) 348

Numerical computation of hypersonic viscous flow over a sharp leading edge. J. C. Tannehill, R. A. Mohling, and J. V. Rakich (AIAA J, SYN) 129

Numerical solution of a nonlinear integral equation by the use of step functions: III. Continuous solutions. Kenneth K. Yoshikawa (AIAA I. TNI 1769

Velocity distribution functions near the leading edge of a flat plate. Manfred Becker, Frank Robben and Robert Cattolica (AIAA J)

Viscous flow over spinning cones at angle of attack. T. C. Lin and S. G. Rubin (AIAA J) 975

Reactive Flows

Combustion of carbon particles in a hypersonic turbulent boundary

layer. A. T. Wassel and A. F. Mills (JSR) 803 Comment on "Effects of nonequilibrium ablation chemistry on Viking radio blackout."D. E. Jensen (JSR, TC) 736

-Reply by authors to D. E. Jensen. John S. Evans, Charles J. Schexnayder Jr., and William L. Grose (JSR, TC) 736

Comment on "Hypersonic, viscous shock layer with chemical nonequilibrium for spherically blunted cones." E. W. Miner and Clark H. Lewis (AIAA J. TC) 124

—Reply by authors to E. W. Miner and C. H. Lewis. Sang-Wook

Kang and Michael G. Dunn (AIAA J, TC) 127

CW HF chemical laser flow diagnostic measurements. Robert L.

Varwig and Munson A. Kwok (AIAA J) 208
Effect of kinetic rate uncertainties on gasdynamic laser gain and energy predictions. John D. Anderson Jr. (AIAA J) 1699

Effects of nonequilibrium ablation chemistry on Viking radio blackout. John S. Evans, Charles J. Schexnayder Jr., and William L. Grose (JSR) 84

Electric probes in stationary and flowing plasmas: Part I. Collisionless and transitional probes. P. M. Chung, L. Talbot, and K. J. Touryan (AIAA J, SA) 133

Electric probes in stationary and flowing plasmas: Part 2. Continuum probes. P. M. Chung, L. Talbot, and K. J. Touryan (AIAA J. SA) 144 Experimental measurements in supersonic reacting (F+H2) mixing layers. W. L. Shackleford, A. B. Witte, J. E. Broadwell, J. E. Trost, and T. A. Jacobs (AIAA J, SYN) 1009

Finite-thickness diffusion flames over a pyrolyzing fuel plate. Harold Kerzner and Herman Krier (AIAA J, TN) 1155 Gas concentration measurement by coherent Raman anti-Stokes scattering, P. R. Regnier, F. Moya, and J. P. E. Taran (AIAA J) 826 Hydrogen ionization in the shock layer for entry into the outer planets. John T. Howe (AIAA J. TN) 875

Influence of ablation impurities on blunt body re-entry ionization. C.

J. Schexnayder Jr. and J. S. Evans (AIAA J) 805

Linear theory for chemically reacting flows. J. C. Wu and L. Turner III (AIAA J) 468

Photographic observations of CW HF chemical laser reacting flowfield. R. L. Varwig (AIAA J, TN) 1448

Primary zone carbon monoxide levels for gas turbines. Part I-Premixed combustion. Leonard D. Aceto and Reiner Kollrack (AIAA J) 463

Primary zone carbon monoxide levels for gas turbines. Part II-Liquid fuel combustion. Leonard D. Aceto and Reiner Kollrack (AÎAA J) 465

Recent developments on time-dependent calculation of nonequilibrium flows. C. P. Li (JSR, EN) 123

Strong planar shock waves generated by explosively-driven spherical implosions. I. I. Glass, S. K. Chan, and H. L. Brode (AIAA J) 367 Surface heat transfer in the flow of dissociated nitrogen. Norbert

Peters (AIAA J. TN) 1747 Turbojet exhaust reactions in stratospheric flight. L. B. Anderson, J. W. Meyer, and W. J. McLean (AIAA J) 56

Turbulent swirling flame prediction. David G. Lilley (AIAA J) 219

Shock Waves and Detonations

Analysis of sonic boom flight test measurements near the shock wave extremity. G. T. Haglund and E. J. Kane (JA) 745

Basic limitation in microwave measurement of plasma temperature. A. Singer and J. M. Minkowski (AIAA J. TN) 1286

Blast initiation and propagation of cylindrical detonations in MAPPair mixtures. R. S. Fry and J. A. Nicholls (AIAA J) 1703

Detonation propulsion for high pressure environments. Lloyd H. Back and Giulio Varsi (AIAA J) 1123

Engineering approximations for radiating nonequilibrium shock

layers. Leland A. Carlson (AIAA J) 832 Experimental investigation of a cylindrical resonator. James H. T. u, P. Perry Ostrowski, Rafik A. Neemeh, and Patrick H. W. Lee

(AIAA J) 1076 Flowfield analysis for successive oblique shock wave-turbulent boundary-layer interactions. Chen-Chih Sun and Morris E. Childs (IA) 54

Impact of space shuttle orbiter re-entry on mesospheric NOx. R. S. Strolarski, R. J. Cicerone, and A. F. Nagy (AIAA J, TN) 395

Integral approximation for slender-body shock shapes in hypersonic flow. Thomas D. Fiorino and Maurice L. Rasmussen (AIAA J. TN) 1735

Inviscid supersonic far wake flow past pointed bodies. Prabhakara P. Rao (AIAA J, SYN)-421

Mach disk from underexpanded axisymmetric nozzle flow. I.-Shih Chang and W. L. Chow (AIAA J) 1079

Note on the shock standoff distance for a spherical body in supersonic flow, A. T. B. Guy (AIAA J, TN) 380

Prediction of the critical diameter of composite propellants. P. K. Salzman and T. C. Duncan (AIAA J) 985

Role of plasma boundary conditions in the comparison of electron plasma temperatures. A. Singer and J. M. Minkowski (AIAA J, TN) 876

Shock shapes of blunt bodies in hypersonic helium, air, and CO2 flows. Charles G. Miller and John A. Moore (AIAA J. TN) 411

Shock tube for generating weak shock waves. W. Garen, R. Synofzik, and A. Frohn (AIAA J, TN) 1132

Shock wave boundary-layer interactions in laminar transonic flow. H. M. Brilliant and T. C. Adamson Jr. (AIAA J) 323

Simple technique for predicting Type III and IV shock interference. T. Taz Bramlette (AIAA J, TN) 1151

Stretch time of scribed metal diaphragms. S. K. Chan (AIAA J. TN) 1149

Strong planar shock waves generated by explosively-driven spherical implosions. I. I. Glass, S. K. Chan, and H. L. Brode (AIAA J) 367 Strong spherical blast waves in a dust-laden gas. Nathan Gerber and Joan M. Bartos (AIAA J. TN) 120

Structure of shock waves in cylindrical ducts. Paul J. Waltrup and Frederick S. Billig (AIAA J, TC) 736 Time-asymptotic solution for sphere-cones in hypersonic flow.

Prabhakara P. Rao and James M. Lefferdo (AIAA J. TN) 386

Unsteadiness measurements in the flow through an oblique shock wave. E. R. Bergstrom, W. E. Boley, and S. Raghunathan (AIAA J. TN) 997

Variable energy blast wave measurements. P. M. Sherman and D. Gell (AIAA J, TN) 117

Wall shear and boundary-layer measurements in shock separated flow. Paul J. Waltrup and James M. Cameron (AIAA J, TN) 878

Subsonic and Transonic Flow

Airfoil design for high tip speed compressors. G. David Huffman and P. C. Tramm (JA) 682

Analysis of embedded shock waves calculated by relaxation methods. Earll M. Murman (AIAA J) 626

Comment on "Analysis of embedded shock waves calculated by relaxation methods." Tsze C. Tai (AIAA J, TC) 735

-Reply by author to T. C. Tai. Earll M. Murman (AIAA J, TC) 736 Analysis of high-aspect ratio jet-flap wings of arbitrary geometry. P. B. S. Lissaman (JA) 259

Application of holographic interferometry to density field deter mination in transonic corner flow. R. A. Kosakoski and D. J. Collins (AIAA J) 767

Application of turbulence model equations to axisymmetric wakes. W. S. Lewellen, M. Teske, and Coleman duP. Donaldson (AIAA J) 620

Boundary conditions and uniqueness in internal gas dynamic flows. Anthony A. Ganz and Raymond A. Serra (AIAA J, SYN) 263

Boundary-layer transition on cones near Mach One. J. Leith Potter (AIAA I. TN) 570

Calculation of nonlinear lift and pitching moment coefficients for slender wing-body combinations. H. Otto (JA, EN) 489

Calculation of unsteady transonic aerodynamics for oscillating wings with thickness. S. Y. Ruo, E. Carson Yates Jr., and J. G. Theisen

Comment on "A criterion for assessing wind-tunnel wall interference at Mach 1." Earll M. Murman and Frank W. Steinle Jr. (JA, EN) 782 —Reply by author to E. M. Murman and F. W. Steinle Jr. Theodore R. Goodman (JA, EN) 783

Compressibility effects in unsteady thin-airfoil theory. Roy K. Amiet (AIAA J. TN) 252

Compressor and distortion estimates using parallel compressor theory and stall delay. James A. Korn (JA, EN) 584

Computation of steady nozzle flow by a time-dependent method.

Michael C. Cline (AIAA J. SYN) 419

Conceptual study of leading-edge-vortex enhancement by blowing, A. R. G. Bradley and W. O. Wray (JA) 33

Development of the Viking parachute configuration by wind-tunnel investigation. Sy Steinberg, Paul M. Siemers III, and Robert G. Slayman (JSR) 101

Evaluation of drag integral using cubic splines. R. M. James and V. D. Panico (JA, EN) 494

Experimental and theoretical investigations in two-dimensional transonic flow. Donald J. Collins and James A. Krupp (AIAA J) 771 Experimental investigation of gas injection through a transverse slot

into a subsonic cross flow. George Rudinger (AIAA J. TN) 566 Experimental studies of a Ludweig tube high Reynolds number tran-sonic tunnel. R. F. Starr and C. J. Schueler (AIAA J, SYN) 267

Flight simulation characteristics of the Langley high Reynolds number cryogenic transonic tunnel. Robert A. Kilgore, Jerry B. Adcock, and Edward J. Ray (JA) 593

Inverse transonic flow calculations using experimental pressure distribution. Leland A. Carlson (AIAA J, TN) 571

Irrotational subsonic flow of an ideal gas in two-dimensional ducts Optimal ducts and ducts with plane sonic exits. M. J. Cohen and H. Portney (AIAA J) 608

Laminar viscous-inviscid interactions at transonic speeds. Donald J. Collins (AIAA J, TN) 1146

Langley cryogenic high Reynolds number wind-tunnel program,

The. E. C. Polhamus, R. A. Kilgore, J. B. Adcock, and E. J. Rav (A/ A. Oct.) 30

Numerical solution of transonic flows about quasi-cylindrical configurations. Antonio Ferri, Sheldon Elzweig, and Paolo Baronti (AIAA I. TN) 1447

Oblique compressible Sears function. L. T. Filotas (AIAA J, TN) 1601 On the determination of the internal aerodynamics of compressors. B. A. Jones (PS, V. 34) 109

Particle flow in turbomachinery with application to laser-Doppler velocimetry. Barry R. Maxwell (AIAA J. SYN) 1297

Potential flow past annular aerofoils. V. Krishnamurthy and N. R.

Subramanian (JA, EN) 712 Prediction of unsteady airloads for oblique olade-gust interaction in compressible flow. Sing Chu and Sheila E. Widnall (AIAA J) 1228 Radiation-gas dynamic shock layer coupling. Carl D. Engel and Richard C. Farmer (AIAA J, TN) 1144

Shock wave boundary-layer interactions in laminar transonic flow. H. M. Brilliant and T. C. Adamson Jr. (AIAA J) 323

Some aspects of airfoil stall in low-speed flow. Hsiao C. Kao (JA) 177 Subsonic flow into a downstream facing inlet. Theo G. Keith Jr. (JA, EN) 251

Transonic flow around symmetric aerofoils at zero incidence. D. Nixon (JA, EN) 122

Transonic inviscid flow over lifting airfoils by the method of integral relations. Tsze Cheng Tai (AIAA J) 798

Transonic wind-tunnel and flight buffet pressures on a swept wing. C. E. Lemley and R. E. Mullans (JA) 173

Unsteady subsonic aerodynamic loadings caused by control surface motions. W. S. Rowe, B. A. Winther, and M. C. Redman (JA) 45

Unsteady transonic flow analysis for low aspect ratio, pointed wings. K. R. Kimble, D. D. Liu, S. Y. Ruo, and J. M. Wu (AIAA J) 516 Use of slotted walls to reduce wind-tunnel boundary corrections in

Supersonic and Hypersonic Flow

Aer dynamic and flight dynamic analysis of finned re-entry vehicles. hn K. Kryvoruka and William T. Ashurst (JSR) 135

Analysis of compressible turbulent flow over a yawed cone. A. Robin Mowlem and Russell A. Smith (AIAA J, SYN) 1171

Boundary conditions and uniqueness in internal gas dynamic flows. Anthony A. Ganz and Raymond A. Serra (AIAA J. SYN) 263

Calculation of compressible turbulent free shear layers. Youn H. Oh (AIAA J. TN) 401

Calculation of the flow on a cone at high angle of attack. Stephen C. Lubard and William S. Helliwell (AIAA J) 965

subsonic flow. A. G. Parker (AIAA J, TN) 1771

Combined effects of nose bluntness and cone angle on unsteady aerodynamics. L. E. Ericsson, R. A. Guenther, W. R. Stake, and G. S. Olmsted (AIAA J, TN) 729

Comment on "A graphical method for the investigation of shock interference phenomena." Karl M. Forster (AIAA J, TC) 1167
—Reply by author to K. M. Forster. Davis H. Crawford (AIAA J,

TC) 1168

Comment on "Hypersonic, viscous shock layer with chemical nonequilibrium for spherically blunted cones." E. W. Miner and Clark H. Lewis (AIAA J, TC) 124

-Reply by authors to E. W. Miner and C. H. Lewis. Sang-Wook Kang and Michael G. Dunn (AIAA J, TC) 127

Comment on 'Spherically-symmetric supersonic source flow: A new use for the Prandtl-Meyer function." Ivan E. Beckwith (AIAA J. Reply by author to I. Beckwith. Walter F. Reddall III (AIAA J.

TC) 1616

Comments on Crocco's solution and the independence principle for compressible turbulent boundary layers. Ivan E. Beckwith (AIAA I. TNI 245

Comparison of NASA helium tunnel transition data with noise-transition correlation. S. R. Pate (AIAA J, TC) 1615

Computation of steady nozzle flow by a time-dependent method. Michael C. Cline (AIAA J, SYN) 419

Correlation of attitude effects on slender vehicle transition. Lars E. Ericason (AIAA J) 523

Correlation of peak heating in the reattachment region of separated flows. Richard D. Matthews and Jean J. Ginoux (AIAA J, TN) 397 Cross-hatching studies-A critical review. Rudolph J. Swigart (AIAA J, SA) 1301

Density survey in the hypersonic viscous shock layer on a sharp flat plate. J. M. Avidor and S. Lederman (AIAA J, TN) 993

Design and operation of aircraft to minimize their sonic boom. A. R. Seebass and A. R. George (JA) 509

Design of maximum thrust nozzles for nonequilibrium chemically reacting flow. Allan A. Taylor and Joe D. Hoffman (AIAA J. SYN) 1200

Electrostatic probe measurements of chemical injection effects during a re-entry flight test. D. T. Hayes, S. B. Herskovitz, J. F. Lennon, and J. L. Poirier (JSR) 388

Experimental study of separation from the base of a cone at supersonic speeds. Lyle D. Kayser and James E. Danberg (AIAA J. TN)

Extension of the momentum integral method to three-dimensional viscous-inviscid interactions. M. P. Georgeff (AIAA J, TN) 1603

Finite element supersonic aerodynamics for oscillating parallel wings. Kari Appa and G. Charles C. Smith (JA, SYN) 433

Flight test base pressure results for sharp 80 cones. Richard G. Batt (AIAA J) 555

Flowfield analysis for successive oblique shock wave-turbulent boundary-layer interactions. Chen-Chih Sun and Morris E. Childs (IA) 54

Flowfield measurements in an asymmetric axial corner at M=12.5. James R. Cooper and Wilbur L. Hankey Jr. (AIAA J) 1353

Flow properties in expansion tube with helium, argon, air, and CO₂. Charles G. Miller (AIAA J, TN) 564

Gas dynamic gain of supersonic thrust nozzles. Joe D. Hoffman and A. R. Maykut (JSR) 697

Hypersonic flow over blunted slender wedges. A. V. Marthy (JA, EN)

Hypersonic flow with viscous interaction over a sharp slender wedge. Czeslaw M. Rodkiewicz (AIAA J, SYN) 7

Hypersonic merged stagnation shock layers. Part I: Adiabatic wall case. A. C. Jain and V. Adimurthy (AIAA J) 342

Hypersonic merged stagnation shock layers. Part II: Cold Wall case. A. C. Jain and V. Adimurthy (AIAA J) 348

Improved static probe design, An. S. Z. Pinckney (AIAA J. TN) 562 Incipient separation of axially symmetric hypersonic turbulent boundary layers. G. T. Coleman and J. L. Stollery (AIAA J. TN) 119 Integral approximation for slender-body shock shapes in hypersonic flow. Thomas D. Fiorino and Maurice L. Rasmussen (AIAA J, TN) 1735

Inviscid supersonic far wake flow past pointed bodies. Prabhakara P. Rao (AIAA J, SYN) 421

Langley cryogenic high Reynolds number wind-tunnel program, The. E. C. Polhamus, R. A. Kilgore, J. B. Adcock, and E. J. Ray (A/ A, Oct.) 30

Laser cavity density changes with kinetics of energy release. Oscar Biblarz and Allen E. Fuhs (AIAA J) 1083

Mach disk from underexpanded axisymmetric nozzle flow. I.-Shih Chang and W. L. Chow (AIAA J) 1079

Mean flow development and surface heating for an attaching compressible free shear layer. David H. Rudy and Stanley F. Birch (JSR, EN) 348

Moments and forces on general convex bodies in hypersonic flow. Jack Pike (AIAA J) 1241

Momentum integral method for viscous-inviscid interactions with arbitrary wall cooling. Michael P. Georgeff (AIAA J) 1393 New diagnostic technique for the study of turbulent boundary-layer

separation. C. C. Horstman and F. K. Owen (AIAA J, TN) 1436 Note on the shock standoff distance for a spherical body in super-sonic flow, A. T. B. Guy (AIAA J, TN) 380

Numerical computation of hypersonic viscous flow over a sharp leading edge. J. C. Tannehill, R. A. Mohling, and J. V. Rakich (AIAA J, SYN) 129

On the accuracy of Whitham's method. G. I. Zahalak and M. K. Myers (AIAA J) 203

Planetary entry aerothermodynamics. Part I. Technology requirements and experimental facilities. Walter B. Olstad (A/A,

Planetary entry aerothermodynamics: Part II. Computational analyses and flight experience. Walter B. Olstad (A/A, Dec.) 55 Potential flow past annular aerofoils. V. Krishnamurthy and N. R. Subramanian (JA, EN) 712

Recent developments on time-dependent calculation of nonequlibrium flows. C. P. Li (JSR, EN) 123

Shock capturing numerical method for calculating supersonic flows. F. Walkden, G. T. Laws, and P. Caine (AIAA J) 642

Shock shapes of blunt bodies in hypersonic helium, air, and CO2 flows. Charles G. Miller and John A. Moore (AIAA J, TN) 411

Simple technique for predicting Type III and IV shock interference.
T. Taz Bramlette (AIAA J. TN) 1151 Simulation of real-gas effects for Mars entry. James L. Hunt, Robert A. Jones, and Raymond E. Midden (JSR, EN) 62

Simultaneous Raman and laser velocimeter measurements. M. E. Hillard Jr., W. W. Hunter Jr., J. F. Meyers, and W. V. Feller (AIAA I. TN) 1445 Slot heating associated with roll control fins. T. Taz Bramlette (JSR,

EN) 797

Sonic boom of hypersonic vehicles. Y. S. Pan and W. A. Sotomayer (AIAA J, ERR) 416

Strong spherical blast waves in a dust-laden gas. Nathan Gerber and Joan M. Bartos (AIAA J. TN) 120

Study of compressible potential and asymptotic viscous flows for corner ragion, A. K. N. Ghia and R. T. Davis (AIAA J) 355

—Study of compressible potential and asymptotic viacous flows for corner region, A. K. N. Ghia and R. T. Davis (AIAA J, ERR) 1456 Supersonic flow in the corner formed by two intersecting wedges. Paul Kutler (AIAA J, SYN) 577 Supersonic, turbulent boundary-layer separation. C. Herbert Law

(AIAA J) 794

Surface heat transfer in the flow of dissociated nitrogen. Norbert Peters (AIAA J, TN) 1747

Swept-slot film-cooling effectiveness in hypersonic turbulent flow. Jerry N. Hefner and Aubrey M. Cary Jr. (JSR, EN) 351

Time-asymptotic solution for sphere-cones in hypersonic flow. Prabhakara P. Rao and James M. Lefferdo (AIAA J, TN) 386 Transition effects on slender vehicle stability and trim charac-teristics. Lars E. Ericsson (JSR) 3

-Errata: Transition effects on slender vehicle stability and trim characteristics. Lars E. Ericsson (JSR) 448 Turbulence measurements in a compressible boundary layer.

William C. Rose (AIAA J) 1060

Turbulence measurements in a Mach 2.9 boundary layer using laser velocimetry. Dennis A. Johnson (AIAA J, TN) 711

Turbulent boundary-layer flow separation measurements using holographic interferometry. Albert G. Havener and Roger J. Radley Jr. (AIAA J) 1071 Two-layer model of turbulent boundary layers. Barry L. Reeves

(AIAA J) 932

Unsteadiness measurements in the flow through an oblique shock wave. E. R. Bergstrom, W. E. Boley, and S. Raghunathan (AIAA J. TN) 997

Unsteady flow downstream of an airfoil oscillating in a supersonic stream. Joseph M. Verdon (AIAA J, TN) 999
Value of Mach angle for a given Prandtl-Meyer angle. William J. H. Smithey (AIAA J, TN) 1596

Vortex-induced heating to a cone-cylinder body at Mach 6. Jerry N. Hefner (JSR, EN) 127

Vortex-induced heating to cone flaps at Mach 6. Jerry N. Hefner and Allan H. Whitehead Jr. (JSR, EN) 200

Wind-tunnel study of spinning conical disk decelerators at Mach 4, A. Antoni K. Jakubowski (JSR) 141

Viscous Nonboundary-Layer Flows

Application of turbulence model equations to axisymmetric wakes. W. S. Lewellen, M. Teske, and Coleman duP. Donaldson (AIAA J)

Approximate method for estimating wake vortex strength. John E. Fidler (AIAA J) 633

Calculation of low Reynolds number flow past a square protuberance. Clarence W. Kitchens Jr. (AIAA J, TN) 1005

Calculation of the flow on a cone at high angle of attack. Stephen C. Lubard and William S. Helliwell (AIAA J) 965

Comment on "Finite element structural analysis of local instability."

W. H. Wittrick (AIAA J, TC) 123
—Reply by author to W. H. Wittrick, J. S. Przemieniecki (AIAA J, TC) 124

Comment on "Hypersonic viscous shock layer with chemical nonequilibrium for spherically blunted cones." E. W. Miner and Clark H. Lewis (AIAA J. TC) 124

—Rep!y by authors to E. W. Miner and C. H. Lewis. Sang-Wook

Kang and Michael G. Dunn (AIAA J. TC) 127

Effect of the adverse pressure gradient on vortex breakdown. Turgut Sarpkaya (AIAA J) 602

Experimental wake flow properties of a Viking '75 entry vehicle. James F. Campbell and Clarence A. Brown Jr. (JSR) 11

Flowfield in the combustion chamber of a solid propellant rocket motor. R. Dunlap, P. G. Willoughby and R. W. Hermsen (AIAA J. TN) 1440

Hypersonic merged stagnation shock layers. Part I: Adiabatic wall case. A. C. Jain and V. Adimurthy (AIAA J) 342

Hypersonic merged stagnation shock layers. Part II: Cold wall case. A. C. Jain and V. Adimurthy (AIAA J) 348

Investigation of laminar flow in a porous pipe with variable wall suction. L. S. Galowin, L. S. Fletcher, and M. J. DeSantis (AIAA J) 1585

Navier-Stokes solutions for flow past a class of two-dimensional semi-infinite bodies. U. Ghia and R. T. Davis (AIAA J) 1659

Numerical solution of three-dimensional Navier-Stokes equations showing trailing tip vortices. J. F. Thompson, S. P. Shanks, and J. C. Wu (AIAA J) 787

Numerical study of unsteady viscous flow past a lifting plate. Robert A. Schmall and Robert B. Kinney (AIAA J) 1566

Prediction of yawing force at high angle of attack. Andrew B. Wardlaw Jr. (AIAA J, TN) 1142

Slot heating associated with roll control fins. T. Taz Bramlette (JSR,

EN) 797 Torque development on a spherical body due to spin up of the con-

centric spherical container. Ram Sinha (AIAA J, TN) 404 Transpiration nosetip coolant flow control. John R. Schuster, Roger

A. Glickman, and Douglas R. Hender (JSR) 152

Viscous flow over spinning cones at angle of attack. T. C. Lin and S. G. Rubin (AIAA J) 975

Wave Motion and Sloshing

Analytical model for liquid rocket propellant feedline dynamics. Jesse L. Holster and William J. Astleford (JSR) 180

T. P. Collins, and W. F. Vier III (JA) 344

Stability of partially lined combustors with distributed combustion. M. R. Baer, C. E. Mitchell, and W. R. Espander (AIAA J) 475

INTERDISCIPLINARY TOPICS

1erospace Management

Concorde: Testing the market. Richard D. FitzSimmons (A/ A, July-August) 46

Ground testing and simulation-An overview: Part I: Economics, Jack D. Whitfield (A/ A, June) 54

High-low mix-Solution or problem? George Spangenberg (A/ A, Sept.)

Interactive-TV networking: A modest proposal for using domestic communication satellites. Rodman Davis (A/ A, April) 62

Looking before you leap.—The state of the art of technology assessment. Herbert Fox (A/ A, Nov.) 40

Lower space costs mean more space flight. A. O. Tischler (A/ A. June) 22 Managerial implications of computerized aircraft design synthesis. William L. Straub Jr. (JA) 129

Mariner Venus/ Mercury 1973: A strategy of cost control. John R. Biggs and Walter J. Downhower (A/A, June) 48

Methodology for reliability-cost-risk analysis of satellite networks. J. S. Greenberg and G. A. Hazelrigg Jr. (JSR) 650

More national security from the defense dollar: Project ACE. Samuel C.

Phillips (A/ A, Dec.) 44

Optimal scheduling of a satellite control network using zero-one linear programing. L. C. Westphas (JSR, EN) 731

Parameters of technological growth: What makes an optimist? Toufiq F. Siddiqi (A/ A, June) 15

Rating aircraft on energy. Dal V. Maddalon (A/ A, Dec.) 26

Restoring private enterprise to the defense industry. Murray L. Weidenbaum (A/A, Nov.) 15

Unified view of the R&D economy, A. Frederick L. Bagby (A/ A, Jan.) 32

Aerospace Technology Utilization

Combustion R&D-Key to our energy future. Antoni K. Oppenheim and

Felix J. Weinberg (A/A, Nov.) 22 Design of the INTELSAT IV transponder. S. B. Bennett and I. Dostis (PS, V. 33) 373

European communication satellite program, The. Rene C. Collette (PS, V. 32) 213

Implication of satellite technology for television broadcasting in Canada. B. C. Blevis and M. L. Card (PS, V. 32) 281

Looking before you leap—The state of the art of technology assessment. Herbert Fox (A/ A, Nov.) 40

Mariner IX optical navigation using Mars lit limb. Navin Jerath and

Hiroshi Ohtakay (JSR) 505 Opportunities for U.S.-European cooperation in application satellite programs. John A. Johnson (PS, V. 32) 47

Performance of a digital adaptive echo canceller in a simulated satellite

circuit environment. H. G. Suyderhoud and M. Onufry (PS, V. 33) 455 Raman scattering applied to hypersonic air flow. Mervin E. Hillard Jr., E. Leon Morrisette, and M. Lawrence Emory (AIAA J, TN) 1160

RPVs—Exploring civilian applications. Thomas J. Gregory, Rodney (). Bailey, and Walter P. Nelms (A/A, Sept.) 38

Satellites for U. S. education: Needs, opportunities, and systems, R. P. Morgan, J. P. Singh, B. D. Anderson, and E. Greenberg (PS, V. 32) 441 Widening ERTS applications. Enrico P. Mercanti (A/A, May) 28

Atmospheric, Space, and Oceanographic Sciences

Aircraft turbine engine emissions under simulated supersonic flight conditions. R. C. German, C. E. Robinson, M. D. High, and R. F. Lauer (IA) 472

Analysis of laser measurement of high-altitude aircraft emissions. Philip Brockman and R. K. Seals Jr. (AIAA J) 651

Analysis of tunable laser heterodyne radiometry: Remote sensing of atmospheric gases. R. K. Seals Jr. (AIAA J) 1118

Comparison of three techniques for solving the radiative transport equation. J. A. Roux and A. M. Smith (PS, V. 35) 3

Dispersion and dilution of jet aircraft exhaust at high-altitude flight conditions. James D. Holdeman (JA) 483

Effect of boundary conditions on the radiative reflectance of dielectric coatings. J. A. Roux, A. M. Smith, and F. Shahrokhi (PS, V. 35) 131

Engineering models of the Venus atmosphere. Richard B. Noll and Michael B. McElroy (JSR) 21

Exotic astrophysics. Herbert Friedman (A/A, April) 20

Experimental investigation of small scale transport mechanisms in the stratosphere. N. W. Rosenberg, R. E. Good, W. K. Vickery, and E. M. Dewan (AIAA J) 1094

Exploring Jupiter and its satellites with an orbiter. J. C. Beckman, J. R. Hyde, and S. I. Rasool (A/A, Sept.) 24

Impact of space shuttle orbiter re-entry on mesospheric NO_x. R. S. Stolarski, R. J. Cicerone, and A. F. Nagy (AIAA J, TN) 395
Infrared astronomy and the shuttle. Martin Harwit (A/A, Oct.) 23

Jupiter's magnetosphere as observed with Pioneer 10. James A. Van Allen

and Roger F. Randali (A/A, July-August) 14 Lightning and the Apollo 17/Saturn V exhaust plume. E. P. Krider, R. C. Noggle, M. A. Uman, and R. E. Orville (JSR) 72

Mars emerging from a generation of discoveries, The. Richard Goody

(A/ A, Jan.) 24 Mathematical modeling for the detection of fish by an airborne laser. David L. Murphree, Clayborne D. Taylor, and Ronald W. McClendon (AIAA

J) 1686 Numerical solution of a nonlinear integral equation by the use of step functions: III. Continuous solutions. Kenneth K. Yoshikawa (AIAA J,

TN1 1769 Operation Kohoutek preliminary results. George R. Carruthers (A/A, Oct.) 42

Options for Mars exploration. E. Brian Pritchard, Edwin F. Harrison, and Jesse W. Moore (A/A, Feb.) 46

Orbit analysis for coastal zone oceanography observations. Edwin F. Harrison and Richard N. Green (JSR, SYN) 131

Perturbations of the stratosphere and mesosphere by aerospace vehicles. R.

C. Whitten and R. P. Turco (AIAA J) 1110 Pioneer Venus mission plan for atmospheric probes and an orbiter. John W. Dyer, Robert R. Nunamaker, John R. Cowley Jr., and Robert W. Jackson (JSR) 710

Radiative transport analysis for plane geometry with isotropic scattering and arbitrary temperature. J. A. Roux and A. M. Smith (AIAA J) 1273 Scattering properties of ice particles formed by release of H₂O in vacuum. Thomas T. Kassal (JSR, EN) 54

Some response characteristics of parabolic hot films in water. A. R. M. Nowell (JH, EN) 169

Space systems summaries: Pioneer spacecraft. (A/A, Feb.) 79

Space systems summaries: Ranger. (A/A, April) 77

Spherical harmonics approximation for radiative transfer in polluted at-

mospheres. R. W. Bergstrom Jr. and R. Viskanta (PS, V. 35) 23
Statistical models for Jupiter's troposphere and the NH₃-H₂O cloud systems. William Sidney Cook (JSR) 512

Superpressure balloons for long-duration flight. James D. Kurfess (A/A, April) 68

Vertical profiles of molecular H₂ and CH₄ in the stratosphere, D. H. Ehhalt and L. E. Heidt (AIAA J) 822

Widening ERTS applications. Enrico P. Mercanti (A/A, May) 28

Checkout Systems

Engine condition monitor system to detect foreign object damage and crack development. H. R. Hegner (PS, V. 34) 531

Inflight engine condition monitoring system. G. C. Van Cleve (PS, V. 34)

In-line oil monitor and its role in engine condition monitoring, The. George F. Skala (PS, V. 34) 499

Study of a flight monitor for jet engine disk cracks using the critical length criterion of fracture mechanics. John P. Barranger (PS, V. 34) 325 Systems engineering approach to effective engine condition monitoring, A. David W. Leiby (PS, V. 34) 481

Computer Technology and Computer Simulation Techniques

Application of computer-aided aircraft design in a multidisciplinary environment. Robert E. Fulton, J. Sobieszczanski, O. Storaasli, Emma Jean Landrum, and D. Loendorf (JA, SYN) 369

Arrested landing studies for STOL aircraft. Chen-Chung Hsin (JA) 159 Calculating two-dimensional chemically reacting flows. Carl Scaccia and Lawrence A. Kennedy (AIAA J) 1268

Closed-loop flight vehicle qualification testing. Robert W. Phillips and John K. Kryvoruka (JSR, SYN) 355

Comment on "Criteria for selecting curves for fitting to data." Robert G. Easterling (AIAA J. TC) 733

-Reply by author to R. G. Easterling, T. J. Dylewski (AIAA J, TC) 734 Computer illustrations of Earth satellite orbits. Donald L. Hitzl (JSR, EN)

Determination of allowable tolerances for asymmetries of a free rolling missile. Albert Kirszenblat (JSR) 295

Digital fly-by-wire: Computers lead the way. Donald C. Fraser and Philip G. Felleman (A/A, July-August) 24

Evaluation of optimization techniques for applications in engineering design, K. A. Afimiwala and R. W. Mayne (JSR, SYN) 673

Explicit numerical method for solution of heat-transfer problems. John A. Segletes (AAA J. SYN) 1463

Interdisciplinary computer analyses of three-dimensional solids defined by polyhedral surfaces. A. M. Messner, G. Q. Taylor, and C. F. Price (JSR, **ENI 52**

Least squares nonlinear parameter estimation by the iterative continuation method. A. Kirszenblat and M. Chetrit (AIAA J. TN) 1751

Optimum vibration isolation system design using linear programing. Peter A. Orlin and Malcolm A. Cutchins (AIAA J) 1517

Programing approach to optimal structural design using structural indices, A. Leonard Spunt (AIAA J. TN) 865

Reliability and quality control of production engineering computer programs. S. D. Hansen and Q. D. McHarg (JA) 232

Simulation of ground facility for testing ramjets under flight conditions. William Mitchell (JSR, SYN) 449

Simulation of the speed control for gas turbines using vibrating reed regulators. Jacques Dat, Jean Fabre, and Librer Sanjurjo (JA) 624 Spacecraft computers. A. J. Aukstikalnis (A/ A, July-August) 33 Suboptimal linear filtering. Edward M. Duiven (JSR, EN) 196

System performance prediction by modeling test data in digital simulations. Harold L. Pastrick, Randy J. York, and Alexander C. Jolly (JSR, SYN)

Time-temperature simulation in low-pressure ignition of hypergolic liquids. Michel A. Saad and Samuel R. Goldwasser (AIAA J, SYN) 11

Transformation for the numerical integration of systems of the form X(t)= F[X(t)]. G. J. Lastman (AIAA J. TN) 1430

Electric Power Generation Research

Cost-effective radioisotope thermoelectric generator designs involving Cm-244 and Pu-238 heat sources. Philip E. Eggers and John L. Ridihalgh (ISR) 704

Effect of finite chemical reaction rates on heat transfer to the walls of combustion-driven supersonic MHD generator channels. J. W. Daily, J. Raeder, and G. Zankl (AIAA J, TN) 403

Effective electrical conductivity and related properties of a nonequilibrium high pressure MHD plasma. G. Brederlow and K. J. Witte (AIAA J) 83 Establishment of quasi-steady conditions in a blow-down nonequilibrium

MHD generator, J. J. Rosciszewski and T. T. Yeh (AIAA J) 1021 Feasibility of large-scale orbital solar/ thermal power generation. John T. Patha and Gordon R. Woodcock (JSR) 409

Local thermal equilibrium in a transient arc. David M. Benenson and August A. Cenkner Jr. (AIAA J. TN) 116

Performance of a Faraday rare gas alkali MHD generator. G. Brederlow, K. J. Witte, and H. Zinko (AIAA J) 481

Stability of nonequilibrium MHD plasma in the regime of fully ionized seed. Takashi Nakamura and Wolfgang Riedmuller (AIAA J) 661

Suppression of ionization instability in an MHD disk generator. Susumu Shoda and Hiroyuki Yamasaki (AIAA J, TN) 1763

Analysis of laser measurement of high-altitude aircraft emissions. Philip Brockman and R. K. Seals Jr. (AIAA J) 651

Analysis of tunable laser heterodyne radiometry: Remote sensing of atmospheric gases. R. K. Seals Jr. (AIAA J) 1118

Application of laser velocimeters for flow measurement. A. E. Lennert, J. O. Hornkohl, and H. T. Kalb (PS, V. 34) 77

Computations of CO₂ laser radiation absorption in SF₆-air boundary layers. John D. Anderson Jr. (AIAA J) 1527

Effect of kinetic rate uncertainties on gasdynamic laser gain and energy predictions. John D. Anderson Jr. (AIAA J) 1699

Fiber optic and laser digital pressure transducers. Gordon W. Margerum, John W. Leonard, and Allen E. Fuhs (PS, V. 34) 217

Gas concentration measurement by coherent Raman anti-Stokes scattering.
P. R. Regnier, F. Moya, and J. P. E. Taran (AIAA J) 826

Holography of nozzles, jets, and spraying systems. J. D. Trolinger, R. A. Belz, and J. E. O'Hare (PS, V. 34) 249

Investigation of the use of holography in studying supersonic flow in inlets.

W. C. Spring HI and W. C. Ragsdale (PS, V. 34) 95

Laser absorption and gain by Ar + -ion states in a supersonic expansion. David L. Murphree, Richard P. Carter, and Dennis R. Smith (AIAA J.

Laser burnthrough time reduction due to tangential airflow terpolation formula. R. L. Johnson and J. D. O'Keefe (AIAA J) 1106 Laser cavity density changes with kinetics of energy release. Oscar Biblarz and Allen E. Fuhs (AIAA J) 1083

Laser velocimeter system development and testing. Jeffrey A. Asher (PS, V. 34) 141

Mathematical modeling for the detection of fish by an airborne laser. David L. Murphree, Clayborne D. Taylor, and Ronald W. McClendon (AIAA D 1686

Measurements in the near field of supersonic nozzles for chemical laser systems. D. L. Whitfield, J. W. L. Lewis, and W. D. Williams (AIAA J. TN) 870

Photographic observations of CW HF chemical laser reacting flowfield. R. L. Varwig (AIAA J. TN) 1448

Propulsion by absorption of laser radiation. A. N. Pirri, M. J. Monsler, and

P. E. Nebolsine (AIAA J) 1254 Raman scattering applied to hypersonic air flow. Mervin E. Hillard Jr., E. Leon Morrisette, and M. Lawrence Emory (AIAA J, TN) 1160

Role of radiative transport in the propagation of laser supported com-bustion waves. J. P. Jackson and P. E. Nielsen (AIAA J) 1498

Simultaneous Raman and laser velocimeter measurements. M. E. Hillard Jr., W. W. Hunter Jr., J. F. Meyers, and W. V. Feller (AIAA J, TN)

Small signal gain calculations for high-flow CO discharge lasers. Neill S. Smith, H. A. Hassan, and Roy M. McInville (AIAA J, SYN) 1619

System performance prediction by modeling test data in digital simulation Harold L. Pastrick, Randy J. York, and Alexander C. Jolly (JSR, SYN)

Transient molecular concentration measurements in turbulent flows using Rayleigh light scattering. S. C. Graham, A. J. Grant, and J. M. Jones (AIAA J. TN) 1140

Law, History, Policy, and Sociology

Aerodynamics Hanoi Hilton style. Ben M. Pollard (A/A, Sept.) 71 Apollo-Soyuz: A substantial engagement. Arnold W. Frutkin (A/A, Dec.)

Design for survival. David Hazen (A/A, Feb.) 57

More national security from the defense dollar: Project ACE. Samuel C. Phillips (A/A, Dec.) 44

Opportunities for U.S.-European cooperation in application satellite programs. John A. Johnson (PS, V. 32) 47

Proposal: For an International Solar System Decade. William H. Pickering (A/ A, Sept.) 22

UFO reports from AIAA members. Peter A. Sturrock (A/A, May) 60

Navigation, Control, and Guidance Theory

Analytical approach to orbit determination in the presence of model errors. Bob E. Schutz (AIAA J) 298

Comment on "Comparison of linear and Riccati equations used to solve optimal control problems." E. D. Denman and Paul Nelson Jr. (AIAA J. TC1 575

Comment on "Neighboring extremals for optimal control problems." Lincoln J. Wood (AIAA J, TC) 1452

-Reply by authors to L. J. Wood. C. E. Hymas, R. K. Cavin III, and D. Colunga (AAAA J, TC) 1454

Comparison of statistical orbit determination methods. B. E. Schutz, J. D. McMillan, and B. D. Tapley (AIAA J, SYN) 1465

Competitive evaluation of failure detection algorithms for strapdown redundant inertial instruments. James C. Wilcox (JSR) 525

Contribution to regularization to optimal trajectory problems. Klaus J. Schwenzfeger (AIAA J) 850

Design of a digital controller for spinning flexible spacecraft. B. C. Kuo, S. M. Seltzer, G. Singh, and R. A. Yackel (JSR) 584

Design principles for digital autopilot synthesis. Howard Berman and Richard Gran (JA) 414

Digital filters using observers applied to ICBM control system design. J. M. Johnson Jr. (JSR) 498

Dynamics and configuration control of two-body satellite systems. Willem Stuiver (JSR, SYN) 545

Filtering and smoothing simulation results for CIRIS inertial and precision ranging data. William S. Widnall (AIAA J) 856

Fine pointing system for large orbiting telescopes. Werner O. Schiehlen (JSR, SYN) 273

Generalized perturbation method for solving two-point boundary-value problems. R. G. Gottlieb, D. G. Hull, and W. T. Fowler (AIAA J) 648 Homicidal chauffeur, The. A. W. Merz (AIAA J, SYN) 259

Iterative explicit guidance for low thrust spaceflight. Robert A. Jacobson and William F. Powers (JSR) 494

Limiting performance of ground transportation vehicles subject to transient loading. Walter D. Pilkey and Bo Ping Wang (AIAA J, SYN) 1011

Low order observer for a linear functional of the state vector. Peter Murdoch (AIAA J. TN) 1288

Mariner IX optical pavigation using Mars lit limb. Navin Jerath and Hiroshi Ohtakay (JSR) 505

Minimum time and minimum fuel flight path sensitivity. M. A. Nichols and J. Karl Hedrick (JA) 320

Nonlinear programing by projection-restoration applied to optimal geostationary satellite positioning. W. A. Gruver and N. H. Engersbach (AIAA J) 1715

Optimal guidance for aerodynamically controlled re-entry vehicles. Miguel A. de Virgilio, Gerald R. Wells, and Earl E. Schiring (AIAA J) 1331

Optimal guidance with maneuvering targets. Robert B. Asher and John P. Matuszewski (JSR, EN) 204

Optimal guidance for the space shuttle transition. Robert F. Stengel (JSR)

Optimum skewed redundant inertial navigators. Arthur J. Peisa (AIAA J)

Orbit determination capability analysis for the Mariner-Jupiter-Saturn 1977 mission. G. A. Ransford, C. E. Hildebrand, and V. J. Ondrasik (ISR) 658

Orbit trim strategies for the 1975 Mars Viking mission. Gerald R. Hintz (JSR) 783

Practical aspects of electrostatic stabilization. Ralph Markson (A/A, April) 44

Second-order optimality conditions for the Bolza problem with both endpoints variable. Lincoln J. Wood (JA) 212

Series expansion of the eccentricity for near parabolic orbits. N. X. Vinh (AIAA J. TN) 1281 Some aspects of collision avoidance. T. L. Vincent, E. M. Cliff, W. J.

Grantham, and W. Y. Peng (AIAA J, SYN) 3

Square-root algorithm for evaluating mismodeled process noise. C. L. Thornton and S. G. Finley (JSR) 223
Stochastic optimal control of linear dynamic systems. Jason L. Speyer and

Donald E. Gustafson (AIAA J, SA) 1013 Suboptimal linear filtering. Edward M. Duiven (JSR, EN) 196

Synthesis of a separate surface wing leveler. Jan Roskam and Samuel Henry (JA, SYN) 657

Terminal navigation analysis for the 1980 Comet Encke slow flyby mission. Robert A. Jacobson, James P. McDannell, and George C. Rinker (JSR)

Transfer function synthesis by state vector feedback. Peter Murdoch (AIAA J, TN) 1765

Transformation for the numerical integration of systems of the form X(t) =F[X(t)].G. J. Lastman (AIAA J. TN) 1430

Reliability, Quality Control, and Maintainability

Competitive evaluation of failure detection algorithms for strapdown

redundant inertial instruments. James C. Wikox (JSR) 525 Engine aids and the metrologist syndrome. H. M. Snowball (PS, V. 34) 505 In-line oil monitor and its role in engine condition monitoring, The. George F. Skala (PS, V. 34) 499

Minuteman III liquid propulsion system storage surveillance program. Leonard Usiak and Philip Ramsden (JSR, EN) 792

Redundant configuration of electric propulsion systems for stationkeeping. D. Rex and B. Kohnecke (JSR) 488 Reliability and quality control of production engineering computer programs. S. D. Hansen and Q. D. McHarg (JA) 232

Systems engineering approach to effective engine condition monitoring. David W. Leiby (PS, V. 34) 481

Thermal coupling measurement method. L. A. Rosenthal and V. J. Menichelli (JSR) 282

Research Facilities and Instrumentation

Acoustical levitation for space processing. Taylor G. Wang, Melvin M. Saffren, and Daniel D. Elleman (A/A, July-August) 42

Application of laser velocimeters for flow measurements. A. E. Lennert, J. O. Hornkohl, and H. T. Kalb (PS, V. 34) 77

Comment on "Criteria for selecting curves for fitting to data." Robert G. Easterling (AIAA J, TC) 733

-Reply by author to R. G. Easterling. T. J. Dylewski (AIAA J, TC) 734 Considerations for the design of a second generation induction driven transonic wind tunnel. J. Braha, M. Salomon, A. Seginer, and J. Rom (JA) 790

Debris shielding during high-speed erosion. W. G. Reinecke (AIAA J, TN) 1592

Density survey in the hypersonic viscous shock layer on a sharp flat plate. J. M. Avidor and S. Lederman (AIAA J. TN) 993

Development of an MHD-augmented, high enthalpy, shock tunnel facility. S. R. Pate, L. G. Siler, D. W. Stallings, and D. A. Wagner (AIAA J) 289 Experiences in the design and application of turbine blade pyrometers.

Herbert Katz (PS, V. 34) 409 Experimental studies of a Ludwieg tube high Reynolds number transonic

tunnel. R. F. Starr and C. J. Schueler (AIAA J. SYN) 267

Fiber optic and laser digital pressure transducers. Gordon W. Margerum, John W. Leonard, and Allen E. Fuhs (PS, V. 34) 217

Flight simulation characteristics of the Langley high Reynolds number cryogenic transonic tunnel. Robert A. Kilgore, Jerry B. Adcock, and Edward J. Ray (JA) 593

Flow properties in expansion tube with helium, argon, air, and CO2. Charles G. Miller (AIAA J. TN) 564

Ground testing and simulation-An overview: Part II: Aerodynamic testing. Bain Dayman Jr. and Anthony W. Fiore (A/A, June) 56 Laser velocimeter system development and testing. Jeffrey A. Asher (PS, V.

34) 141

Measurement of instantaneous air angle and total temperature fluctuations behind transonic compressor rotors. Bruce V. Johnson, Henry V. Marman, John A. Brent, and Richard M. Hooper (PS, V. 34) 179

Method for producing a uniform, low Reynolds number jet. George C. Greene and Donald F. Brink (JSR, EN) 604

Modularized instrument system for turbojet engine test facilities. W. C. Nieberding and D. R. Englund Jr. (PS, V. 34) 205

On the determination of the internal aerodynamics of compressors. B. A.

Jones (PS, V. 34) 109 On-the-shaft data systems for rotating engine components. Daniel J. Lesco, John C. Sturman, and William C. Nieberding (PS, V. 34) 131

Pyrometer for measurement of surface temeprature distribution on a rotating turbine blade. Donald R. Buchele and Daniel J. Lesco (PS, V. 341 347

Raman scattering applied to hypersonic air flow. Mervin E. Hillard Jr., E. Leon Morrisette, and M. Lawrence Emory (AIAA J. TN) 1160

Response of a hot wire oscillating in a shear flow. R. H. Kirchhoff and R. A. Burbank (AIAA J. TN) 96

Response of miniature pressure transducers to fluctuations in supersonic flow. E. Grande and G. C. Oates (PS, V. 34) 3

Selected applications of a biaxial tiltmeter in the ground motion environment. G. L. Cooper and W. T. Schmars (JSR) 530

Simultaneous Raman and laser velocimeter measurements. M. E. Hillard Jr., W. W. Hunter Jr., J. F. Meyers, and W. V. Feller (AIAA J. TN) 1445

Some measurements on dynamic stall. A. G. Parker and J. Bicknell (JA) 371

Study of a flight monitor for jet engine disk cracks using the critical length criterion of fracture mechanics. John P. Barranger (PS, V. 34) 325

System for evaluation of F-15 inlet dynamic distortion. A. P. Farr and G. A. Schumacher (PS, V. 34) 59

Thrust measuring system for electrothermal thrusters. B. C. Barber (JSR)

Turbulence calibration of a hot wire anemometer. R. H. Kirchhoff and R. R. Safarik (AIAA J, TN) 710

Turbulence measurements in a Mach 2.9 boundary layer using laser velocimetry. Dennis A. Johnson (AIAA J, TN) 711

Wake growth and collapse in stratified flow. Gordon E. Merritt (AIAA J) 940

Safety

Acoustic backscatter radar system for tracking aircraft trailing vortices. Martin Balser, Charles A. McNary, and Arthur E. Nagy (JA) 556 Automatic detection and suppression of inlet buzz. L. O. Billig (PS, V. 34)

Computer simulation of near midair collisions in the terminal environment. Richard B. Jones and Frederick H. Lutze Jr. (JA) 45'

Review of the compatibility of structural materials with oxygen. Alan F. Clark and Jerome G. Hust (AIAA J, SA) 441 Visual perception of pilots in carrier landing. Theodore Gold (JA) 723

LAUNCH VEHICLE AND MISSILE (LV/ M) TECHNOLOGY

LV/ M Aerodynamic Heating

Aerodynamic heat transfer to RSI tile surfaces and gap intersections. James C. Dunavant and David A. Throckmorton (JSR, EN) 437

Calorimeter measurement of heat transfer at hypersonic conditions. Mitchell R. Wool, Andrew J. Murphy, and Roald A. Rindal (JSR) 363 Evaluation of aerodynamic heating uncertainties for space shuttle. R. V. Masek, D. Hender, and J. A. Forney (JSR) 368

Generalized flow in gaps and slots including the effects of ablation. Larry Cooper and Kurt E. Putz (JSR) 287 Method for calculating aerodynamic heating on sounding rocket tangent ogive noses. L. D. Wing (JSR) 357

Prediction of turbulent heat transfer and pressure on swept leading edges. Hugh W. Coleman and E. Clark Lemmon (JSR) 376

Radial base heat-transfer gradients in turbulent flow. Bruce M. Bulmer (JSR, EN) 798

Transpiration nosetip coolant flow control. John R. Schuster, Roger A. Glickman, and Douglas R. Hender (JSR) 152

Vortex-induced heating to a cone-cylinder body at Mach 6. Jerry N. Hefner (JSR. EN) 127

Vortex-induced heating to cone flaps at Mach 6. Jerry N. Hefner and Allan H. Whitehead Jr. (JSR, EN) 200

LV/ M Aerodynamics

Analysis of the nonlinear rolling motion of finned missiles. Charles J. Cohen, Thomas A. Clare, and Frank L. Stevens (AIAA J) 303

Approximate method for estimating wake vortex strength. John E. Fidler (AIAA J) 633

Calculation of nonlinear lift and pitching moment coefficients for slender wing-body combinations. H. Otto (JA, EN) 489

Contribution of a wall shear stress to the Magnus effect on nose shapes. Ira D. Jacobson (AIAA J. TN) 1003

Cylindrical wing-body configurations for space-limited applications. D. E. Swanson and C. T. Crowe (JSR, EN) 60

Moments and forces on general convex bodies in hypersonic flow. Jack Pike (AIAA J) 1241

LV/ M Configurational Design

Similarity laws for missiles of minimum ballistic factor. V. B. Tawakley (JSR, EN) 671

LV/ M Dynamics and Control

Closed-loop flight vehicle qualification testing. Robert W. Phillips and John K. Kryvoruka (JSR, SYN) 355

Digital filters using observers applied to ICBM control system design. J. M. Johnson Jr. (JSR) 498

Effect of transverse products of inertia on re-entry vehicle trim angle behavior. Albert E. Hodapp Jr. (JSR, EN) 733

Effects of unsymmetrical stability derivative characteristics on re-entry vehicle trim angle behavior. Albert E. Hodapp Jr. (JSR) 300

On Murphy's stability criterion. J. P. Sharma (JSR, EN) 432

Optimal guidance for aerodynamically controlled re-entry vehicles. Miguel A. de Virgilio, Gerald R. Wells, and Earl E. Schiring (AIAA J) 1331

LV/ M Dynamics, Uncontrolled

Analysis aof the nonlinear rolling motion of finned missiles. Charles J. Cohen, Thomas A. Clare, and Frank L. Stevens. (AIAA J) 303

Analytical model for liquid rocket propellant feedline dynamics. Jesse L. Holster and William J. Astleford (JSR) 180

Attitude motion of a roll accelerated vehicle. Richard T. Theobald (JSR, EN1 857

Determination of allowable tolerances for asymmetries of a free rolling missile. Albert Kirszenblat (JSR) 295

Dynamics of sounding rockets at burnout. William C. Womack, Charles W.

Bert, and Farrell J. Perdreauville (JSR) 716

Minimization method for treating convergence in modal synthesis, A. T. K. Hasselman and Gary C. Hart (AIAA J) 316

LV/ M Fabrication

LIV M Flight Testing

Flutter test analysis in the time domain using a recursive system representation. Jan Robert Wright (JA, EN) 774

Information content subsetting of highly correlated error sources. I. M. Weiss (AIAA J) 1726

1.1 / M Fuel and Propellant Systems (Including Storage and Transfert

Flow visualization of thermal stratification with localized heat source Thomas M. Lovrich, Sidney H. Schwartz, and Leroy A. Holmes (JSR) 664

Mars surface-to-orbit vehicles for sample return missions. William L. Weaver (JSR, EN) 426

Outgas dominated pressure distribution in a multilayer insulation system. J. T. Lin (AIAA J. TN) 1590

Review of the compatibility of structural materials with oxygen. Alan F. Clark and Jerome G. Hust (AIAA J. SA) 441

Studies on mixed fuels—Hydrazine and ethyl alcohol system. R. P. Rastogi, H. J. Singh, and K. Kishore (AIAA J. TN) 227

LV/ M Guidance Systems (Including Command and Information Systems)

Drift compensation and acceleration resolution for a rotating platform IMU. A. C. Liang and D. L. Kleinbub (JSR, SYN) 547

Guidance of a bank-to-turn missile with altitude control requirements. E. P. Cunningham (JSR, EN) 340

Optimal guidance for aerodynamically controlled re-entry vehicles. Miquel A. de Virgilio, Gerald R. Wells, and Earl E. Schiring (AIAA J) 1331

Selected applications of a biaxial tiltmeter in the ground motion en-vironment. G. L. Cooper and W. T. Schmars (JSR) 530

Torque development on a spherical body due to spin up of the concentric spherical container. Ram Sinha (AIAA J, TN) 404

LV/ M Gust Loading and Wind Shear

Probability of first passage failure for stationary random vibration. J. B. Roberts (AIAA J) 1636

LV/ M Mission Studies and Economics

Comparison of advanced propulsion capabilities for future planetary missions. John C. Niehoff and Alan L. Friedlander (JSR) 566

High-speed computation of ascent trajectories within iterative loops using collocation methods. Peter R. Hempel (AIAA J, SYN) 1467

Methodology for reliability-cost-risk analysis of satellite networks. J. S. Greenberg and G. A. Hazelrigg Jr. (JSR) 650

Probability of crashing for a terrain-following missile. Edward P. Cunningham (JSR, EN) 257

Single-stage shuttles for ground launch and air launch. Robert Salkeld (A/ A, March) 52

Systems analysis of Titan family for orbiting multiple communication satellites. J. M. Edgar (PS, V.32) 405

LV/ M Propulsion System Integration

Coolant pressurization and expulsion for transpiration nosetips. Theodore E. Ward and John R. Schuster (JSR) 518

Development of the Astrobee F sounding rocket system. R. B. Jenkins, J. P. Taylor, and H. J. Honecker Jr. (JSR, EN) 56

Minuteman III liquid propulsion system storage surveillance program. Leonard Usiak and Philip Ramsden (JSR, EN) 792 Propulsion systems for single-stage shuttles. Rudi Beichel (A/A, Nov.) 32

LV/ M Simulation

Closed-loop flight vehicle qualification testing. Robert W. Phillips and John K. Kryvoruka (JSR, SYN) 355
Debris shielding during high-speed erosion. W. G. Reinecke (AIAA J, TN)

LV/ M Structural Design (Including Loads)

Buckling of short cylindrical shells under axial compression. D. Durban and A. Libai (AIAA J) 909

Comment on the equation for aeroelastic divergence of unguided launch

vehicles. N. G. Humbad (AIAA J, TN) 1739

Optimal psyload ascent trajectories of winged vehicles. James A. Martin (JSR, EN) 860

Rocket exhaust flow in tube launchers. James L. Batson and John J. Bertin (JSR, SYN) 739

Viscoelastic fracture of solid propellants in pressurization loading conditions. E. C. Francis, C. H. Carlton, and G. H. Lindsey (JSR) 691

LV/ M Subsystem Design

Base flow analysis for dual-engine booster. Yong S. Hong (JSR, SYN) 209 Rocket exhaust flow in tube launchers. James L. Batson and John J. Bertin (JSR. SYN) 739

Systems analysis of Titan family for orbiting multiple communication satellites. J. M. Edgar (PS, V.32) 405

LV/ M System and Component Ground Testing

Ground testing and simulation-An overview: Part IV: Propulsion testing. Michael Pindzola (A/ A, July-August) 63

On multiple-shaker resonance testing. R. R. Craig Jr. and Y.-W. T. Su

Simulation of a ground facility for testing ramjets under flight conditions.

William Mitchell (JSR, SYN) 449

LV/ M Trajectories

Approximate impact dispersion methods for symmetric entry vehicles. T. D. Burton (JSR) 777

High-speed computation of ascent trajectories within iterative loops using collocation methods. Peter R. Hempel (AIAA J, SYN) 1467

Mars surface-to-orbit vehicles for sample return missions. William L. Weaver (JSR, EN) 426

Optimal payload ascent trajectories of winged vehicles. James A. Martin (JSR, EN) 860

Launch Vehicle Systems (Including Ground Support)

Agena primary and integrated secondary propulsion systems. S. C. DeBrock and C. J. Rudey (JSR, SYN) 769

Analysis of deployment and inflation of large ribbon parachutes. D. F.

McVey and D. F. Wolf (JA) 96

Mars surface-to-orbit vehicles for sample return missions. William L. Weaver (JSR, EN) 426

Prediction of pressure fluctation in sounding rockets and manifolded recovery systems. John F. Laudadio (JSR, EN) 119

Single-stage shuttles for ground launch and air launch. Robert Salkeld (A/ A, March) 52

Space shuttle / The new baseline. M. S. Malkin (A / A, January) 62

Missile Systems

Analysis of compressible turbulent flow over a yawed cone. A. Robin Mowlem and Russell A. Smith (AIAA J, SYN) 1171

Chamber bleed auxiliary power unit. J. A. Murray (JSR) 808 Effect of thrust on the longitudinal oscillations of missiles. E. V. Laitone and Wen-Fan Lin (JSR, EN) 121

Information content subsetting of highly correlated error sources. I. M. Weiss (AIAA J) 1726

On Murphy's stability criterion, J. P. Sharma (JSR, EN) 432

Sounding Rocket Systems.

ARIES—A controlled sounding rocket. Robert D. Arritt (A/A, Dec.) 50
Development of the Astrobee F sounding rocket system. R. B. Jenkins, J.
P. Taylor, and H. J. Honecker Jr. (JSR, EN) 56
Dynamics of sounding rockets at burnout. William C. Womack, Charles W.

Bert, and Farrell J. Perdreauville (JSR) 716

Effect of thrust on the longitudinal oscillations of missiles. E. V. Laitone and Wen-Fan Lin (JSR, EN) 121 Optimal scan of the sky from a rocket. Russell A. Nidey (AIAA J, TN)

1162

Sounding rocket payload recovery systems. Donald W. Johnson (JSR, EN) 424

Tracking Systems

Aircraft localization with a time-frequency system. Jean Besson and Jean Boillot (JA, SYN) 193

Information content subsetting of highly correlated error sources. I. M. Weiss (AIAA J) 1726

MARINE TECHNOLOGY

Marine Electric Power Systems

Marine Hydrodynamics, Vessel and Control Surface

Analysis of a wave energy conversion buoy. Michael E. McCormick (JH)

Analytical prediction of the influence of polymer additives on the shear drag of bodies of revolution. Frederick L. Test (JH, SYN) 45

Correlation of force measurements and separated flow regions on surface piercing struts. P. D. Swales, R. C. McGregor, and A. J. Wright (JH, EN) 72

Coupled pitch and heave porpoising instability in hydrodynamic planing. Peter R. Payne (JH) 58

Dynamic hinge moment of a low aspect ratio control surface. Gerald C.

Lauchle (JH, EN) 119 Frequency-dependent wave damping in the time domain. G. M. Connell

and A. H. Gray (JH, EN) 167

Perturbation-energy approach for the development of the nonlinear equations of ship motion. Ali H. Nayfeh, Dean T. Mook, and Larry R. Marshall (JH) 130

Separation over a flat plate-wedge configuration at oceanic Reynolds numbers. David R. Campbell (JH, SYN) 3

Subharmonic and superharmonic resonances in the pitch and roll modes of ship motions. Dean T. Mook, Larry R. Marshall, and Ali H. Nayfeh (JH) 32

Marine Materials, Corrosion/ Erosion

Marine Mooring Systems and Cable Mechanics

Comment on "The lift force due to von Karman's vortex wake." Peter R. Payne (JH, TC) 121

-Reply by author to P. R. Payne. D. W. Sallet (JH, TC) 123 mment on "The lift force due to von Karman's vortex wake." M. Tanner Comment on (JH, TC) 124

Dynamic forces exerted by oscillating cables. John P. Breslin (JH) 19

Marine Propulsion System Integration

Marine Vessel Design (Including Loads)

Comment on "Canadian advances in surface-piercing hydrofoils." W. A. Graig (JH, TC) 74

Comment on "Ram wing surface effect boat." Alexander M. Lippisch (JH, TC) 76

Hydrodynamics of large objects in the sea. Part I—Hydrodynamic analysis. C. J. Garrison (JH) 5

Inelastic asymmetric buckling of ring-stiffened cylindrical shells under external pressure. L. H. N. Lee (AIAA J) 1051

Inelastic buckling of a deep spherical shell subject to external pressure. N.

C. Huang and G. Funk (AIAA J) 914 Response of air cushion vehicles to random seaways and the inherent distortion in scale models. D. R. Lavis, R. J. Bartholomew, and J. C. Jones (JH) 83

Shaping of axisymmetric bodies for minimum drag in incompressible flow. Jerome S. Parsons, Raymond E. Goodson, and Fabio R. Goldschmied (JH) 100

Marine Vessel Systems, Submerged

Shaping of axisymmetric bodies for minimum drag in incompressible flow. Jerome S. Parson, Raymond E. Goodson, and Fabio R. Goldschmied

Systems identification: Application to underwater vehicle dynamics. B. E. Sandman and J. G. Kelly (JH) 94

Marine Vessel Systems, Surface

Comment on "Canadian advances in surface-piercing hydrofoils." W. A. Graig (JH, TC) 74

Comment on "Ram wing surface effect boat." Alexander M. Lippisch (JH, TC) 76

Dynamic forces exerted by oscillating cables. John P. Breslin (JH) 19 Response of air cushion vehicles to random seaways and the inherent distortion in scale models. D. R. Lavis, R. J. Bartholomew, and J. C. Jones (JH) 83

Marine Vessel Trajectories, Stability, and Control

Coupled pitch and heave porpoising instability in hydrodynamic planing. Peter R. Payne (JH) 58

Dynamic hinge moment of a low aspect ratio control surface. Gerald C. Lauchle (JH, EN) 119

Frequency-dependent wave damping in the time domain. G. M. Connell and A. H. Gray (JH, EN) 167

Generalized quasi-linearization method. D. K. Scharmack and N. R. Sandell Jr. (AIAA J) 1236

Response of air cushion vehicles to random seaways and the inherent distortion in scale models. D. R. Lavis, R. J. Bartholomew, and J. C. Jones (JH) 83

Systems identification: Application to underwater vehicle dynamics. B. E. Sandman and J. G. Kelly (JH) 94

Marine Vessel Vibration

Oceanography, Physical and Biological

Effect of a wavy bottom on Kelvin-Helmholtz instability. A. Mitra and M. D. Greenberg (JH) 53

Mathematical modeling for the detection of fish by an airborne laser. David L. Murphree, Clayborne D. Taylor, and Ronald W. McClendon (AIAA

Propulsion System Hydrodynamics

Effect of a wavy bottom on Kelvin-Helmholtz instability. A. Mitra and M. D. Greenberg (JH) 53

Sea Pollution Containment and Control

Undersea Acoustics

Undersea Communication

Undersea Extra-Vehicular Activity

Thermal protection for divers. W. W. McCrory (JH) 115

Undersea Habitability and Life Support Systems

Analytic model for assessing the thermal performance of scuba divers. Leslie D. Montgomery (JH) 108

Apparatus and techniques for safe, economical work in hostile environments. H. Almqvist and B. Jansson (JH) 125

Undersea Medicine (Including Psychology, Pressure Effects, etc.)

Analytic model for assessing the thermal performance of scuba divers. Leslie D. Montgomery (JH) 108

Apparatus and techniques for safe, economical work in hostile environments. H. Almqvist and B. Jansson (JH) 125

PROPULSION

Airbreathing Engine Testing

Advances in measuring techniques for turbine cooling test rigs: Status report. Frank G. Pollack (PS, V.34) 371

Aircraft turbine engine emissions under simulated supersonic flight conditions. R. C. German, C. E. Robinson, M. D. High, and R. F. Lauer (JA) 472

Current state-of-the-art for airbreathing combustor measurements. W. M. Shaffernocker (PS, V.34) 227

Dynamic flow studies by application of pressure and velocity sensors on axial flow fan blades. John T. Carroll (PS, V.34) 115

Engine condition monitor system to detect foreign object damage and crack development. H. R. Hegner (PS, V.34) 531

Gas temperature-density (GTD) sensor for turbine inlet gas temperature measurement. J. Van Roberts and David A. Rohy (PS, V.34) 355 Heat transfer measurements in turbines. J. F. Louis, A. M. Demirjian, and

R. F. Topping (PS, V.34) 331

Holography of JP-4 droplets and combusting boron particles. B. J. Mat-thews, R. F. Wuerker, H. F. Chambers Jr., and J. Hojnacki (PS, V.34) 297

Inflight engine condition monitoring system. G. C. Van Cleve (PS, V.34)

In-line oil monitor and its role in engine condition monitoring, The. George F. Skala (PS, V.34) 499

Instrumenting a stoichiometric turbine development engine. Ronald P. Schwedland and Morris F. Hall (PS, V.34) 387

Investigation of the use of holography in studying supersonic flow in inlets. W. C. Spring III and W. C. Ragsdale (PS, V.34) 95

Jet engine soot emission measured at altitude. J. M. Rosen and R. Greegor

Measurement techniques for supersonic combustion testing. R. C. Orth, F. S. Billig, and S. E. Grenleski (PS, V.34) 263

Modularized instrument system for turbojet engine test facilities. W. C. Nieberding and D. R. Englund Jr. (PS, V.34) 205

On-the-shaft data systems for rotating engine components. Daniel J. Lesco, John C. Sturman, and William C. Nieberding (PS, V.34) 131 P³G—A new dynamic distortion generator. P. H. Kutschenreuter Jr., T. P.

Collins, and W. F. Vier III (JA) 344

Pyrometer for measurement of surface temperature distribution on a rotating turbine blade. Donald R. Buchele and Daniel J. Lesco (PS, V.34) 347

Response of miniature pressure tranducers to fluctuations in supersonic flow. E. Grande and G. C. Oates (PS, V.34) 3

Sensing incipient engine failure with electrostatic probes. Robert P. Couch, Dennis R. Rossbach, and Ray W. Burgess Jr. (PS, V.34) 515

Study of a flight monitor for jet engine disk cracks using the critical length criterion of fracture mechanics. John P. Barranger (PS, V.34) 325 Systems engineering approach to effective engine condition monitoring.

David W. Leiby (PS, V.34) 481

Testing the external burning propulsion concept. H. L. Fein and D. E. Shelor (JSR, EN) 538

Total pressure averaging in pulsating flows. L. N. Krause, T. J. Dudzinski, and R. C. Johnson (PS, V.34) 193

Total pressure recovery for a dump combustor. W. William Beans (JSR, ENI 433

Turbine blade pyrometer system in the control of the Concorde engine. K. R. Curwen (PS, V.34) 399

Turbine inlet gas temperature measurement system using a fluidic temperature sensor. William L. Webb and Paul J. Reukauf (JA) 422

Ultrasonic turbine inlet gas temperature sensor, An. L. L. Small and C. S. Longstreet (PS, V.34) 437

Airbreathing Propulsion, Hypersonic

Evaluation of a wedge gas-sampling probe. H. Lee Beach Jr. (AIAA J, TC) 1284

Instrumentation for in-flight determination of steady-state and dynamic inlet performance in supersonic aircraft. R. H. Smith and F. W. Burcham Jr. (PS, V.34) 41

Measurement techniques for supersonic combustion testing. R. C. Orth, F. S. Billig, and S. E. Grenleski (PS, V.34) 263

Performance of an inlet for an integrated scramjet concept. Carl A. Trexler

Research instrumentation requirements for flight/ wind-tunnel tests of the YF-12 propulsion system and related flight experience. William G. Schweikhard and Earl J. Montoya (PS, V.34) 19

Supersonic combustion of hydrogen injected perpendicular to a ducted vitiated airstream. R. C. Rogers and J. M. Eggers (AIAA J, SYN) 1621

tirbreathing Propulsion, Subsonic and Supersonic

Aeroelastic stability of cylindrical shells subjected to a rotating flow. E. H. Dowell, A. V. Srinivasan, J. D. McLean and J. Ambrose (AIAA J) 1644 Aft-end design techniques for twin-engine fighters. Edsel R. Glasgow and Don M. Santman (IA) 39

AIAA holds fuel-saving session. Jerry Grey (A/ A, May) 52

Airfoil design for high tip speed compressors. G. David Huffman and P. C. Tramm (IA) 682

Automatic detection and suppression of inlet buzz. L. O. Billig (PS, V.34) 453

Combustion R&D-Key to our energy future. Antoni K. Oppenheim and Felix J. Weinberg (A/ A, Nov.) 22 Compressor distortion estimates using parallel compressor theory and stall

delay. James A. Korn (JA) 584

Designing small gas turbine engines for low noise and clean exhaust. H. C. Eatock, J. C. Plucinsky, and J. A. Saintsbury (JA) 616 Effect of inlet turbulence on compressor noise. B. Robbins and B.

Lakshminarayana (JA) 273

Effect of transducer diameter on resolution of total pressure fluctuation in a turbulent flow. W. G. Steenken (PS, V.34) 167

Engine aids and the metrologist syndrome. H. M. Snowball (PS, V.34) 505 Engine condition monitoring as a part of the propulsion management concept. R. K. Sibley (PS, V.34) 464

Engine sensory requirements for energy management. I. A. Carnegis (PS, V.34) 419

Evaluation of hypermixing for thrust augmenting ejectors. Paul M. Bevilaqua (JA) 348

Experiences in the design and application of turbine blade pyrometers. Herbert Katz (PS, V.34) 409

F-12 series aircraft propulsion system performance and development. David H. Campbell (JA) 670

Flow separation over axisymmetric afterbody models. Walter M. Presz Jr. and Edward T. Pitkin (JA) 677

Holography of JP-4 droplets and combusting boron particles. B. J. Mat-thews, R. F. Wuerker, H. F. Chambers Jr. and J. Hojnacki (PS, V.34)

Ignition and global combustion models for clouds of boron particles. R. A. Meese and J. G. Skifstad (AIAA J) 71

Inlet distortion evaluation from limited high-response instrumentation. Stanley H. Ellis and Barry J. Brownstein (JA) 112

Instrumentation for in-flight determination of steady-state and dynamic inlet performance in supersonic aircraft. R. H. Smith and F. W. Burcham Jr. (PS, V.34) 41

Integrated airframe-nozzle performance for designing twin-engine fighters. E. R. Glasgow (JA) 354

Literature review of turbine combustor modeling and emissions. I. T. Osgerby (AIAA J, SA) 743

Measurement of instantaneous air angle and total temperature fluctuations behind transonic compressor rotors. Bruce V. Johnson, Henry V. Marman, John A. Brent, and Richard M. Hooper (PS, V.34) 179

On the inverse calculation of the mass flow parameter. Joe Der Jr. and John K. Stauffer (JA, EN) 121

Pollution measurements of a swirl-can combustor. Richard W. Niedzwiecki and Robert E. Jones (AIAA J) 844

Possibilities for improved supersonic inlet performance. Norman E. Sorensen and Daniel P. Bencze (JA) 288

Research instrumentation requirements for flight/ wind-tunnel tests of the YF-12 propulsion system and related flight experience. William G. Schweikhard and Earl J. Montoya (PS, V. 34) 19

Simulation of a ground facility for testing ramjets under flight conditions.

William Mitchell (JSR, SYN) 449

Study of methods for modeling centerline mass fraction decay in turbulent jets. S. W. Zelazny (AIAA J, TN) 235

System for evaluation of F-15 inlet dynamic distortion. A. P. Farr and G. A. Schumacher (PS, V.34) 59

Testing the external burning propulsion concept. H. L. Fein and D. E. Shelor (JSR, EN) 538

Total pressure recovery for a dump combustor. E. William Beans (JSR, EN1 433

Turbine blade pyrometer system in the control of the Concorde engine. K. R. Curwen (PS, V.34) 399 Turbine inlet gas temperature measurement system using a fluidic tem-

perature sensor. William L. Webb and Paul J. Reukauf (JA) 422 Ultrasonic turbine inlet gas temperature sensor, An. L. L. Small and C. S.

Longstreet (PS, V.34) 437

Vibrational nonequilibrium in a high temperature turbojet engine. I. T. Osgerby (JA) 302

Combustion in Gases

Ammonium perchlorate and ammonium perchlorate-Binder sandwich combustion. J. L. Murphy and D. W. Netzer (AIAA J, SYN) 13

Application of Raman effect to flowfield diagnostics. S. Lederman and J. Bornstein (PS, V.34) 283

Blast initiation and propagation of cylindrical detonations in MAPP-air mixtures. R. S. Fry and J. A. Nicholls (AIAA J) 1703 Calculating two-dimensional chemically reacting flows. Carl Scaccia and

Lawrence A. Kennedy (AIAA J) 1268 Evaluation of a wedge gas-sampling probe. H. Lee Beach Jr. (AIAA J, TN)

Ignition analysis of adiabatic, homogeneous systems including reactant consumption. C. E. Hermance (AIAA J, ERR) 1008

Jet engine soot emission measured at altitude. J. M. Rosen and R. Greegor (JA, EN) 243

Lightning and the Apollo 17/ Saturn V exhaust plume. E. P. Krider, R. C. Noggle, M. A. Uman, and R. E. Orville (JSR) 72 Linear theory for chemically reacting flows. J. C. Wu and L. Turner III

(AIAA J) 468 Measurement techniques for supersonic combustion testing. R. C. Orth, F.

S. Billig, and S. E. Grenleski (PS, V.34) 263

Primary zone carbon monoxide levels for gas turbines. Part I-Premixed combustion. Leonard D. Aceto and Reiner Kollrack (AIAA J) 463

Primary zone carbon monoxide levels for gas turbines. Part II—Liquid fuel combustion. Leonard D. Aceto and Reiner Kollrack (AIAA J) 465 Supersonic combustion of hydrogen injected perpendicular to a ducted vitiated airstream. R. C. Rogers and J. M. Eggers (AIAA J, SYN) 1621

Testing the external burning propulsion concept. H. L. Fein and D. E. Shelor (JSR, EN) 538

Total pressure recovery for a dump combustor. E. William Beans (JSR, EN) 433

Turbojet exhaust reactions in stratospheric flight. L. B. Anderson, J. W. Meyer, and W. J. McLean (AIAA J) 56

Combustion in Heterogeneous Media

Applications of steady-state spray equations to combustion modeling. Frediano V. Bracco (AIAA J) 1534

Burning constant-stoichiometric ratio relation-Some clarifications. H. S. Mukunda and B. N. Raghunandan (AIAA J, TN) 1429

Direct mixing and combustion efficiency measurements in ducted, particleladen jets. S. W. Abbott, L. D. Smoot, and K. Schadow (AIAA J) 275

Heterogeneous combustion studies on polystyrene and oxygen styrene copolymer. R. P. Rastogi, K. Kishore, and B. K. Chaturvedi (AIAA J)

Ignition and global combustion models for clouds of boron particles. R. A. Meese and J. G. Skifstad (AIAA J) 71

Ignition of hybrid rocket fuels with fuming nitric acid as oxidant. N. L. Munjal and M. G. Parvatiyar (JSR, EN) 428

Impact of emission regulations on future gas turbine engine combustors. F. J. Verkamp, A. J. Verdouw, and J. G. Tomlinson (JA) 340
Influence of lithium fluoride on the burning rate of AP-polyester propellant. R. K. Dhameja, Y. P. Saradhy, and V. K. Jain (AIAA J, TN) 874

Kinetic factors in heterogeneous combustion of cross-linked polymers. S. K.

Baijal and A. N. Sriramulu (AIAA J, TN) 1413

Microwave Doppler shift technique for determining solid propellant transient regression rates. Leon D. Strand, August L. Schultz, and Gary K. Reedy (JSR) 75

Novel high area ratio T-burner for characterizing metallized propellants. C. M. Mihlfeith and L. H. Sayer (JSR) 574

On statistical analysis of composite solid propellant combustion. Robert L. Glick (AIAA J. TN) 384

Primary zone carbon monoxide levels for gas turbines. Part I-Premixed combustion. Leonard D. Aceto and Reiner Kollrack (AIAA J) 463

Primary zone carbon monoxide levels for gas turbines. Part II-Liquid fuel combustion. Leonard D. Aceto and Reiner Kollrack (AIAA J) 465

Role of binders in solid propellant combustion. N. S. Cohen, R. W. Fleming, and R. L. Derr (AIAA J) 212 Review of the capatibility of structural materials with oxygen. Alan F.

Clark and Jerome G. Hust (AIAA J, SA) 441

Site and mode of action of platonizers in double base propellants. N. Kobota, T. J. Ohlemiller, L. H. Caveny, and M. Summerfield (AIAA J) 1709

Surface reaction model for metal particle combustion. C. K. Law (AIAA J,

Theory of steady-state burning of gas-permeable propellants. K. K. Kuo and M. Summerfield (AIAA J) 49

Combustion Stability, Ignition, and Detonation

Attenuation of instabilities in propulsion system combustors. Harold T. Couch and Leonard S. Cohen (JA) 571

Blast initiation and propagation of cylindrical detonations in MAPP-air mixtures. R. S. Fry and J. A. Nicholls (AIAA J) 1703

Combustion response function measurements by the rotating valve method. R. S. Brown, J. E. Erickson, and W. R. Babcock (AlAA J) 1502

Damping of axial instabilities by small-scale nozzles under cold-flow conditions. B. A. Janardan, B. R. Daniel, and B. T. Zinn (JSR) 812 Detonation propulsion for high pressure environments. Lloyd H. Back and

Giulio Varsi (AIAA J) 1123-Feasibility of a fluidized powder demand-mode gas generator. Morton Shorr and Thomas F. Reinhardt (JSR) 29

Ignition analysis of adiabatic, homogeneous systems including reactant

consumption. C. E. Hermance (AIAA J, ERR) 1008 Instability of combustion. J. S. Ansari (AIAA J, TN) 561

Microwave Doppler shift technique for determining solid propellant transient regression rates. Leon D. Strand, August L. Schultz, and Gary K. Reedy (JSR) 75

Novel high area ratio T-burner for characterizing metallized propellants. C. M. Mihlfeith and L. H. Sayer (JSR) 574 ONERA and SNPE recent work on solid propellant combustion instability.

M. Barrere, L. Nadaud, and J. N. Lhuillier (JSR) 33

Pollution measurements of a swirl-can combustor. Richard W. Niedzwiecki and Robert E. Jones (AIAA J) 844

Prediction of the critical diameter of composite propellants. P. K. Salzman and T. C. Duncan (AIAA J) 985

Stability of partially lined combustors with distributed combustion. M. R. Baer, C. E. Mitchell, and W. R. Espander (AIAA J) 475

T-Burners: Experiments compared with theory. M. D. Horton and R. L. Coates (ISR, EN) 48

Theory of steady-state burning of gas-permeable propellants. K. K. Kuo and M. Summerfield (AIAA J) 49

Electric and Advanced Space Propulsion

Advanced high-thrust colloid sources, M. N. Huberman and S. G. Rosen (JSR) 475

Attitude stability of a flexible solar electric spacecraft: A parametric study. Elbert L. Marsh (JSR) 89

Comet Encke flyby-Asteroid rendezvous mission. Alan L. Friedlander (ISR EN) 270

Detonation propulsion for high pressure environments. Lloyd H. Back and Giulio Varsi (AlAA J) 1123

Electric propulsion technology status and development plans-European programs. Horst W. Loeb (JSR) 821

Electrolytic capacitor power source design for quasi-steady magnetoplasmadynamic arcs. Marco S. Di Capua and Helmut L. Kurtz (JSR) 554 Exhaust plume structure in a quasi-steady MPD accelerator. Adam P.

Bruckner and Robert G. Jahn (AIAA J) 1198 Flight qualified pulsed electric thruster for satellite control. R. J. Vondra

and K. I. Thomassen (JSR) 613 Flow rate limitations in the self-field accelerator. Helmut Hugel (AIAA J. SYN1 1461

Ion propulsion flight experience, life tests, and reliability estimates. J. H. Molitor (JSR) 677

Ion thruster ESKA 8 for North-South stationkeeping of synchronous satellites. Guenther F. Au and Siegfried F. J. Baumgarth (JSR) 618

Jet-diagnostics of a self-field acclerator with Langmuir probes. F. Maisenhalder and W. Mayerhofer (AIAA J) 1203

Low current pulsed ablation plasma thruster. L. Liebing and F. Seidel (JSR. SYN) 609

Low thrust propulsion system effects on communication satellites. D. F., Hall and W. C. Lyon (PS, V.33) 279

Manufacture and deflagration of an atomic hydrogen propellant. Gerald Rosen (AIAA J) 1325

Mercury flow meter for ion thruster testing. Paul J. Wilbur (JSR, EN) 728 Performance of a fifteen-centimeter ion thruster with reliable restart capability. Paul J. Wilbur (JSR) 621

Plasma fluctuations in a Kaufman thruster. John S. Serafini and Fred F. Terdan (JSR) 752

Power conditioning and control unit for the French cesium contact ion thruster. A. Costes, C. Landrault, and M. Briot (JSR) 759

Power processing systems for ion thrusters. B. G. Herron, D. R. Garth, R. C. Finke, and H. A. Shumaker (PS, V.33) 261

Pulsed plasma microthruster for synchronous meteorological satellite. William J. Guman and Thomas E. Williams (JSR, EN) 729

RAE / Culham T4 ten centimeter electron-bombardment Mercury ion thruster, D. G. Fearn, R. Hastings, C. M. Philip, P. J. Harbour, and H. H. H. Watson (JSR) 481

Recent hollow cathode investigations at the Royal Aircraft Establishment. C. M. Philip and D. G. Fearn (AIAA J) 1319

Selected comparisons among propulsion systems for communications satellites. Bernard Free and George Huson (PS, V.33) 245

SERT II hollow cathode multiple restarts in space. William R. Kerslake and Robert C. Finke (JSR, EN) 669 Simple spectroscopic technique for the arc region of plasma accelerators.

Robert P. Collier and David S. Scott (AIAA J. TN) 103 Survey of auxiliary-propulsion systems for communications satellites. L. B.

Holcomb and D. H. Lee (PS, V. 33) 191 9700-hour durability test of a five centimeter diameter ion thruster. S.

Nakanishi and R. C. Finke (JSR) 560 Fuels and Propellants, Properties of

Burning constant-stoichiometric ratio relation-Some clarifications. H. S. Mukunda and B. N. Raghunandan (AIAA J, TN) 1429

Combustion of polystyrene and oxygen-styrene copolymer/ ammonium perchlorate propellants. R. P. Rastogi, K. Kishore, and Gurdip Singh (AIAA J. SYN) 9

Feasibility of a fluidized power demand-mode gas generator. Morton Shorr and Thomas F. Reinhardt (JSR) 29

Flow visualization of thermal stratification with localized heat sources. Thomas M. Lovrich, Sidney H. Schwartz, and Leroy A. Holmes (JSR)

Heterogeneous combustion studies on polystyrene and oxygen styrene copolymer, R. P. Rastogi, K. Kishore, and B. K. Chaturvedi (AIAA J)

Hyperbolic ignition of rocket propellants with nitric acid containing dissolved nitrogen tetroxide. U. C. Durgapal and V. K. Venugopal

(AIAA J. TN) 1611 Ignition of hybrid rocket fuels with fuming nitric acid as oxidant. N. L.

Munjal and M. G. Parvatiyar (JSR, EN) 428 Independent region of acceleration in solid propellant combustion. Takashi Niioka and Tohru Mitani (AIAA J. TN) 1759

Influence of lithium fluoride on the burning rate of AP-polyester propellant. R. K. Dhameja, Y. P. Saradhy, and V. K. Jain (AIAA J, TN) 874

Kinetic factors in heterogeneous combustion of cross-linked polymers, S. K. Baijal and A. N. Sriramulu (AIAA J. TN) 1413

Manufacture and deflagration of an atomic hydrogen propellant. Gerald Rosen (AIAA J) 1325

ONERA and SNPE recent work on solid propellant combustion instability. M. Barrere, L. Nadaud, and J. N. Lhuillier (JSR) 33

Prediction of the critical diameter of composite propellants, P. K. Salzman and T. C. Duncan (AIAA J) 985

Role of binders in solid propellant combustion. N. S. Cohen, R. W. Fleming, and R. L. Derr (AIAA J) 212

Site and mode of action of platonizers in double base propellants. N. Kubota, T. J. Ohlemiller, L. H. Caveny, and M. Summerfield (AIAA J)

Specific heat of X14 propellant. J. Richard Ward (AIAA J, TN) 107 Studies on mixed fuels—Hydrazine and ethyl alcohol system. R. P. Rastogi, H. J. Singh, and K. Kishore (AIAA J, TN) 227 Surface reaction model for metal particle combustion. C. K. Law (AIAA J.

T-Burners: Experiments compared with theory. M. D. Horton and R. L. Coates (JSR, EN) 48

Liquid Rocket Engines

Agena primary and integrated secondary propulsion systems. S. C. Derock and C. J. Rudey (JSR) 769

Analytical model for liquid rocket propellant feedline dynamics. Jesse L.

Holster and William J. Astleford (JSR) 180

Applications of steady-state spray equations to combustion modeling. Frediano V. Bracco (AIAA J) 1534'

Design of maximum thrust nozzles for nonequilibrium chemically reacting flow. Allan A. Taylor and Joe D. Hoffman (AIAA J. SYN) 1299

Holography of JP-4 droplets and combusting boron particles. B. J. Mat-thews, R. F. Wuerker, H. F. Chambers Jr., and J. Hojnacki (PS. V.34) 297

Holography of nozzles, jets, and spraying systems. J. D. Trolinger, R. A. Belz, and J. E. O'Hare (PS, V.34) 249

Hydrazine attitude-control propulsion: Evolution of a standardization

program. James H. Kelley A/A. June) 34

Hypergolic ignition of rocket propellants with nitric acid containing dissolved nitrogen tetroxide. U. C. Durgapal and V. K. Venugopal (AIAA J, TN) 1611

Ignition of hybrid rocket fuels with fuming nitric acid as oxidant. N. L. Munjal and M. G. Parvatiyar (JSR, EN) 428

Minuteman III liquid propulsion system storage surveillance program.

Leonard Usiak and Philip Ramsden (JSR, EN) 792

Performance prediction model for a high-impulse monopropellant propulsion system. H. C. Hearn and D. L. Young (JSR) 764

Propulsion systems for single-stage shuttles. Rudi Beichel (A/A, Nov.) 32
Space shuttle bipropellant RCS engine. M. L. Chazen and W. Sanscrainte

Survey of auxiliary-propulsion systems for communications satellites. L. B. Holcomb and D. H. Lee (PS, V. 33) 191

Thrust measuring system for electrothermal thrusters. B. C. Barber (JSR)

Marine Propulsion

Nuclear Propulsion

Feasibility of rotating fluidized bed reactor for rocket propulsion. Hans Ludewig, A. James Manning, and Chad J. Raseman (JSR) 65

Rocket Engine Testing

Rocket plume testing in ground test facilities. R. J. Schulz and R. C. Bauer (JSR) 16

Space shuttle bipropellant RCS engine. M. L. Chazen and W. Sanscrainte (JSR) 685

Thrust measuring system for electrothermal thrusters. B. C. Barber (JSR) 549

Solid and Hybrid Rocket Engines

Ammonium perchlorate and ammonium perchlorate-Binder sandwich combustion. J. L. Murphy and D. W. Netzer (AIAA J, SYN) 13 Approximate distribution of particle mass flux in a high altitude solid

propellant rocket plume, An. Blaine E. Pearce (AIAA J, TN) 718

Combustion of polystyrene and oxygen-styrene copolymer/ ammonium perchlorate propellants. R. P. Rastogi, K. Kishore, and Gurdip Singh (AIAA J, SYN) 9 Damping of axial instabilities by small-scale nozzles under cold-flow

conditions. B. A. Janardan, B. R. Daniel, and B. T. Zinn (JSR) 812 Development of the Astrobee F sounding rocket system. R. B. Jenkins, J. P. Taylor, and H. J. Honecker Jr. (JSR, EN) 56

mission spectra from a stream of cooling particles. W. S. Rothwell and H. L. Schiek (JSR, EN) 597

Extendible exit cone development for the C4 third-stage motor. Lee Carey and Russell Ellis (JSR) 624

Flowfield in the combustion chamber of a solid propellant rocket motor. R. Dunlap, P. G. Willoughby and R. W. Hermsen (AIAA J, TN) 1440 Gas dynamic gain of supersonic thrust nozzles. Joe D. Hoffman and A. R.

Maykut (JSR) 697

Heterogeneous combustion studies on polystyrene and oxygen styrene copolymer. R. P. Rastogi, K. Kishore, and B. K. Chaturvedi (AIAA J) 1187

Maximum thrust nozzles for gas particle flows. Arnold A. Elsbernd and Joe D. Hoffman (AIAA J). 283

ONERA and SNPE recent work on solid propellant combustion instability.

M. Barrere, L. Nadaud, and J. N. Lhuillier (JSR) 33

On statistical analysis of composite solid propellant combustion. Robert L. Glick (AIAA J, TN) 384

Regression rate studies of aniline formaldehyde—Red furning nitric acid hybrid system. U. C. Durgapal and A. K. Chakrabarti (JSR, EN) 447 Surface reaction model for metal particle combustion. C. K. Law (AIAA J,

SPACECRAFT TECHNOLOGY

Data Sensing and Presentation or Transmission Systems

An 11-13 GHz satellite communications repeater. Bruno Blachier, Philippe Feve, and Walter A. Koenig (PS, V.32) 123

Analysis and test of a precision pulse-rebalance gyroscope. R. N. Clark and D. C. Fosth (JSR) 264

Interactive-TV networking: A modest proposal for using domestic communications satellites. Rodman Davis (A/ A, April) 62

NASA program to characterize propagation and interference for space applications, A. Jerome Eckerman (PS, V.32) 327

Near-isotropic microwave antenna for communications satellites. W. S. Gregorwich and C. W. Westerman (PS, V.33) 533

Synchronization of Earth stations to satellite-switched sequences. R. A. Rapuano and N. Shimasaki (PS, V.33) 411

Earth-Orbital Trajectories

Comparison of statistical orbit determination methods. B. E. Schutz, J. D. McMillan, and B. D. Tapley (AIAA J, SYN) 1465

Computer illustrations of Earth satellites orbits. Donald L. Hitzl (JSR, EN1 346

Mission planning aspects of Skylab Earth resources experiments. David D. DeAtkine (JSR, EN) 266

Orbit analysis for coastal zone oceanography observations. Edwin F. Harrison and Richard N. Green (JSR, SYN) 131

Nonlinear programing by projection-restoration applied to optimal geostationary satellite positioning. W. A. Gruver and N. H. Engerbach (AIAA J) 1715

Satellite motion about an oblate Earth. J. J. F. Liu (AIAA J) 1511 Time requirements for multiple intersatellite transfers. E. H. Fallin III

(JSR, EN) 445 Variation in range, range-rate, propagation time delay, and Doppler shift

for a nearly geostationary satellite. Victor J. Slabinski (PS, V.33) 3 Vinti solution for free-flight rocket trajectories. Donald van Z. Wadsworth (AIAA J, TC) 1296

Earth Satellite Systems, Unmanned

Attitude dynamics of an orbiting electromagnet. Victor D. Cohen and Paul H. Savet (JSR, EN) 252

Characteristics and applications of multibeam spacecraft antennas. K. G. Schroeder (PS, V. 33) 503

Communications satellites: The second decade. Gilbert E. LaVean and Edward J. Martin (A/A, April) 54

Computer illustrations of Earth satellite orbits. Donald L. Hitzl (JSR, EN)

Decade of improvements to orbiting solar observatories. W. H. Follett, L. T. Ostwald, J. O. Simpson, and T. M. Spencer (JSR) 327
Design for INSAT, A. P. P. Kale, R. L. Nickelson, and F. W. Sarles Jr. PS,

V.32) 173

Design of the INTELSAT IV transponder. S. B. Bennett and I. Dostis (PS, V.33) 373

DOD's Space Test Program. Frank A. Paparozzi and Neal T. Anderson (A/ A. June) 42

Dynamics and configuration control of two-body satellite systems. Willem Stuiver (JSR, SYN) 545

Earth segment in the symphonic project, The. F. Hiergeist, J. L. De Montlivault, and G. Payet (PS, V.32) 231

European communication satellite program, The. Rene C. Collette (PS, V.32) 213

Feasibility of large-sclae orbital solar / thermal power generation. John T. Patha and Gordon R. Woodcock JSR) 409

High-power communications technology satellite for the 12- and 14-GHz bands, C. A. Franklin and E. H. Davison (PS. V.32) 87

Holographic structural control for large space reflectors and radio telescopes. T. A. Heppenheimer (JSR, EN) 536

Lessons learned from INTELSAT III satellite program, C. O. Meredith (PS. V.32) 3

Low thrust propulsion system effects on communication satellites. D. F. Hall and W. C. Lyon (PS, V.33) 279

Multiple beam communication satellites with remote beam steering and beam shaping. P. F. Sielman, L. Schwartz, and T. T. Noji (PS, V.32) 265

Optimal scheduling of a satellite control network using zero-one linear programing. L. C. Westphal (JSR, EN) 731

Orbit analysis for coastal zone oceanography observations. Edwin F. Harrison and Richard N. Green (JSR, SYN) 131

Orbiting astronomical observatory heat pipe flight performance data. W. Harwell, F. Edelstein, R. McIntosh, and S. Ollendorf (PS, V.35) 445

Propulsion requirements for communications satellites. William C. Isley and Kenneth I. Duck (PS, V.33) 165

Quantifying parameters influencing the spacing of geostationary satellites. V. F. Henry, J. E. Whitworth, and E. A. Neham (PS, V.32) 309

Reduced state estimator for orbital heading reference, A. M. G. Lyons and D. B. DeBra (JSR) 97

Satellite freed of all but gravitational forces: "TRIAD I," A. Staff of the Space Department and Staff of the Guidance and Control Laboratory (ISR) 637

Simulation and testing of a double-gimballed momentum wheel stabilization system for communication satellites. K. L. Lebsock, H. R. Flanders, and J. J. Rodden (JSR) 395

Spaceborne very-long-baseline radio astronomy interferometry, T. A. Heppenheimer (JSR, EN) 268

Synchronization of Earth stations to satellite-switched sequences. R. A. Rapuano and N. Shimasaki (PS, V.33) 411

Systems analysis of Titan family for orbiting multiple communication satellites. J. M. Edgar (PS, V.32) 405

Thermal control of the large space telescope. Richard D. Cummings (PS, V.351 489

United Kingdom program of communication satellites, The. N. Simmons (PS, V.32) 293

Widening ERTS applications. Enrico P. Mercanti (A/A, May) 28

Entry Deceleration Systems and Flight Mechanics (e.g., Parachutes)

Aerodynamic inflation of shell type, parachute structures. B. W. Roberts (IA) 390

Analysis of deployment and inflation of large ribbon parachutes. D. F. McVey and D. F. Wolf (JA) 96

Axisymmetric, self-excited oscillations in parachutes. Bryan W. Roberts

Development of the Viking parachute configuration by wind-tunnel investigation. Sy Steinberg, Paul M. Siemers III, and Robert G. Slayman (ISR) 101

Parachute mortar design. James E. Pleasants (JSR) 246 Qualification flight tests of the Viking decelerator system. R. D. Moog, R. J. Bendura, J. D. Timmons, and R. A. Lau (JSR) 188

Simplified dynamic model of parachute inflation, A. Dean Wolf (JA) 28 Sounding rocket payload recovery systems. Donald W. Johnson (JSR, EN) 424

Suspension-line wave motion during the lines-first parachute unfurling process. Lamont R. Poole and John L. Whitesides (AIAA J) 38

Wind-tunnel study of spinning conical disk decelerators at Mach 4, A. Antoni K. Jakubowski (JSR) 141

Entry Vehicle Dynamics and Control

Aerodynamic and flight dynamic analysis of finned re-entry vehicles. John K. Kryvoruka and William T. Ashurst (JSR) 135

Approximate impact dispersion methods for symmetric entry vehicles. T. D. Burton (JSR) 7

Blowing simulation of asymmetric transition effects on slender ablating vehicles. Lars E. Ericsson (JSR, EN) 58

Combined effects of nose bluntness and cone angle on unsteady aerodynamics. L. E. Ericsson, R. A. Guenther, W. R. Stake, and G. S. Olmsted (AIAA J. TN) 729

Comment on "Comparison of linear and Riccati equations used to solve optimal control problems." E. D. Denman and Paul Nelson Jr. (AIAA J,

Concerning lateral dynamics of flight on a great circle. John E. Cochran Jr. (AIAA J, TN) 557

Determination of allowable tolerances for asymmetries of a free rolling missile. Albert Kirszenblat (JSR) 295

Effect of transverse products of inertia on re-entry vehicle trim angle behavior. Albert E. Hodapp Jr. (JSR, EN) 733

Effects of unsymmetrical stability derivative characteristics on re-entry vehicle trim angle behavior. Albert E. Hodapp Jr. (JSR) 300

Optimal guidance for the space shuttle transition. Robert F. Stengel (JSR) 173

Transition effects on slender vehicle stability and trim characteristics. Lars E. Ericsson (JSR) 3

Transition effects on slender vehicle stability and trim characteristics. Lars. E. Ericsson (JSR, ERR) 448

Entry Vehicles and Landers

Aerodynamic heat transfer to RSI tile surfaces and gap intersections. James C. Dunavant and David A. Throckmorton (JSR, EN) 437

Heat shielding for Venus entry probes. David L. Peterson and William E. Nicolet (JSR) 382

Moments and forces on general convex bodies in hypersonic flow. Jack Pike (AIAA J) 1241

Simulation of real-gas effects for Mars entry, James L. Hunt, Robert A. Jones, and Raymond E. Midden (JSR, EN) 62

Thermal protection system weight minimization for the space shuttle through trajectory optimization. Frank Garcia Jr. and Wallace T. Fowler

Entry Vehicle Mission Studies and Flight Mechanics

Atmosphere-entry behavior of a modular, disk-shaped isotope heat source. J. W. Vorreiter, J. J. Burns, W. C. Pitts, and H. A. Stine (JSR) 308

Engineering models of the Venus atmosphere. Richard B. Noll and Michael B. McElroy (JSR) 21

Pioneer Venus mission plan for atmospheric probes and an orbiter. John W. Dyer, Robert R. Nunamaker, John R. Cowley Jr., and Robert W. Jackson (JSR) 710

Entry Vehicle Testing

Planetary entry aerothermodynamics. Part I. Technology requirements and experimental facilities. Walter B. Olstad (A / A, Nov.) 58 Planetary entry aerothermodynamics: Part II—Computational analyses

and flight experience. Walter B. Olstad (A/A, Dec.) 55

Radial base heat-transfer gradients in turbulent flow. Bruce M. Bulmer (JSR, EN) 798

Simulation of real-gas effects for Mars entry, James L. Hunt, Robert A. Jones, and Raymond E. Midden (JSR, EN) 62

Extraterrestrial Surface Transportation

Propulsion dynamics of lunar hoppers. Ronald J. Meetin and Howard S. Seifert (ISR) 852

Extra-Vehicular Activity

Teleoperator visual system simulations. J. R. Tewell, A. M. Ray, R. P. Meirick, and C. E. Polhemus (JSR) 418

Shuttle extra-vehicular life support equipment. James G. Sutton (JSR, EN) 442

Lunar and Interplanetary Spacecraft Systems, Manned

Lunar and Interplanetary Spacecraft Systems, Unmanned

Exotic astrophysics. Herbert Friedman (A/A, April) 20

Exploring Jupiter and it satellites with an orbiter. J. C. Beckman, J. R. Hyde, and S. I. Rasool (A/A, Sept.) 24

Following the trail blazed by Helios. Harry O. Ruppe (A / A, July-August) 53

Helios/ the sungrazer. Harry O. Ruppe (A/A, June) 62

Jupiter's magnetosphere as observed with Pioneer 10. James A. Van Allen and Roger F.Randall (A/A, July-August) 14

Mariner Venus/ Mercury '73: A strategy of cost control. John R. Biggs and Walter J. Downhower (A/A, June) 48

Orbit trim strategies for the 1975 Mars Viking mission. Gerald R. Hintz (JSR) 783

Proposal: For an International Solar System Decade. William H. Pickering (A/ A, Sept.) 22

Space systems summaries: Ranger. (A/A, April) 77

Space systems summaries: Surveyor program. Soft-landing lunar spacecraft. (A/A, Oct.) 67

Temperature control of the mariner-class spacecraft: A seven-mission summary. L. N. Dumas (PS, V.35) 531

Thermal design of a Saturn/ Uranus atmospheric entry probe. Clifford M. Webb (PS, V.35) 499

Unmanned surface traverses of Mars and Moon: Science objectives, payloads, operations. Leonard D. Jaffe and Raoul Choate (JSR, SYN)

Lunar and Interplanetary Trajectories

Comet Encke flyby-Asteroid rendezvous mission. Alan L. Friedlander (JSR, EN) 270

Comparison of advanced propulsion capabilities for future planetary missions. John C. Niehoff and Alan L. Friedlander (JSR) 566

Equations of motion for the perturbed restricted three-body problem. T. A. Heppenheimer (AIAA J. TN) 1442

Exploring Jupiter and it satellites with an orbiter. J. C. Beckman, J. R. Hyde, and S. I. Rasool (A/A, Sept.) 24 Following the trail blazed by Helios. Harry O. Ruppe (A/ A, July-August)

Minimum impulse three-body trajectories. Louis A. D'Amario and Theodore N. Edelbaum (AIAA J) 455

Mission strategy for combined comet-aseroid flybys. David R. Brooks (ISR, EN) 115

Transformation for the numerical integration of systems of the form X(t) =F[X(t)]. G. J. Lastman (AIAA J) 1430

Venus orbital radar mapping in the 1980s—Mission design and analysis. Scott K. Asnin (JSR, SYN) 801

Meteoroid Protection Systems

Radiation Protection Systems

Jupiter's magnetosphere as observed with Pioneer 10. James A. Van Allen and Roger F. Randall (A/A, July-August) 14

Outgas dominated pressure distribution in a multilayer insulation system. J. T. Lin (AlAA J, TN) 1590

Solar proton fluences for 1977-1983 space missions. Joseph H. King (JSR) 401

Spacecraft Attitude Dynamics and Control

Active attitude and orbit control of body-oriented geostationary com-munications satellites. Marshall H. Kaplan (PS, V.33) 29

Analysis and test of a precision pulse-rebalance gyroscope. R. N. Clark and D. C. Fosth (JSR, EN) 264

Analytical solution for extensible tethers. J. B. Eades Jr. (JSR, EN) 254 Attitude control of solar electric spacecraft by thruster gimballing. Elbert L. Marsh (JSR, SYN) 737

Attitude determination for the SKYNET and NATO synchronous communications satellites. Charles W. Hanson and John V. Brown (PS, V.331 127

Attitude dynamics of an orbiting electromagnet. Victor D. Cohen and Paul H. Savet (JSR, EN) 252

Attitude dynamics of satellites with flexible appendages—A brief review. V. J. Modi (JSR, SA) 743

Attitude stability of a flexible solar electric spacecraft: A parametric study. Elbert L. Marsh (JSR) 89

Attitude stability of multibody symmetrical satellites with mechanical dampers. D. A. Johnson (JSR) 645

Automatic control of the Skylab Astronaut Maneuvering Research Vehicle. T. B. Murtagh, C. E. Whitsett, M. A. Goodwin, and J. E. Greenlee (ISR) 321

Automatic spacecraft detumbling by internal mass motion. Terry L. Ed-

wards and Marshall H. Kaplan (AIAA J) 496
Boom forces in librating dumbbell-type satellites. Subhash Chander
Sharma and Willem Stuiver (AIAA J, SYN) 425

Bounds on the extension of antennas for stable spinning satellites. L. Meirovitch (JSR, EN) 202

Circularly constrained particle motion in spinning and coning bodies. D. L. Mingori and J. A. Harrison (AIAA J) 1553

Comments on "Analytical design of optimal nutation dampers." Phung K. Nguyen (JSR, TC) 606

Reply by author to P. K. Nguyen. J. C. Amieux (JSR, TC) 607 Coupled librational motions of a gyrostat satellite. Frank C. Liu (JSR) 230 Decade of improvements to orbiting solar observatories. W. H. Follett, L.

T. Ostwald, J. O. Simpson, and T. M. Spencer (JSR) 327 Design and ground test of a pendulum-type active nutation damper. Jean Claude Amieux and Alain Liegeois (JSR, EN) 790

Design of a digital controller for spinning flexible spacecraft. B. C. Kuo, S. M. Seltzer, G. Singh, and R. A. Yackel (JSR) 584

Dynamic trap states of dual-spin spacecraft. M. P. Scher and R. L. Farrenkopf (AIAA J) 1721 Dynamics of a spin-stabilized satellite having flexible appendages. Kazuo Tsuchiya and Haruo Saito (AIAA J) 490

Effect of an autotracking antenna on the nutational stability of a dual-spin spacecraft. J. E. McIntyre and M. J. Gianelli (PS, V.33) 85
Effect of perturbed orbital motion on a spinning symmetrical satellite.
Ralph Pringle Jr. (JSR) 451

Effects of asymmetries in the rotor and flexible joint of a dual-spin spacecraft. B. N. Agrawal (JSR, SYN) 611 Energy-sink analysis for asymmetric dual-spin spacecraft. T. M. Spencer

Fine pointing system for large orbiting telescopes. Werner O. Schiehlen (JSR, SYN) 273

Hydrazine attitude-control propulsion: Evolution of a standardization

program. James H. Kelley (A/ A, June) 34
Liapunov stability analysis of hybrid dynamical systems in the neighborhood of nontrivial equilibrium. Leonard Meirovitch (AIAA J)

Low order observer for a linear functional of the state vector. Peter Murdoch (AIAA J, TN) 1288

Magnetic-solar hybrid attitude control of satellites in near-equatorial orbits. V. J. Modi and K. C. Pande (JSR) 845

Momentum wheel three-axis attitude control for synchronous com-munication satellites. J. E. Keigler, W. J. Lindorfer, and L. Muhlfelder (PS. V.33) 141

Movable-mass attitude stabilization system for cable-connected artificial-g space stations, A. Dara W. Childs and Therman L. Hardison (JSR) 165 New method of solution of the eigenvalue problem for gyroscopic systems, A. Leonard Meirovitch (AIAA J) 1337

Next generation communications satellites. J. J. Knopow (PS, V.32) 63 On the stability of equilbrium sets of discrete conservative mechanical systems. Peter Hagedorn (AIAA J) 1057

Optimal scan of the sky from a rocket. Russell A. Nidey (AIAA J. TN) 1162

Partially filled viscous ring nutation damper. Kyle T. Alfriend (JSR) 456 Periodic boom forces in dumbbell-type satellites moving in a circular orbit. Htikhar Saeed and Willem Stuiver (AIAA J. SYN) 423
Periodic solutions of gravity oriented axisymmetric systems. V. J. Modi and

K. Kumar (AIAA J, TN) 225

Pitch axis stabilization in eccentric orbits using a variable-speed rotor. R. E.: Lohfeld, D. K. Anand, and J. M. Whisnant (JSR, EN) 430

Precision CMG control for high-accuracy pointing. Sam P. Liden (JSR) 236

Pulsed plasma microthruster for synchronous meteorological satellite. William J. Guman and Thomas E. Williams (JSR, EN) 729

Quantifying parameters influencing the spacing of geostationary satellites. V. F. Henry, J. E. Whitworth, and E. A. Neham (PS, V.32) 309 Reduced state estimator for orbital heading reference, A. M. G. Lyons and

D. B. DeBra (JSR) 97

Rigid body mode pointing accuracy and stability criteria for an orbiting spacecraft. G. S. Sandhu (JSR, EN) 599

Simulation and testing of a double-gimballed momentum stabilization system for communication satellites. K. L. Lebsock, H. R. Flanders, J. J. Rodden (JSR) 395

Simulation capability for dynamics of two-body flexible satellites. Fred Austin and George Zetkov (JSR, SYN) 129 Spin stability of torque-free systems containing rotors. T. R. Kane (AIAA

I. TN) 720 Stability analysis of interconnected deformable bodies in a topological tree.

P. Boland, J.-C. Samin, and P. Y. Willems (AIAA J) 1023 Stability of a dual-spin satellite with two dampers. Kyle T. Alfriend and

Carl H. Hubert (JSR) 469 Stability of a spinning satellite with flexible antennas. W. N. Dong and A. L. Schlack Jr. (AIAA J. TN) 1737

Suboptimal controller for a linearized n-body spacecraft. Victor Larson

(JSR. EN) 858 Time-optimal pitch control of satellite using solar radiation pressure. K. C. Pande, M. S. Davies, and V. J. Modi (JSR, EN) 601

Torque development on a spherical body due to spin up of the concentric spherical container. Ram Sinha (AIAA J, TN) 404

Thrust measuring system for electrothermal thrusters. B. C. Barber (JSR) 549

Transfer function synthesis by state vector feedback. Peter Murdock (AIAA J. TN) 1765

Wobble correction for a dual-spin vehicle. W. H. Wright (JSR, EN) 255

Spacecraft Communications Systems

DOD's Space Test Program. Frank A. Paparozzi and Neal T. Anderson (A/ A. June) 42

An 11-13 GHz satellite communications repeater. Bruno Blachier, Philippe Feve, and Walter A. Koenig (PS, V.32) 123

Anticipated developments in communications satellite technology. D. C. MacLellan (PS, V.32) 145

Communication satellites: The second decade. Gilbert E. LaVean and Edward J. Martin (A/A, April) 54 Design for INSAT, A. P. P. Kale, R. L. Nickelson, and F. W. Sarles Jr.

(PS, V.32) 173

Design of the INTELSAT IV transponder, S. B. Bennett and I. Dostis (PS.

Earth segment in the symphonic project, The. F. Hiergeist, J. L. De Montlivault, and G. Payet (PS, V.32) 231 Effect of an autotracking antenna on the nutational stability of a dual-spin

spacecraft. J. E. McIntyre and M. J. Gianelli (PS, V.33) 85 European communication satellite progam. Rene C. Collette (PS, V.32)

Heat-pipe system for space shuttle traveling wave tube amplifier. A. Basiulis, C. M. Eallonardo, and B. M. Kendall (PS, V.35) 431

Implications of satellite technology for television broadcasting in Canada. B. C. Blevis and M. L. Card (PS, V.32) 281

INTELSAT V system concepts and technology. E. Podraczky and J. D. Kiesling (PS, V.32) 31

Lessons learned from INTELSAT III satellite program. C. O. Meredith (PS. V.32) 3

Manned Earth orbital laboratories to perform communications/ navigation research. Donald M. Waltz and Charles W. Quantock (PS, V. 32) 363

Multiple beam communication satellites with remote beam steering and beam shaping. P. F. Sielman, L. Schwartz, and T. T. Noji (PS, V.32) 265

NASA program to characterize propagation and interference for space applications, A. Jerome Eckerman (PS, V.32) 327

Near-isotropic microwave antenna for communications satellites. W. S. Gregorwich and C. W. Westerman (PS, V.33) 533

Next generation communications satellites. J. J. Knopow (PS, V.32) 63 Polarization isolation characteristics of an dual-beam reflector antenna. J. W. Duncan, S. J. Hamada, and W. C. Wong (PS, V.33) 331

Quantifying parameters influencing the spacing of geostationary satellites. V. F. Henry, J. E. Whitworth, and E. A. Neham (PS, V.32) 309

Results of German TDMA experiments, G. Eckhardt, H. Haberle, B. Reidel, and H. Rupp (PS, V.33) 431

Study on satellitte communications for mobiles, Y. Hirata, M. Kyogoku, and E. Isomura (PS, V.32) 249

Synchronization of Earth stations to satellite-switched sequences. R. A. Rapuano and N. Shimasaki (PS. V.33) 411

Time division multiple-access system for INTELSAT. D. J. Withers and A. K. Jefferis (PS, V.33) 393

United Kingdom program of communication satellites, The. N. Simmons (PS, V.32) 293

Variation in range, range-rate, propagation time delay, and Doppler shift for a nearly geostationary satellite. Victor J. Slabinski (PS, V.33) 3

Spacecraft Configurational and Structural Design (Including Loads)

Analysis of thickness tapered booms for space applications. Rajnish Kumar and Shabeer Ahmed (JSR, EN) 125

Anticipated developments in communications satellite technology. D. C. MacLellan (PS, V.32) 145

Design for INSAT, A. P. P. Kale, R. L. Nickelson, and F. W. Sarles Jr. (PS. V.32) 173

Effect of an autotracking antenna on the nutational stability of a dual-spin spacecraft, J. E. McIntyre and M. J. Gianelli (PS, V.33) 85

Holographic structural control for large space reflectors and radio telescopes. T. A. Heppenheimer (JSR) 536

Large elastic deformation of an inflatable membrane of revolution. C. E. S. Ueng and Y. S. Sun (AIAA J) 761

Momentum wheel three-axis attitude control for synchronous com-munication satellites. J. E. Keigler, W. J. Lindorfer, and L. Muhlfelder (PS, V.33) 141

Prediction of pressure fluctuation in sounding rockets and manifolded recovery systems. John F. Laudadio (JSR, EN) 119

Space systems summaries: Surveyor program. Soft-landing lunar spacecraft. (A/A, Oct.) 67

Spacecraft standardization through nuclear power. Elmer J. Frey, Bernard Raab, Alfred Schock, and Robert T. Carpenter (JSR, SYN) 741

Spacecraft Electric Power Systems

Atmosphere-entry behavior of a modular, disk-shaped isotope heat source. J. W. Vorreiter, J. J. Burns, W. C. Pitts, and H. A. Stine (JSR) 308 Beginning of mission flight data on the transit RTG. George B. Bradshaw

and Frank D. Postula (JSR, SYN) 675

Cost-effective radioisotope thermoelectric generator designs involving Cm-244 and Pu-238 heat sources. Philip E. Eggers and John L. Ridihalgh

Electrolytic capacitor power source design for quasi-steady magnetoplasmadynamic arcs. Marco S. Di Capua and Helmut L. Kurtz (JSR) 554 NaK-nitrogen liquid metal MHD converter tests at 30 kw. D. J. Cerini (AIAA J) 78

Next generation communications satellites. J. J. Knopow (PS, V.32) 63 Performance testing of a transit generator at JPL. P. Rouklove (JSR, EN)

Power processing systems for ion thrusters. B. G. Herron, D. R. Garth, R. C. Finke, and H. A. Shumaker (PS. V.33) 261

Results from tests of a large lightweight solar array unit. K. L. Hanson (PS,

Spacecraft standardization through nuclear power. Elmer J. Frey, Bernard Raab, Alfred Schock, and Robert T. Carpenter (JSR, SYN) 741

Spacecraft Flight Testing

Spacecraft Ground Testing and Simulation (Including Components)

Design considerations for space chamber cryopanels. K. Srinivasan, V. Seshagiri Rao, and M. V. Krishna Murthy (JSR, EN) 862

Optimized video output from a wide angle optical probe. An. J. A. Mays and R. E. Holms (JA, EN) 124

Simulation and testing of a double-gimballed momentum wheel stabilization system for communication satellites. K. L. Lebsock, H. R. Flanders, and J. J. Rodden (JSR) 395

Spacecraft Habitability and Life Support Systems

Assessment of an active thermal control louvre array for spacecraft. J. G. Lewis and A. S. Kenkare (JSR, EN) 342

Shuttle extra-vehicular life support equipment. James G. Sutton (JSR, EN) 442

Spacecraft Mission Studies and Economics

Advanced applications of the space shuttle. James E. Blahnik and Donald R. Davis (JSR, EN) 117

Comet Encke flyby—Asteroid rendezvous mission. Alan L. Friedlander (JSR, EN) 270

Comparison of advanced propulsion capabilities for future planetary missions. John C. Niehoff and Alan L. Friedlander (JSR) 566

DOD's Space Test Program. Frank A. Paparozzi and Neal T. Anderson (A/ A. June) 42

Engineering models of the Venus atmosphere. Richard B. Noll and Michael B. McElroy (JSR) 21 Feasibility of large-scale orbital solar / thermal power generation. John T.

Patha and Gordon R. Woodcock (JSR) 409 INTELSAT V system concepts and technology. E. Podraczky and J. D. Kiesling (PS, V.32) 31

Lower space costs means more space flight. A. O. Tischler (A/A, June) 22 Mariner Venus/ Mercury '73: A strategy of cost control. John R. Biggs and Walter J. Downhower (A/A, June) 48

Methodology for reliability-cost-risk analysis of satellite networks. J. S. Greenberg and G. A. Hazelrigg Jr. (JSR) 650

Momentum wheel three-axis attitude control for synchronous com-munication satellites. J. E. Keigler, W. J. Lindorfer, and L. Muhifelder (PS, V.33) 141

Options for Mars exploration. E. Brian Pritchard, Edwin F. Harrison, and Jesse W. Moore (A/A, February) 46

Pioneer Venus mission plan for atmospheric probes and an orbiter. John W Dyer, Robert R. Nunamaker, John R. Cowley Jr., and Robert W. Jackson (JSR) 710

Single-stage shuttles for ground launch and air launch. Robert Salkeld (A/ A, March) 52

Spacecraft standardization through nuclear power. Elmer J. Frey, Bernard Raab, Alfred Schock, and Robert T. Carpenter (JSR, SYN) 741 Space shuttle/ The new baseline. M. S. Malkin (A/ A, January) 62

Space systems summaries: Pioneer spacecraft (A/A, February) 79 Time requirements for multiple intersatellite transfers. E. H. Fallin III (ISR. EN) 445

Venus orbital radar mapping in the 1980s—Mission design and analysis. Scott K. Asnin (JSR, SYN) 801

Spacecraft Navigation, Guidance, and Flight-Path Control Systems

Accuracy of orbit determination from ionospherically corrupted tracking data. P. Norris (JSR, EN) 794

Active attitude and orbit control of body-oriented geostationary communications satellites. Marshall H. Kaplan (PS, V.33) 29

Drift compensation and acceleration resolution for a rotating platform IMU. A. C. Liang and D. L. Kleinbub (JSR, SYN) 547

Iterative explicit guidance for low thrust spaceflight. Robert A. Jacobson and William F. Powers (JSR) 494

Mariner IX optical navigation using Mars lit limb. Navin Jerath and Hiroshi Ohtakay (JSR) 505

Optimal guidance for the space shuttle transition. Robert F. Stengel (JSR) 173

Optimal multiple-impulse direct ascent fixed-time rendezvous. Larry R. Gross and John E. Prussing (AIAA J) 885

Orbit determination capability analysis for the Mariner-Jupiter-Saturn 1977 mission. G. A. Ransford, C. E. Hildebrand, and V. J. Ondrasik (JSR) 658

Orbit trim strategies for the 1975 Mars Viking mission. Gerald R. Hintz (JSR) 783

Reduced state estimator for orbital heading reference, A. M. G. Lyons and D. B. DeBra (JSR) 97

D. Rex and B. Kohnecke (JSR) 488

Satellite freed of all but gravitational forces: "TRIAD I," A. Staff of the Space Department and Staff of the Guidance and Control Laboratory (JSR) 637

Spacecraft computers. A. J. Aukstikalnis (A/ A, July-August) 33 Square-root algorithm for evaluating mismodeled process noise. C. L. Thornton and S. G. Finley (JSR) 223

Stochastic optimal control of linear dynamic systems. Jason L. Speyer and Donald E. Gustafson (AIAA J, SA) 1013

Teleoperator visual system simulations. J. R. Tewell, A. M. Ray, R. P. Meirick, and C. E. Polhemus (JSR) 418

Terminal navigation analysis for the 1980 Comet Encke slow flyby mission. Robert A. Jacobson, James P. McDanell, and George C. Rinker (JSR)

Viewing Phobes and Deimos for navigating Mariner 9. T. C. Duxbury, G. H. Born, and N. Jerath (JSR) 215

Spacecraft Propulsion Systems Integration

Active attitude and orbit control of body-oriented geostationary communications satellites. Marshall H. Kaplan (PS, V.33) 29

Agena primary and integrated secondary propulsion systems. S. C. DeBrock and C. J. Rudey (JSR) 769

Hydrazine attitude-control propulsion: Evolution of a standardization program. James H. Kelley (A/A, June) 34

Low thrust propulsion system effects on communication satellites. D. F. Hall and W. C. Lyon (PS, V.33) 279

Performance prediction model for a high-impulse monopropellant propulsion system. H. C. Hearn and D. L. Young (JSR) 764

Power conditioning and control unit for the French cesium contact ion thruster. A. Costes, C. Landrault, and M. Briot (JSR) 759

Power processing systems for ion thrusters. B. G. Herron, D. R. Garth, R. C. Finke, and H. A. Shumaker (PS, V.33) 261 Redundant configuration of electric propulsion systems for stationkeeping.

D. Rex and B. Kohnecke (JSR) 488 Survey of auxiliary-propulsion systems for communications satellites. L. B. Holcomb and D. H. Lee (PS, V.33) 191

Spacecraft Sterilization

Explosives and pyrotechnic propellants for use in long-term deep sp missions. Carl S. Gorzynski Jr. and J. Norman Maycock (JSR, SYN)

Spacecraft Temperature Control Systems

Advanced thermal control flight experiment. J. P. Kirkpatrick and P. J. Brennan (PS, V.35) 409

Analytical modeling of spacecraft with heat pipes and louvers. H. Hwangbo, J. H. Hunter, and W. H. Kelly (PS, V.35) 469

Assessment of an active thermal control louvre array for spacecraft. J. G. Lewis and A. S. Kenkare (JSR, EN) 342

Char formation in ablatives. R. P. Rastogi and Desh Deepak (AIAA J.

Correlation of the over-all thermal resistance of metallic O-rings contacting two cylinders. G. E. Schneider and M. M. Yovanovich (JSR, EN) 206 Development of a high capacity cryogenic heat pipe. P. J. Dominguez and R. L. Kosson (PS, V.35) 395

Four space shuttle wind leading edge concepts. G. A. Niblock, J. C. Reeder, and F. Huneidi (JSR) 314

Gas occlusions in arterial heat pipes. E. W. Saaski (PS, V.35) 353 General expression for predicting conduction shape factors. M. Michael Yovanovich (PS, V.35) 265

Liquefaction dynamics of n-octadecane in cylindrical coordinates. R. L. Bain, F. J. Stermole, and J. O. Golden (JSR) 335

Modeling the effect of air and oil upon the thermal resistance of a sphereflat contact. M. Michael Yovanovich and W. W. Kitscha (PS, V.35) 293 Optical stability of coatings exposed to four years space environment on OSO-III. John P. Millard and B. Douglas Pearson Jr. (PS, V.35) 249

Orbiting astronomical observatory heat pipe flight performance data. W. Harwell, F. Edelstein, R. McIntosh, and S. Ollendorf (PS, V.35) 445 Surface roughness effects on bidirectional reflectance. T. F. Smith and R. G. Hering (PS, V.35) 145

Temperature control of the mariner-class spacecraft: A seven-mission summary. L. N. Dumas (PS, V.35) 531

Thermal conductance of gasket materials for spacecraft joints. L. S. Fletcher and R. G. Miller (PS, V.35) 335

Thermal contact conductance of porous metallic materials in a vacuum environment. R. G. Miller and L. S. Fletcher (PS, V.35) 321

Thermal control of the Apollo 17 lunar traverse gravimeter. W. A. Vachon, D. R. Fairbanks, R. T. Martorana, and D. Nathanson (PS, V.35) 517 Thermal control of the large space telescope. Richard D. Cummings (PS, V 351 480

Thermal design of a Saturn/ Uranus atmospheric entry probe. Clifford M. Webb (PS, V. 35) 499

Thermal protection system weight minimization for the space shuttle through trajectory optimization. Frank Garcia Jr. and Wallace T. Fowler

Spacecraft Tracking

Accuracy of orbit determination from ionospherically corrupted tracking data. P. Norris (JSR, EN) 794

Analytical approach to orbit determination in the presence of model errors. Bob E. Schutz (AIAA J) 298

Comparison of statistical orbit determination methods. B. E. Schutz, J. D. McMillan, and B. D. Tapley (AIAA J, SYN) 1465

Measurements of Earth station antennas G/T ratio by radio stars and satellites. Henry J. Kochevar (PS, V.33) 359

Near-Isotropic microwave antenna for communications satellites. W. S. Gregorwich and C. W. Westerman (PS, V.33) 533

Orbit determination capability analysis for the Mariner-Jupiter-Saturn 1977 mission. G. A. Ransford, C. E. Hildebrand, and V. J. Ondrasik (ISR) 658

Variation in range, range-rate, propagation time delay, and Doppler shift for a nearly geostationary satellite. Victor J. Slabinski (PS, V.33) 3

Space Crew Training

Space Medicine (Including Weightlessness, Radiation Effects, Psychology, etc.)

Space Station Systems, Manned

Acoustical levitation for space processing. Taylor G. Wang, Melvin M. Saffren, and Daniel D. Elleman (A/A, July-August) 42

Apollo-Soyuz: A substantial engagement. Arnold W. Frutkin (A/A, Dec.)

Automatic spacecraft detumbling by internal mass motion. Terry L. Edwards and Marshall H. Kaplan (AIAA J) 496 Infrared astronomy and the shuttle. Martin Harwit (A/A, Oct.) 23

Manned Earth orbital laboratories to perform communications/ naviga-tion research. Donald M. Waltz and Charles W. Quantock (PS. V. 32) 363

Mission planning aspects of Skylab Earth resources experiments. David D. DeAtkine (JSR, EN) 266

Movable-mass attitude stabilization system for cable-connected artificial-g space stations, A. Dara W. Childs and Therman L. Hardison (JSR) 165 Skylab II. Seeing the Sun in a different light. William D. Green Jr. (A/A, February) 36

Space Shuttle/ The new baseline. M. S. Malkin (A/A, January) 62 Teleoperator visual system simulations. J. R. Tewell, A. M. Ray, R. P. Meirick, and C. E. Polhemus (JSR) 418

STRUCTURAL MECHANICS AND MATERIALS

Aeroelasticity and Hydroelasticity

Aeroelastic stability of cylindrical shells subjected to a rotating flow. E. H. Dowell, A. V. Srinivasan, J. D. McLean, and J. Ambrose (AIAA J) 1644 Aeroelastic stability of periodic systems with application to rotor blade flutter. P. Friedmann and L. J. Silverthorn (AIAA J) 1559

Analysis of helicopter rotor blade stall flutter. Peter Crimi (JA) 407 Automated method for determining the flutter velocity and the matched point, An. Kumar G. Bhatia (JA) 21

Automated procedure for computing flutter eigenvalues, An. Robert N. Desmarais and Robert M. Bennett (JA) 75

Blade torsional tuning to manage large amplitude control loads. R. Gabel and F. Tarzanin Jr. (JA) 460

Calculation of unsteady transonic aerodynamics for oscillating wings with thickness. S. Y. Ruo, E. Carson Yates Jr., and J. G. Theisen (JA) 601 Comment on the equation for aeroelastic divergence of unguided launch vehicles. N. G. Humbad (AIAA J, TN) 1739

Crack in a thin infinite plate of viscoelastic medium. Satyanarayan Mandal (AIAA J, TN) 233

Doublet lattice-source method for calculating unsteady loads on cavitating hydrofoils. James F. Unruh and Robert L. Bass III (JH) 146

Finite element supersonic aerodynamics for oscillating parallel wings. Kari Appa and G. Charles C. Smith (JA, SYN) 433

Flutter of coaxial cylindrical shells in an incompressible axisymmetric flow. Thomas S. David and A. V. Srinivasan (AIAA J) 1631

Flutter of orthotropic panels at arbitrary yaw angles—Experiment and theory. Peter Shyprykevich and James Wayne Sawyer (JA) 15 Gradient optimization of structural weight for specified flutter speed. E. E.

Simodynes (JA) 143

Influence of static aeroelasticity on oblique winged aircraft. Terrence A. Weisshaar (JA, EN) 247

-Influence of static aeroelasticity on oblique winged aircraft. Terrence A. Weisshaar (JA, ERR) 784

Lifting-surface theory for an oscillating T-Tail. Koji Isogai (AIAA J) 28 Linearized integral theory of three-dimensional unsteady flow in a shear layer. John E. Yates (AIAA J) 596

Method for determining the effect of added stores on aeroelastic systems. Henry E. Fettis (AIAA J. TN) 1733

Nonlinear instability of a helicopter blade in hovering. Pin Tong (AIAA J)

Nonlinear panel response by a Monte Carlo approach. R. Vaicaitis, E. H. Dowell, and C. S. Ventres (AIAA J) 685

Oscillatory supersonic kernel function method for interfering surfaces. Atlee M. Cunningham Jr. (JA) 664

Oscillatory supersonic kernel function method for isolated wings. Atlee M. Cunningham Jr. (JA) 609

Recent contributions to experiments on cylindrical shell panel flutter. W. Horn, G. Barr, L. Carter, and R. Stearman (AIAA J) 1481

Stability and control of hingeless rotor helicopter ground resonance. Maurice I. Young and David J. Bailey (JA) 333

Static aeroelasticity and the flying wing, revisited. Terrence A. Weisshaar and Holt Ashley (JA, EN) 718 Unsteady aer dynamic response of a two-dimensional airfoil at high

reduced frequency. G. L. Commerford and F. O. Carta (AIAA J) 43 Vibration and flutter of stringer-stiffened cylindrical shells. S. Parthan and D. J. Johns (JSR) 579

Wind-tunnel investigation of a B-52 model flutter suppression system. L. T. Redd, J. Gilman Jr., D. E. Cooley, and F. D. Sevart (JA) 659

Hypervelocity Impact

Debris shielding during high-speed erosion. W. G. Reinecke (AIAA J. TN) 1592

On the dependence of materials erosion on environmental parameters at supersonic velocities. George F. Schmitt Jr. (JA, ERR) 192

Materials, Properties of

Char formation in ablatives. R. P. Rastogi and Desh Deepak (AIAA J,

Comment on "Bone articulations as systems of poroelastic bodies." C. W. McCutchen (AIAA J, TC) 256

Crack growth and failure of aluminum plate under in-plane shear. Alan Fong-Ching Liu (AIAA J) 180

Explosives and pyrotechnic propellants for use in long-term deep space missions. Carl S. Gorzynski Jr. and J. Norman Maycock (JSR, SYN) 211

Fatigne-A test integrated damage modeling approach. Darrell Simpkins, Robert L. Neulieb, and Dennis J. Golden (JA) 563

Fatigue crack delay and arrest due to single peak tensile overloads. E. P. Probst and B. M. Hillberry (AIAA J) 330

High-temperature properties and failure criteria for rocket nozzle materials. A. A. Vicario Jr., W. T. Freeman Jr., and E. D. Casseday (JSR) 631

Hodographic prediction of cyclic creep behavior. A. Berkovits (JA) 10 On the dependence of materials erosion on environmental parameters at supersonic velocities. George F. Schmitt Jr. (JA, ERR) 192

Skylab II. Seeing the Sun in a different light. William D. Green Jr. (A/A, February) 36

Stiffness of orthotropic materials and laminated fiber-reinforced composites. Robert M. Jones (AIAA J. TN) 112

Viscoelastic fracture of solid propellants inpressurization loading conditions. E. C. Francis, C. H. Carlton, and G. H. Lindsey (JSR) 691 \$2048, a high strength, high toughness aluminum alloy for aircraft applications. S. A. Levy, R. E. Zinkham, and G. E. Spangler (JA) 202

Structural Composite Materials (Including Coatings)

Advanced composites. Alan M. Lovelace (JA, von Karman Lecture) 501 Analysis of bonded joints in vehicular structures. Richard M. Barker and Fritz Hatt (AIAA J, ERR) 1168

Analysis of longitudinal thickness-shear stiffness of a m filamentary composite. S. Chang and C. W. Bert (AIAA J) 1358

Apparent tensorial conductivity of layered composites. F. K. Tsou, P. C. Chou, and I. Singh (AIAA J) 1693

Buckling behavior of a composite beam column. Ronald L. Mann and Richard W. Perkins (AIAA J. TN) 872 Buckling of orthotropic sandwich cylinders under axial compression and

bending. Charles D. Reese and Charles W. Bert (JA) 207 Calculation of mechanical impedance by finite element hybrid model. S. T.

Mau and P. Tong (AIAA J, TN) 249 Comment on "Bone articulations as systems of poroelastic bodies." C. W.

McCutchen (AIAA J, TC) 256 Composite material mechanics: Structural mechanics. Charles W. Bert and

Philip H. Francis (AIAA J. SA) 1173

Effect of stress on the directions of stiffness extrema. A. A. G. Cooper (AIAA J, TN) 1609

Effective moduli of layered composites. C. H. S. Chen and F. Tabaddor (ISR, EN) 262

Exact and approximate analyses of transient wave propagation in an anisotropic plate. C. T. Sun and R. Y. S. Lai (AIAA J. TN) 1415

Finite twisting and bending of thin orthotropic strip of lenticular section. C. H. S. Chen (AIAA J, TN) 247 High-performance composite material airframe weight and cost estimating

relations. Donald F. Adams (JA) 751 High-temperature properties and failure criteria for rocket nozzle materials.
A. A. Vicario Jr., W. T. Freeman Jr., and E. D. Casseday (JSR) 631

On the dependence of materials erosion on environmental parameters at supersonic velocities. George F. Schmitt Jr. (JA, ERR) 192

Static fields of curved generally laminated anisotropic plate strips. Joseph Padovan and Bernard Gosset (AIAA J, SYN) 73'

Static solution of monoclinic laminated circular plates, J. Padovan (AIAA I. TN1 862

Stiffness of orthotropic materials and laminated fiber-reinforced composites. Robert M. Jones (AIAA J, TN) 112

Stress analysis of anisotropic laminated plates. R. E. Rowlands, T. Liber, I. M. Daniel, and P. G. Rose (AIAA J) 903

Structural Design, Optimal

Advanced beaded and tubular structural panels. Max D. Musgrove, Bruce E. Greene, John L. Shideler, and Herman L. Bohon (JA) 68

Automated method for determining the flutter velocity and the matched point, An. Kumar G. Bhatia (JA) 21

Buckling analysis of orthogonally stiffened waffle cylinders. M. I. Baig and T. Y. Yang (JSR) 832

Buckling of orthotropic sandwich cylinders under axial compression and bending. Charles D. Reese and Charles W. Bert (JA) 207 Constrained structural optimization for aeroelastic requirements, S. Pines

and M. Newman (JA) 313 Crack growth and failure of aluminum plate under in-plane shear. Alan

Fong-Ching Liu (AIAA J) 180 Derivatives of eigenvalues and eigenvectors for a general matrix. Carl S.

Rudisill (AIAA J, TN) 721 Design of missile-aircraft component white noise isolators. Anthony San

Miguel (JA) 704 Evaluation of optimization techniques for applications in engineering design. K. A. Afimiwala and R. W. Mayne (JSR, SYN) 673

Flexure of elastically supported axisymmetric shells. S. T. Gulati and M. C. Dokmeci (AIAA J, TN) 1411
Four space shuttle wind leading edge concepts. G. A. Niblock, J. C. Reeder,

and F. Huneidi (JSR) 314

Gradient optimization of structural weight for specified flutter speed. E. E. Simodynes (JA) 143

Incremented flutter analysis. R. F. O'Connell (JA) 236

Minimum weight design of finite element structures. Harold Switzky and Ping-Chung Wang (AIAA J) 170

Minimum weight sandwich beam design. S. N. Huang and D. W. Alspaugh (AIAA J, SYN) 1617

Necessary condition for piecewise uniform optimum design under frequency constraint. Alain Cardou (AIAA J, TN) 1415

On a class of fully stressed trusses. Moshe Fuchs and Lewis P. Felton (AIAA J, TN) 1597

On the accuracy of the Taylor approximation for structure resizing. Olaf O. Storaasli and Jaroslaw Sobieszczanski (AIAA J, TN) 231
Optimum design of elastomeric gaskets for combined thermal and vibration

Optimum design of elastomeric gaskets for combined thermal and vibration performance. L. S. Fletcher and T. E. Shoup (JSR, EN) 344

Optimum vibration isolation system design using linear programming. Peter A. Orlin and Malcolm A. Cutchins (AIAA J) 1517

Parachute mortar design. James E. Pleasants (JSR) 246

Preliminary design of aircraft structures to meet structural integrity requirements. J. C. Ekvall, T. R. Brussat, A. F. Liu, and Matthew Creager (JA) 136

Reanalysis information for eigenvalues derived from a differential equation analysis formulation. W. A. Thornton and D. K. Majumder (AIAA J. TN) 1749

Recent contributions to experiments on cylindrical shell panel flutter. W. Horn, G. Barr, L. Carter, and R. Stearman (AIAA J) 1481

Some approximation concepts for structural synthesis. L. A. Schmit Jr. and B. Farshi (AIAA J) 692

Variations of eigenvalues and eigenfunctions in continuum mechanics. Mehdi Farshad (AIAA J, TN) 560

Structural Dynamic Analysis

Aeroelastic stability of periodic systems with application to rotor blade flutter. P. Friedmann and L. J. Silverthorn (AIAA J) 1559

Applications of Bolotin's method to vibrations of plates. Wilton W. King and Chien-Chang Lin (AIAA J. TN) 399

Asymmetrical bending and vibration of a conical shell finite element. T. Y. Yang and H. W. Kim (AIAA J, SYN) 257

Attitude stability of a flexible solar electric spacecraft: A parametric study. Elbert L. Marsh (JSR) 89

Average structural response to locally stationary random excitation. Peter D. Schmitz and Neil P. McManus (AIAA J, TN) 229

Axisymmetric vibration of circular sandwich plates. Shaukat Mirza and Anand V. Singh (AIAA J, TN) 1418

Boom forces in librating dumbbell-type satellites. Subhash Chander Sharma and Willem Stuiver (AIAA J, SYN) 425

Sharma and Willem Stuiver (AIAA J, SYN) 425

Bounds on the extension of antennas for stable spinning satellites. L.

Meirovitch (JSR, EN) 202

Meirovitch (JSR, EN) 202

Calculation of mechanical impedance by finite element hybrid model. S. T.

Mau and P. Tong (AIAA J, TN) 249

Comment on "Bone articulations as systems of poroelastic bodies." C. W. McCutchen (AIAA J, TC) 256

Comparison of calculated static and dynamic collapse pressures for clamped spherical domes. Mark Hartzman (AIAA J, TN) 568

Composite material mechanics: Structural mechanics. Charles W. Bert and Philip H. Francis (AIAA J, SA) 1173

Constrained structural optimization for aeroelastic requirements, S. Pines and M. Newman (JA) 313

Dependence of plate-bending finite element deflections and eigenvalues on Poisson's ratio. R. Narayanaswami (AIAA J, TN) 1420

Derivatives of eigenvalues and eigenvectors for a general matrix. Carl S. Rudisill (AIAA J, TN) 721

Design of missile-aircraft component white noise isolators. Anthony San Miguel (JA) 704

Dynamic buckling of conical shells with imperfections. A. C. Shiau, R. S. Roth, and T. T. Soong (AIAA J) 755

Dynamic stability of axially-stiffened imperfect cylindrical shells under axial step loading. C. Lakshmikantham and Tien-Yu Tsui (AIAA J) 163 Dynamic transformation method for modal synthesis. Edward J. Kuhar and Clyde V. Stahle (AIAA J) 672

Edge restraint effect on vibration of curved panels. L. W. Rehfield, J. Giri, and C. A. Sparrow (AIAA J, TN) 239

Effect of axisymmetric imperfections on the vibrations of cylindrical shells under axial compression. Aviv Rosen and Josef Singer (AIAA J, TN)

Elastodynamics of cracked structures using finite elements. Joseph D. Morgan III, Jerry M. Anderson, and Wilton W. King (AIAA J, TN) 1767

Exact and approximate analyses of transient wave propagation in an anisotropic plate. C. T. Sun and R. Y. S. Lai (AIAA J. TN) 1415

Experiment on an impulse loaded elastic ring. M. J. Forrestal and D. K. Overmier (AIAA J, TN) 722

External-store loads using nonplanar lifting surface theory. William R. Chadwick (JA) 181

Flexural vibrations and Timoshenko's beam theory. Bijan Aalami and Bruno Atzori (AIAA J) 679

Flutter of orthotropic panels at arbitrary yaw angles—Experiment and theory. Peter Shyprykevich and James Wayne Sawyer (JA) 15

Generalization of Dunkerley's formula for finding the lowest critical velocity of rotating shafts. Bruno Atzori (JA, EN) 648

Inclusion of transverse shear deformation in finite element displacement formulations. R. Narayanaswami and H. M. Adelman (AIAA J, TN) 1613

Initially stressed Mindlin plates. E. J. Brunelle and S. R. Robertson (AIAA J) 1036

Large amplitude forced vibrations of elastic structures. L. W. Rehfield (AIAA J, TN) 388

Liapunov stability analysis of hybrid dynamical systems in the neighborhood of nontrivial equilibrium. Leonard Meirovitch (AIAA J)

Limiting performance of ground transportation vehicles subject to transient loading. Walter D. Pilkey and Bo Ping Wang (AIAA J, SYN) 1011

Minimization method for treating convergence in modal synthesis, A. T. K. Hasselman and Gary C. Hart (AIAA J) 316

Mode shapes and frequencies of clamped-clamped cylindrical shells. Robert L. Goldman (AIAA J, TN) 1755

Necessary condition for piecewise uniform optimum design under frequency constraint. Alain Cardou (AIAA J, TN) 1415

New method of solution of the eigenvalue problem for gyroscopic systems, A. Leonard Meirovitch (AIAA J) 1337

New triangular plate-bending finite element with transverse shear flexibility. R. Narayanaswami (AIAA J, TN) 1761
Nonlinear flexural oscillations of shallow arches. L. W. Rehfield (AIAA J,

Nonlinear flexural oscillations of shallow arches. L. W. Rehfield (AIAA J. TN) 91

Nonlinear flexural vibrations of a rotating Myklestad beam. Khyruddin Akbar Ansari (AIAA J, TN) 98

Nonlinear panel response by a Monte Carlo approach. R. Vaicaitis, E. H. Dowell, and C. S. Ventres (AIAA J) 685

Nonlinear transient analysis of shells and solids of revolution by convected

elements. Ted Belytschko and B. J. Hsieh (AIAA J) 1031
Nonlinear vibration of orthotropic triangular plates. C. P. Vendhan and B.

L. Dhoopar (AIAA J, ERR) 1008 Numerical-perturbation method for the nonlinear analysis of structural vibrations Ali H. Nayfeb Deap T. Mook, and Donald W. Lobitz (AIAA

vibrations. Ali H. Nayfeh, Dean T. Mook, and Donald W. Lobitz (AIAA J) 1222

On the dynamic buckling of shells of revolution. Pin Tong and J. Adachi (AIAA J. TN) 863

Optimal predictor-corrector method for systems of second-order differential equations. Luigi Morino, John W. Leech, and Emmett A. Witmer (AIAA J) 1343

Orthogonality procedure for forced response of multispan beams. Joseph Padovan (AIAA J. TN) 1599

Oscillatory supersonic kernel function method for interfering surfaces. Atlee M. Cunningham Jr. (JA) 664
Oscillatory supersonic kernel function method for isolated wings. Atlee M.

Cunningham Jr. (JA) 609 Periodic boom forces in dumbbell-type satellites moving in a circular orbit.

Iftikhar Saeed and Willem Stuiver (AIAA J. SYN) 423 Probability of first passage failure for stationary random vibration. J. B. Roberts (AIAA K) 1636

Rayleigh and Ritz revisited. Alexander H. Flax (AIAA J. TN) 224

Response of a three-levered ring to an axisymmetric impulse. Mathias

Response of a three-layered ring to an axisymmetric impulse. Mathias J. Sagartz (AIAA J, TN) 390

Response of structures to random acoustic excitation—An experimental study. B. Rama Bhat, B. V. A. Rao, and Hans Wagner (JSR, SYN) 213 Shear and moment response of the airplane wing to nonstationary turbulence. Yoshinori Fujimori (AIAA J, SYN) 1459

Skylab experience with Apollo docking/latching loads. R. A. Heath and W. B. Holland (JSR) 107

Simulation capability for dynamics of two-body flexible satellites. Fred Austin and George Zetkov (JSR, SYN) 129 Spatial correlation method and a time-varying flexible structure. F. Y. M.

Spatial correlation method and a time-varying flexible structure. F. Y. M. Wan and C. Lakshmikantham (AIAA J) 700

Stability of a spinning satellite with flexible antennas. W. N. Dong and A. L. Schlack Jr. (AIAA J. TN) 1737

Statistical identification of structures, Jon D. Collins, Gary C. Hart, T. K. Hasselman, and Bruce Kennedy (AIAA J.) 185

Stretch time of scribed metal diaphragms. S. K. Chan (AIAA J, TN) 1149 Stress analysis of anisotropic laminated plates. R. E. Rowlands, T. Liber, I. M. Daniel, and P. G. Rose (AIAA J) 903

Study of lifting rotor flapping response peak distribution in atmospheric turbulence, A. G. H. Gaonkar (JA) 104

Suspension-line wave motion during the lines-first parachute unfurling process. Lamont R. Poole and John L. Whitesides (AIAA J) 38

Various aspects of the structural theory of liquids. David A. Hunt (AIAA J) 1548

Vibration analysis of clamped square orthotropic plate. I. B. Elishakoff (AIAA J) 921

Vibration of annular plates with edge-beams. Richard J. Stuart and John F. Carney III (AIAA J, SYN) 5

Vibrations of sandwich plates under uniaxial compression. Y. V. K. Sadasiva Rao and P. K. Sinha (AIAA J, TN) 1282

When is Hamilton's principle an extremum principle? Donald R. Smith and C. V. Smith Jr. (AIAA J) 1573

Structural Stability Analysis

Axisymmetric buckling of elastic-plastic annular plates. A. Needleman (AIAA J, TN) 1594

Asymmetric buckling of toroidal shells under axial tension. S. K. Radhamohan and B. Prasad (AIAA J) 511

Buckling analysis of orthogonally stiffened waffle cylinders. M. I. Baig and T. Y. Yang (JSR) 832

Buckling in segmented shells of revolution subjected to symmetric and antisymmetric loads. Izhak Sheinman Yair Tene (AIAA J) 15

-Comment on "Buckling in segmented shells of revolution subjected to symmetric and antisymmetric loads." Gerald A. Cohen (AIAA J. TC)

Reply by authors to G. A. Cohen. Izhak Sheinman and Yair Tene (AIAA J. TC) 1775

Buckling of open cylindrical shells with torsionally stiff rectangular edge stiffeners. G. Krishnamoorthy (AIAA J) 1348

Buckling of orthotropic sandwich clyinders under axial compression and bending. Charles D. Reese and Charles W. Bert (JA) 207

Buckling of short cylindrical shells under axial compression. D. Durban and A. Libai (AIAA I) 909

Buckling of thin cylinder under combined external pressure and axial compression. G. Krishnamoorthy (JA) 65

Buckling of polar orthotropic annular plates under uniform internal pressure. G. K. Ramaiah and K. Vijayakumar (AIAA J) 1045

Comment on "Effect of higher order terms in certain nonlinear finite element models." Robert D. Cook (AIAA J, TC) 1290

Comment on "Finite element structural analysis of local instability." W. H. Wittrick (AIAA J, TC) 123

-Reply by author to W. H. Wittrick. J. S. Przemieniecki (AIAA J. TC) 124

-Reply by authors to R. D. Cook. J. T. Oden, H. Akay, and C. P. Johnson (AIAA J. TC) 1290

Comparison of calculated static and dynamic collapse pressures for clamped spherical domes. Mark Hartzman (AIAA J, TN) 568

Composite material mechanics: Structural mechanics. Charles W. Bert and Philip H. Francis (AIAA J, SA) 1173

Dynamic buckling of conical shells with imperfections. A. C. Shiau, R. S. Roth, and T. T. Soong (AIAA J) 755

Dynamic stability of axially-stiffened imperfect cylindrical shells under axial step loading. C. Lakshmikantham and Tien-Yu Tsui (AIAA J) 163 Finite twisting and bending of thin orthotropic strip of lenticular section. C. H. S. Chen (AIAA J, TN) 247

Floating piecewise linear approximation of a nonlinear constitutive equation. David Durban and Menahem Baruch (AIAA J, TN) 868

Inelastic asymmetric buckling of ring-stiffened cylindrical shells under external pressure. L. H. N. Lee (AIAA J) 1051

Inelastic buckling of a deep spherical shell subject to external pressure. N. C. Huang and G. Funk (AIAA J) 914 Initially stressed Mindlin plates. E. J. Brunelle and S. R. Robertson (AIAA

J) 1036 Nonlinear thermo-elastic-plastic and creep analysis by the finite-element

method, P. Sharifi and D. N. Yates (AIAA J) 1210 On the dynamic buckling of shells of revolution. Pin Tong and J. Adachi

(AIAA J. TN) 863 Postbuckling behavior of clamped skew plates. M. S. S. Prabhu and S.

Durvasula (AIAA J. TN) 1423 Reanalysis information for eigenvalues derived from a differential equation

analysis formulation. W. A. Thornton and D. K. Majumder (AIAA J. TN) 1749

Reinvestigation of buckling of shells of revolution by a refined finite element. G. Venkateswara Rao, S. K. Radhamohan, and I. S. Raju (AIAA J, TN) 100

Shell instability analysis applied to a radome. Terry L. Janssen and Thomas G. Swaney (AIAA J, TN) 714

Stability of two-hinged circular arches with independent loading parameters. Donald A. DaDeppo and Robert Schmidt (AIAA J. TN)

Variations of eigenvalues and eigenfunctions in continuum mechanics. Mehdi Farshad (AIAA J, TN) 560

Structural Static Analysis

Advanced beaded and tubular structural panels. Max D. Musgrove, Bruce

E. Greene, John L. Shideler, and Herman L. Bohon (JA) 68

Analysis of axisymmetric shells by transfer matrix method. K. Singa-Rao and C. L. Amba-Rao (JSR) 829

Analysis of longitudinal thickness-shear stiffness of a filamentary composite. S. Chang and C. W. Bert (AIAA J) 1358

Asymmetrical bending and vibration of a conical shell finite element. T. Y. Yang and H. W. Kim (AIAA J, SYN) 257

Buckling behavior of a composite beam column. Ronald L. Mann and Richard W. Perkins (AIAA J, TN) 872 Buckling in segmented shells of revolution subjected to symmetric and

antisymmetric loads. Izhak Sheinman and Yair Tene (AIAA J) 15

-Comment on "Buckling in segmented shells of revolution subjected to symmetric and antisymmetric loads." Gerald A. Cohen (AIAA J, TC)

-Reply by authors to G. A. Cohen. Izhak Sheinman and Yair Tene (AIAA J. TC) 1775

Buckling of short cylindrical shells under axial compression. D. Durban and A. Libai (AIAA J) 909

Comment on "Effect of higher order terms in certain nonlinear finite element models." Robert D. Cook (AIAA J, TC) 1290

—Reply by authors to R. D. Cook. J. T. Oden, H. Akay, and C. P.

Johnson (AIAA J, TC) 1290

Comparison of calculated static and dynamic collapse pressures for clamped spherical domes. Mark Hartzman (AIAA J. TN) 568

Crack growth and failure of aluminum plate under in-plane shear. Alan Fong-Ching Liu (AIAA J) 180

Dependence of plate-bending finite element deflections and eigenvalues on Poisson's ratio. R. Narayanaswami (AIAA J, TN) 1420 Effect of stress on the directions of stiffness extrema. A. A. G. Cooper

(AIAA J. TN) 1609 Effects of transverse normal and shear strains in orthotropic shells. J. A.

Zukas (AIAA J. TN) 1753 Finite twisting and bending of thin orthotropic strip of lenticular section.

C. H. S. Chen (AIAA J. TN) 247 Floating piecewise linear approximation of a nonlinear constitutive equation. David Durban and Menahem Baruch AIAA J, TN) 868

Flexure of elastically supported axisymmetric shells. S. T. Gulati and M. C. Dokmeci (AIAA J. TN) 1411

Improved approximation of constitutive elasto-plastic stress-strain relationship for finite element analysis. T. R. Hsu and A. W. M. Bertels (AIAA J. TN) 1450

Inclusion of transverse shear deformation in finite element displacement formulations. R. Narayanaswami and H. M. Adelman (AIAA J. TN)

Inelastic asymmetric buckling of ring-stiffened cylindrical shells under external pressure. L. H. N. Lee (AIAA J) 1051

Initially stress Mindlin plates. E. J. Brunelle and S. R. Robertson (AIAA J) 1036

Large elastic deformation of an inflatable membrane of revolution. C. E. S. Ueng and Y. S. Sun (AIAA J) 761 Method of static analysis of shallow shells, A. R. Jones and J. Mazumdar

(AIAA J. TN) 1134 Minimum weight design of finite element structures. Harold Switzky and

Ping-Chun Wang (AIAA J) 170 triangular plate-bending finite element with transverse shear

flexibility. R. Narayanaswami (AIAA J, TN) 1761 Nonlinear thermo-elastic-plastic and creep analysis by the finite-element method. P. Sharifi and D. N. Yates (AIAA J) 1210

On the accuracy of the Taylor approximation for structure resizing. Olaf O. Storaasli and Jaroslaw Sobieszczanski (AIAA J, TN) 231
Pressure vessel certification based on fracture mechanics technology. Alvin

L. Luttrell and H. LeRoy Henderson (JSR) 838 Shell instability analysis applied to a radome. Terry L. Janssen and

Thomas G. Swaney (AIAA J. TN) 714 Solution for inplane and bending fields of tapered anisotropic conical shells.

Joseph Padovan (AIAA J. TN) 101 Static fields of curved generally laminated anisotropic plate strips. Joseph

Padovan and Bernard Gosset (AIAA J. SYN) 737 Static solution of monoclinic laminated circular plates. J. Padovan (AIAA J. TN1 862

Stiffness of orthotropic materials and laminated fiber-reinforced composites. Robert M. Jones (AIAA J. TN) 112

Stress analysis of anisotropic laminated plates. R. E. Rowlands, T. Liber, I. M. Daniel, and P. G. Rose (AIAA J) 903

Stress diffusion in thick stiffened panels. Grant P. Steven (JA, EN) 779 Viscoelastic fracture of solid propellants in pressurization loading conditions. E. C. Francis, C. H. Carlton, and G. H. Lindsey (JSR) 691

Thermal Stresses

Creep relaxation of nonaxisymmetric thermal stresses in thick walled

cylinders, M. Sabbaghian and M. R. Eslami (AIAA J) 1652

Effects of transverse normal and shear strains in orthotropic shells. J. A. Zukas (AIAA J. TN) 1753

Improved thermal stress determination by finite element methods. I. U. Ojalvo (AIAA J, TN) 1131

Nonlinear creep analysis by assumed stress finite element methods. T. H. H. Pian (AIAA J, TN) 1756

Nonlinear thermo-elastic-plastic and creep analysis by the finite-element method. P. Sharifi and D. N. Yates (AIAA J) 1210

Numerical thermoelastoplastic solution of a thick-walled tube, A. Shih-Chi Chu (AIAA J) 176

THERMOPHYSICS AND THERMOCHEMISTRY

Atomic, Molecular, and Plasma Properties

Effective electrical conductivity and related properties of a nonequilibrium high pressure MHD plasma. G. Brederlow and K. J. Witte (AIAA J) 83

Exhaust plume structure in a quasi-steady MPD accelerator. Adam P. Bruckner and Robert G. Jahn (AIAA J) 1198 Lightning and the Apollo 17/ Saturn V exhaust plume. E. P. Krider, R. C.

Noggle, M. A. Uman, and R. E. Orville (JSR) 72

Optical properties of cryodeposits on low scatter mirrors. Samuel B. Thompson, Frederick Arnold, Richard B. Sanderson, and Arlan W. Mantz (PS, V.35) 229

Stability of nonequilibrium MHD plasma in the regime of fully ionized seed. Takashi Nakamura and Wolfgang Riedmuller (AIAA J) 661

Heat Conduction

Advanced thermal control flight experiment. J. P. Kirkpatrick and P. J. Brennan (PS, V.35) 409

Apparent tensorial conductivity of layered composites. F. K. Tsou, P. C. Chou, and I. Singh (AIAA J) 1693

Biot's variational principle for aerodynamic ablation of melting solids. Anant Prasad and H. C. Agrawal (AIAA J, TN) 250

Correlation of the over-all thermal resistance of metallic O-rings contacting two cylinders. G. E. Schneider and M. M. Yovanovich (JSR, EN) 206 Explicit numerical method for solution of heat-transfer problems. John A. Segletes (AIAA J. SYN) 1463

General expression for predicting conduction shape factors. M. Michael Yovanovich (PS*V.35) 265 Generalized Sturm-Liouville procedure for composite domain anisotropic transient conduction problems. Joseph Padovan (AIAA J. TN) 1158

Heat pipe model accounting for variable evaporator and condenser lengths. C. L. Williams and G. T. Colwell (AIAA J) 1261

Heat-pipe system for space shuttle traveling wave tube amplifier. A. Basiulis, C. M. Eallonardo, and B. M. Kendall (PS, V.35) 431

Liquefaction dynamics of n-octadecane in cylindrical coordinates. R. L. Bain, F. J. Stermole, and J. O. Golden (JSR) 335

Modeling the effect of air and oil upon the thermal resistance of a sphere-flat contact. M. Michael Yovanovich and W. W. Kitscha (PS, V.35) 293 Optimum design of elastomeric gaskets for combined thermal and vibration

performance. L. S. Fletcher and T. E. Shoup (JSR, EN) 344 Orbiting astronomical observatory heat pipe flight performance data. W. Harwell, F. Edelstein, R. McIntosh, and S. Ollendorf (PS, V.35) 445 Probabilistic approach to the design of heat pipes. C. C. Roberts Jr. and K. T. Feldman Jr. (PS, V.35) 371

Role of radiative transport in the propagation of laser supported combustion waves. J. P. Jackson and P. E. Nielsen (AIAA J) 1498

Temperature extrapolation mechanism for two-dimensional heat flow. Murray Imber (AIAA J) 1089

Thermal analysis for antenna window in a GM nosetip. Jimmie H. Smith (JSR. EN) 198

Thermal conductance of gasket materials for spacecraft joints. L. S. Fletcher and R. G. Miller (PS, V.35) 335

Thermal conductivity measurements of porous materials in several gaseous environments. Edward G. Keshock (JSR) 41

Thermal contact conductance of porous metallic materials in a vacuum environment. R. G. Miller and L. S. Fletcher (PS, V.35) 321 Thermal protection for divers. W. W. McCrory (JH) 115

Unsteady temperature distribution in volume reflectors. Kenneth C. Weston and R. S. Reddy (AIAA J, TN) 716

Liquid and Solid Thermophysical Properties

Apparent tensorial conductivity of layered composites. F. K. Tsou, P. C. Chou, and I. Singh (AIAA J) 1693

Gas occlusions in arterial heat pipes. E. W. Saaski (PS, V.35) 353
High-speed (subsecond) system for accurate thermophysical measurements at high temperatures. Ared Cezairliyan (PS, V.35) 205

Liquefaction dynamics of n-octadecane in cylindrical coordinates, R. L. Bain, F. J. Stermole, and J. O. Golden (JSR) 335

Reflectance from semi-infinite absorbing-scattering medium with diffuse incident radiation. B. F. Armaly and T. T. Lam (PS, V.35) 115 Specific heat of X14 propellant. J. Richard Ward (AIAA J, TN) 107

Thermal conductivity measurements of porous materials in several gaseous environments. Edward G. Keshock (JSR) 41

Material Ablation

Biot's variational principle for aerodynamic ablation of melting solids. Anant Prasad and H. C. Agrawal (AIAA J, TN) 250 Char formation in ablatives. R. P. Rastogi and Desh Deepak (AIAA J,

TN) 114

Combustion of carbon particles in a hypersonic turbulent boundary layer.

A. T. Wassel and A. F. Mills (JSR) 803

Cross-hatching studies-A critical review. Rudolph J. Swigart (AIAA J. SA) 1301

Foreign gas injection at windwardmost meridans of yawed sharp cones. Andrzej Wortman (AIAA J. SYN) 741

Generalized flow in gaps and slots including the effects of ablation. Larry Cooper and Kurt E. Putz (JSR) 287

Heat shielding for Venus entry probes. David L. Peterson and William E. Nicolet (ISR) 382

Radiation and Radiative Heat Transfer

Advanced thermal control flight experiment. J. P. Kirkpatrick and P. J. Brennan (PS, V.35) 409

Analysis of thermal radiation bidirectionally reflected from roughened brass. D. C. Look (AIAA J) 656

Application of Raman effect to flowfield diagnostics. S. Lederman and J. Bornstein (PS. V.34) 283

Approximate configuration factors for a gray nonisothermal gas-filled conical enclosure. R. B. Bannerot and F. A. Wierum (PS, V.35) 41

Comparison of three techniques for solving the radiative transport equation. J. A. Roux and A. M. Smith (PS, V.35) 3

Correlation of radiative heating calculations for Venus entry. C. T. Edquist (ISR, EN) 440

Diffraction effects encountered in the measurement of bidirectional reflectance from square pyramids. Fred A. Christie and Andre B. DeVriendt (PS, V.35) 167

Effect of boundary conditions on the radiative reflectance of dielectric coatings. J. A. Roux, A. M. Smith, and F. Shahrokhi (PS, V.35) 131 Emission spectra from a stream of cooling particles. W. S. Rothwell and H.

L. Schick (JSR, EN) 597 Heat shielding for Venus entry probes. David L. Peterson and William E.

Nicolet (JSR) 382 High-speed (subsecond) system for accurate thermophysical measurements

at high temperatures. Ared Cezairliyan (PS, V.35) 205 Infrared properties of reusable surface insulations. R. J. Schmitt, R. M. F. Linford, C. F. Dillow, and T. A. Hughes (PS, V.35) 183

Numerical solution of a nonlinear integral equation by the use of step functions: III. Continuous solutions. Kenneth K. Yoshikawa (AIAA J.

TN1 1769 Optical stability of coatings exposed to four years space environment on OSO-III. John P. Millard and B. Douglas Pearson Jr. (PS, V.35) 249

Particulate infrared radiation in aluminized solid-fuel rocket plumes. Bruce W. Worster (JSR, EN) 260

Radiation from an array of gray circular fins of trapezoidal profile. N. M. Schnurr and C. A. Cothran (AIAA J) 1476

Radiation-gas dynamic shock layer coupling. Carl D. Engel and Richard C. Farmer (AIAA J. TN) 1144

Radiation heat transfer in multilayer insulation having perforated shields. C. L. Tien and G. R. Cunnington (PS, V. 35) 65

Radiative transport analysis for plane geometry with isotropic scattering and arbitrary temperature. J. A. Roux and A. M. Smith (AIAA J) 1273 Reflectance from semi-infinite absorbing-scattering medium with diffuse incident radiation. B. F. Armaly and T. T. Lam (PS, V.35) 115

Role of radiative transport in the propagation of laser supported com-bustion waves. J. P. Jackson and P. E. Nielsen (AIAA J) 1498

Simple spectroscopic technique for the arc region of plasma accelerators. Robert P. Collier and David S. Scott (AIAA J, TN) 103

Spherical harmonics approximation for radiative transfer in polluted atmospheres. R. W. Bergstrom Jr. and R. Viskanta (PS, V.35) 23

Surface roughness effects on bidirectional reflectance. T. F. Smith and R. G. Hering (PS, V.35) 145

Unsteady temperature distribution in volume reflectors. Kenneth C. Weston and R. S. Reddy (AIAA J, TN) 716

Thermal Modeling and Experimental Thermal Simulation

Analytical modeling of spacecraft with heat pipes and louvers. H. Hwangbo, J. H. Hunter, and W. H. Kelly (PS, V.35) 469

Calorimeter measurement of heat transfer at hypersonic conditions. Mitchell R. Wool, Andrew J. Murphy, and Roald A. Rindal (JSR) 363 Coolant pressurization and expulsion for transpiration nosetips. Theodore E. Ward and John R. Schuster (JSR) 518

Correlation of the over-all thermal resistance of metallic O-rings contacting two cylinders. G. E. Schneider and M. M. Yovanovich (JSR, EN) 206 Design considerations for space chamber cryopanels. K. Srinivasan, V. Seshagiri Rao, and M. V. Krishna Murthy (JSR, EN) 862

Diffraction effects encountered in the measurement of bidirectional reflectance from square pyramids. Fred A. Christie and Andre B. DeVriendt (PS, V.35) 167

Flow visualization of thermal stratification with localized heat sources. Thomas M. Lovrich, Sidney H. Schwartz, and Leroy A. Holmes (JSR)

Gas occlusions in arterial heat pipes. E. W. Saaski (PS, V.35) 353

Gas temperature-density (GTD) sensor for turbine inlet gas temperature measurement. J. Van Roberts and David A. Rohy (PS, V.34) 355

General expression for predicting conduction shape factors. M. Michael Yovanovich (PS, V.35) 265

Heat pipe model accounting for variable evaporator and condenser lengths. C. L. Williams and G. T. Colwell (AIAA J) 1261

Heat transfer measurements in turbines. J. F. Louis, A. M. Demirjian, and R. F. Topping (PS, V.34) 331

Investigation of laminar flow in a porous pipe with variable wall suction. L. S. Galowin, L. S. Fletcher, and M. J. DeSantis (AIAA J) 1585

Laser burnthrough time reduction due to tangential airflowterpolation formula. R. L. Johnson and J. D. O'Keefe (AIAA J) 1106 Modeling the effect of air and oil upon the thermal resistance of a sphereflat contact. M. Michael Yovanovich and W. W. Kitscha (PS, V.35) 293 Particulate infrared radiation in aluminized solid-fuel rocket plumes. Bruce

W. Worster (JSR, EN) 260

Probabilistic approach to the design of heat pipes. C. C. Roberts Jr. and K. T. Feldman Jr. (PS, V.35) 371

Temperature control of the mariner-class spacecraft: A seven-mission summary. L. N. Dumas (PS, V.35) 531

Thermal control of the Apollo 17 lunar traverse gravimeter. W. A. Vachon, D. R. Fairbanks, R. T. Martorana, and D. Nathanson (PS, V.35) 517 Thermal control of the large space telescope. Richard D. Cummings (PS,

V.351 489 Thermal coupling measurement method. L. A. Rosenthal and V. J. Menichelli (JSR) 282

Thermal modeling of a plate with coupled heat-transfer modes. Manohar S. Sohal and John R. Howell (PS, V.35) 99

Thermoelectric device application to spacecraft thermal control. John J.

Chapter and Gary W. Johnsen (JSR) 159 Unsteady temperature distribution in volume reflectors. Kenneth C. Weston and R. S. Reddy (AIAA J. TN) 716

Thermal Surface Properties

Analysis of thermal radiation bidirectionally reflected from roughened brass. D. C. Look (AIAA J) 656

Comparison of three techniques for solving the radiative transport equation. J. A. Roux and A. M. Smith (PS, V.35) 3

Coolant pressurization and explusion for transpiration nosetips. Theodore E. Ward and John R. Schuster (JSR) 518

Diffraction effects encountered in the measurement of bidirectional reflectance from square pyramids. Fred A. Christie and Andre B. DeVriendt (PS, V.35) 167

Effect of boundary conditions on the radiative reflectance of dielectric coatings. J. A. Roux, A. M. Smith, and F. Shahrokhi (PS, V.35) 131 Infrared properties of reusable surface insulations. R. J. Schmitt, R. M. F. Linford, C. F. Dillow, and T. A. Hughes (PS, V.35) 183

Optical stability of coatings exposed to four years space environment on OSO-III. John P. Millard and B. Douglas Pearson Jr. (PS, V.35) 249 Reflectance from semi-infinite absorbing-scattering medium with diffuse incident radiation. B. F. Armaly and T. T. Lam (PS, V.35) 115

Specific heat of X14 propellant, J. Richard Ward (AIAA J. TN) 107 Surface roughness effects on bidirectional reflectance. T. F. Smith and R. G. Hering (PS, V.35) 145

Thermochemistry and Chemical Kinetics

Combustion R&D-Key to our energy future. Antoni K. Oppenheim and Felix J. Weinberg (A/A, Nov.) 22

Effects of nonequilibrium ablation chemistry on Viking radio blackout. John S. Evans, Charles J. Schexnayder Jr., and William L. Grose (JSR)

Comment on "Effects of nonequilibrium ablation chemistry on Viking radio blackout." D. E. Jensen (JSR, TC) 736

-Reply by authors to D. E. Jensen. John S. Evans, Charles J. Schexnayder Jr., and William L. Grose (JSR, TC) 736

Electrostatic probe measurements of chemical injection effects during a reentry flight test. D. T. Hayes, S. B. Herskovitz, J. F. Lennon, and J. L. Poirier (JSR) 388

Gas temperature-density (GTD) sensor for turbine inlet gas temperature measurement. J. Van Roberts and David A. Rohy (PS, V.34) 355

High-speed (subsecond) system for accurate thermophysical measurements at high temperatures. Ared Cezairliyan (PS, V.35) 205

Hydrogen ionization in the shock layer for entry into the outer planets. John T. Howe (AIAA J. TN) 875

Impact of emission regulations on future gas turbine engine combustors. F. J. Verkamp, A. J. Verdouw, and J. G. Tomlinson (JA) 340

Influence of ablation impurities on blunt body re-entry ionization. C. J. Schexnayder Jr. and J. S. Evans (AIAA J, SYN) 805

Influence of lithium fluoride on the burning rate of AP-polyester propellant. R. K. Dhameja, Y. P. Saradhy, and V. K. Jain (AIAA J. TN) 874

Optical properties of cryodeposits on low scatter mirrors. Samuel B. Thompson, Frederick Arnold, Richard B. Sanderson, and Arlan W. Mantz (PS, V.35) 229

Planetary entry aerothermodynamics. Part I. Technology requirements and experimental facilities. Walter B. Olstad (A/A, Nov.) 58

Planetary entry aerothermodynamics: Part II. Computational analyses and flight experience. Walter B. Olstad (A/A, Dec.) 55

Small signal gain calculations for high-flow CO discharge lasers. Neill S. Smith, H. A. Hassan, and Roy M. McInville (AIAA J. SYN) 1619

Time-temperature simulation in low-pressure ignition of hypergolic liquids. Michel A. Saad and Samuel R. Goldwasser (AIAA J, SYN) 11

Turbojet exhaust reactions in stratospheric flight. L. B. Anderson, J. W. Meyer, and W. J. McLean (AIAA J) 56

AUTHOR INDEX

Aalami, Bijan and Atzori, Bruno Flexural vibrations and Timoshenko's

beam theory. (AIAA J) 679 Abbott, S. W., Smoot, L. D., and Schadow, K. Direct mixing and combustion efficiency measurements in ducted, particle-laden jets.

Abelhamid, A. N., Harrje, D. T., Plett, E. G., and Summerfield, M. Noise characteristics of combustion augmented jets at midsubsonic speeds. (AIAA J) 336

Aceto, Leonard D. and Kollrack, Reiner Primary zone carbon monoxide levels for gas turbines. Part I—Premixed combustion. (AIAA

Adachi, J. (AIAA J. TN: see Tong, Pin)

Adamezyk, John J. Passage of a swept airfoil through an oblique gust. (IA) 281 Adams, Donald F. High-performance composite material airframe weight

and cost estimating relations. (JA) 751 Adams, J. C., Jr. and Martindale, W. R. Hypersonic lifting body

boundary-layer analysis at high angles of incidence. (JSR) 721 Adamson, T. C., Jr. (AIAA J; see Brilliant, H. M.)

Adeoek, Jerry B. (JA; see Kilgore, Robert A.)

——(A/ A, Oct.; see Polhamus, E. C.) Adelman, H. M. (AIAA J. TN; see Narayanaswami, R.)

Adimurthy, V. (AIAA J: see Jain, A. C.)

Adler, D. Mathematical model of a damped rate-of-climb indicator. (JA) 430

Afimiwala, K. A. and Mayne, R. W. Evaluation of optimization techniques for applications in engineering design. (JSR, SYN) 673

Afzal, Noor and Luthra, V. K. Highly accelerated laminar flow at moderately large Reynolds number. (AIAA J) 529

Agnone, Anthony Cross-flow effects on the boundary layer in a plane of symmetry. (JSR, EN) 542

Agrawal, B. N. Effects of asymmetries in the rotor and flexible joint of a

dual-spin spacecraft. (JSR, SYN) 611 Agrawal, H. C. (AIAA J. TN: see Prasad, Anant) Ahmed, Shabeer (JSR, EN; see Kumar, Rajnish) Akay, H. (AIAA J. TC; see Oden, J. T.)

Alfriend, Kyle T. Partially filled viscous ring nutation damper, (ISR)

Alfriend, Kyle T. and Hubert, Carl H. Stability of a dual-spin satellite

with two dampers. (JSR) 469 Allen, Jerry M. Reply by author to P. Bradshaw and K. Unsworth. (AIAA J, TC) 1295

Almqvist, H. and Jansson, B. Apparatus and techniques for safe,

economical work in hostile environments. (JH) 125 Alpay, S. A. (JA, EN; see Parameswaran, V.) Alspaugh, D. W. (AIAA J. SYN; see Huang, S. N.) Amba-Rao, C. L. (JSR; see Singa-Rao, K.)

Ambrose, J. (AIAA J; see Dowell, E. H.) Amiet, Roy K. Compressibility effects in unsteady thin-airfoil theory. (AIAA J. TN) 252

Amieux, Jean Claude and Liegeois, Alain Design and ground test of a

Amieux, Jean Claude and Liegeois, Alain Design and ground test of a pendulum-type active nutation damper. (JSR, EN) 790
——Amieux, J. C. Reply by author to P. K. Nguyen. (JSR, TC) 607
Anand, D. K. (JSR, EN); see Lohfeld, R. E.)
Anderson, B. D. (PS, V.32); see Morgan, R. P.)
Anderson, Jerry M. (AlAA J, TN); see Morgan, Joseph D., III)
Anderson, John D., Jr. Computations of CO₂ laser radiation absorption in SE_{Calif} boundary, layers. (AlAA J), 1297 in SF6-air boundary layers. (AIAA J) 1527

-Effect of kinetic rate uncertainties on gasdynamic laser gain and energy prediction. (AIAA J) 1699

Anderson, L. B., Meyer, J. W., and McLean, W. J. Turbojet exhaust reactions in stratospheric flight. (AIAA J) 56

Anderson, Neal T. (A/A, June: see Paparozzi, Frank A.) Ando, Shigenori (JA, SYN; see Mamada, Hiroshi) Anno, J. N. Influence of viscosity on the stability of a cylindrical jet.

(AIAA J. TN) 1137

Ansari, J. S. Instability of combustion. (AIAA J. TNI 561

Ansari, Khyruddin Akbar Nonlinear flexural vibrations of a rotating Myklestad beam. (AIAA J. TN) 98

Appa, Kari and Smith, G. Charles C. Finite element supersonic aerodynamics for oscillating parallel wings. (JA, SYN) 433
Argyropoulos, G. S., Demetriades, S. T., Doss, E. C., and Oliver, O.

A. Electron nonequilibrium in open-cycle MHD generators. (AIAA J) 669

Armaly, B. F. and Lam, T. T. Reflectance from semi-infinite absorbingscattering medium with diffuse incident radiation. (PS, V. 35) 115 Arndt, Roger E. A., Tran, Nam C., and Barefoot, Galen Turbulence

and acoustic characteristics of screen perturbed jets. (AIAA J. SYN) 261
Arnold, Frederick (PS, V. 35; see Thompson, Samuel B.)
Arritt, Robert D. ARIES—A controlled sounding rocket. (A/A, Dec.)

Asher, Jeffrey A. Laser velocimeter system development and testing. (PS,

Asher, Robert B. and Matusziewski, John P. Optimal guidance with maneuvering targets. (JSR, EN) 204

Ashley, Holt (JA, EN; see Weisshaar, Terrence A.) Ashurst, William T. (JSR; see Kryvoruka, John K.)

Asnin, Scott K. Venus orbital radar mapping in the 1980s design and analysis. (JSR, SYN) 801

Astleford, William J. (JSR; see Holster, Jesse L.) Atzori, Bruno (AIAA J; see Aalami, Bijan)

Generalization of Dunkerley's formula for finding the lowest critical velocity of rotating shafts. (JA, EN) 648

Au, Guenther F. and Baumgarth, Siegfried F. J. Ion thruster ESKA 8 for North-South stationkeeping of synchronous satellites. (JSR) 618 Aukstikalnis, A. J. Spacecraft computers. (A/ A. July-August) 33

Austin, Fred and Zetkov, George Simulation capability for dynamics of two-body flexible satellites. (JSR, SYN) 129

Avidor, J. M. and Lederman, S. Density survey in the hypersonic viscous shock layer on a sharp flat plate. (AIAA J. TN) 993 Azuma, Akira and Nakamura, Yoshiya Pitch damping of helicopter rotor with nonuniform inflow. (JA) 639

Babcock, W. R. (AIAA J: see Brown, R. S.)

Back, Lloyd H. and Varsi, Giulio Detonation propulsion for high

pressure environments. (AIAA J) 1123
Baer, M. R., Mitchell, C. E., and Espander, W. R. Stability of Partially lined combustors with distributed combustion. (AIAA J) 475
Bagby, Frederick L. A unified view of the R&D economy. (A/A)

Januaryl 32 Baig, M. I. and Yang, T. Y. Buckling analysis of orthogonally stiffened

waffle cylinders. (JSR) 832 Baijal, S. K. and Sriramulu, A. N. Kinetic factors in heterogeneous com-

bustion of cross-linked polymers. (AIAA J. TN) 1413

Bailey, David J. (JA; see Young, Maurice I.) Bailey, Rodney O. (A/ A, Sept.; see Gregory, Thomas J.)

Bain, R. L., Stermole, F. J., and Golden, J. O. Liquefaction dynamics of n-octadecane in cylindrical coordinates. (JSR) 335

Balser, Martin, McNary, Charles A., and Nagy, Arthur E. Acoustic backscatter radar system for tracking aircraft trailing vortices. (JA) 556 Bannerot, R. B. and Wierum, F. A. Approximate configuration factors for a gray nonisothermal gas-filled conical enclosure. (PS, V. 35) 41

Barber, B. C. Thrust measuring system for electrothermal thrusters. (JSR)

Barefoot, Galen (AIAA J. SYN; see Arndt, Roger E. A.)

Barker, Richard M. and Hatt, Fritz Analysis of bonded joints in vehicular structures. (AIAA J. ERR) 1168

Barker, S. J. and Liepmann, H. W. Laser anemometer measurements of surface pressure distributions. (AIAA J. TN) 1758

Baronti, Paolo (AIAA J. TN; see Ferri, Antonio) Baronti, Paolo and Miller, Gabriel Integral solution of the turbulent energy equation. (AIAA J, TN) 108

Barr, G. (AIAA J; see Horn, W.)
Barranger, John P. Study of a flight monitor for jet engine disk cracks using the critical length criterion of fracture mechanics. (PS, V. 34) 325 Barrere, M., Nadaud, L., and Lhuillier, J. N. ONERA and SNPE recent work on solid propellant combustion instability. (JSR) 33

Bartholomew, R. J. (JH: see Lavis, D. R.)
Bartos, Joan M. (AIAA J. TN: see Gerber, Nathan)
Baruch, Menahem (AIAA J. TN: see Durban, David)

Basiulis, A., Eallonardo, C. M., and Kendall, B. M. Heat-pipe system for space shuttle traveling wave tube amplifier. (PS, V. 35) 431 Bass, Robert L., III (JH; see Unruh, James F.)

Batson, James L. and Bertin, John J. Rocket exhaust flow in tube launchers. (JSR, SYN) 739 Batt, Richard G. Flight test base pressure results from sharp 80 copes.

(AIAA J. TN) 555 Bauer, R. C. (JSR; see Schulz, R. J.)

Baumgarth, Siegfried F. J. (JSR; see Au, Guenther F.) Beach, H. Lee, Jr. Evaluation of a wedge gas-sampling probe. (AIAA J.

Beans, E. William Total pressure recovery for a dump combustor. (JSR. EN1 433

Becker, Manfred, Robben, Frank, and Cattolica, Robert Velocity distribution functions near the landing edge of a flat plate. (AIAA J)

Beckman, J. D., Hyde, J. R., and Rasool, S. I. Exploring Jupiter and its satellites with an orbiter. (A/ A, Sept.) 24

Beckwith, Ivan E. Comments on Crocco's solution and the independence principle for compressible turbulent boundary layers. (AIAA J. TN) 245 —Comment on "Spherically-symmetric supersonic source flow: a new use for the Prandtl-Meyer function." (AIAA, TC) 1615
Beichel, Rudi Propulsion systems for single-stage shuttles, (A/A, Nov.)

Belytschko, Ted and Hsieh, B. J. Nonlinear transient analysis of shells and solids of revolution by convected elements. (AIAA J) 1031

Belz, R. A. (PS, V. 34; see Trolinger, J. D.)

Beneze, Daniel P. (JA; see Sorenson, Norman E.) Bendura, R. J. (JSR; see Moog, R. D.) Benek, J. A. and High, M. D. Transition prediction technique. (AIAA J. TN1 1425

Benenson, David M. and Cenkner, August A., Jr. Local thermal equilibrium in a transient arc. (AIAA J. TN) 116

Bennett, Robert M. (JA; see Desmarais, Robert N.)

Bennett, S. B. and Dostis, L. Design of the INTELSAT IV transponder. (PS, V. 33) 373

Bera, Rajendra K. Slender delta wing with conical camber. (JA, EN) 245 -Some remarks on the solution of the lifting line equation. (JA, EN) 647

-Warping of delta wings for minimum drag. (JA, EN) 77

Bera, Rajendra K. and Ramachandra, S. M. Method of orthogonal loadings-A fresh look. (JA, EN) 650

Bergstrom, E. R., Boley, W. E., and Raghunathan, S. Unsteadiness measurements in the flow through an oblique shock wave. (AIAA J. TN)

Bergstrom, R. W., Jr. and Viskanta, R. Spherical harmonics approximation for radiative transfer in polluted atmospheres. (PS, V. 35)

Berkovits, A. Hodographic prediction of cyclic creep behavior. (JA) 10 Berman, Howard and Gran, Richard Design principles for digital

autopilot synthesis. (JA) 414 Bernstein, Shmuel (JA, EN; see Iversen, James D.)

Bert, C. W. (AIAA J; see Chang, S.) (JA; see Reese, Charles D.)

(JSR; see Womack, William C.)

Bert, Charles W. and Francis, Philip H. Composite material mechanics: Structural mechanics. (AIAA J. SA) 1173

Bertels, A. W. M. (AIAA J. TN; see Hsu, T. R.)

Bertin, John J. (JSR, SYN; see Batson, James L.)

Bertin, John J., Faria, H. Tom, Goodrich, Winston D., and Martindale, W. R. Effect of nose geometry on the aerothermodynamic environment of shuttle entry configurations. (JSR) 275

Besson, Jean and Boillot, Jean Aircraft localization with a time-frequency system. (JA, SYN) 193

Bevilaqua, Paul M. Evaluation of hypermixing for thrust augmenting

ejectors. (JA) 348 Biblarz, Oscar and Fuhs, Allen E. Laser cavity density changes with kinetics of energy release. (AIAA J) 1083

Bicknell, J. (JA; see Parker, A. G.)

Biggs, John R. and Downhower, Walter J. Mariner Venus/ Mercury 73: A strategy of cost control. (A/A, June) 48

Bhat, B. Rama, Rao, B. V. A., and Wagner, Hans Response of structures to random acoustic excitation-An experimental study. (JSR, SYN) 213

Bhatia, Kumar G. An automated method for determining the flutter velocity and the matched point. (JA) 21 Billig, Frederick S. (AIAA J. TC; see Waltrup, Paul J.)

-(PS. V. 34; see Orth, R. C.)

Billig, L. O. Automatic detection and suppression of inlet buzz. IPS, V. 341 453

Birch, Stanley F. (JSR, EN; see Rudy, David H.)

Bischoff, David, Duffy, Robert, and Kaufman, Howard Automatic control of adverse yaw in the landing environment using optimal control theory. (JA, SYN) 499

Blachier, Bruno, Feve, Philippe, and Koenig, Walter A. An 11-13 GHz satellite communications repeater. (PS, V. 32) 123

Blahnik, James E. and Davis, Donald R. Advanced applications of the space shuttle. (JSR, EN) 117

Blevis, B. C. and Card, M. L. The implications of satellite technology for television broadcasting in Canada. (PS, V. 32) 281

Bloom, A. M. and Jen, H. Roll-up of aircraft trailing vortices using artificial viscosity. (JA, EN) 714

Bohon, Herman L. (JA; see Musgrove, Max D.)

Boillot, Jean (JA, SYN; see Besson, Jean)

Boland, P., Samin, J.-C., and Willems, P. Y. Stability analysis of interconnected deformable bodies in a topological tree. (AIAA J) 1025

Boley, W. E. (AIAA J. TN; see Bergstrom, E. R.)

Boothe, E. M. and Ledder, H. J. Direct side force control for STOL crosswind landings. (JA) 631

Born, G. H. (JSR; see Duxbury, T. C.)

Bornstein, J. (PS. V. 34; see Lederman, S.)

Boscola, Edward J. In-flight oxygen generation for aircraft breathing systems, (JA) 444

Boyle, Robert E., Jr. and Viets, Hermann Eddy viscosity for variable density coflowing streams. (JA, SYN) 721

Bracco, Frediano V. Applications of steady-state spray equations to combustion modeling. (AIAA J) 1534

Bradley, R. G. and Wray, W. O. A conceptual study of leading-edgevortex enhancement by blowing. (JA) 33

Bradshaw, George B. and Postula, Frank D. Beginning of mission flight data on the transit RTG. (JSR, SYN) 675

Bradshaw, P. and Unsworth, K. Comment on "Evaluation of Preston tube calibration equations in supersonic flow." (AIAA J, TC) 1293

Braha, J., Salomon, M., Seginer, A., and Rom, J. Considerations for the design of a second generation induction driven transonic wind tunnel. (IA) 729

Brainerd, Carl H. (JA; see Kohlman, David L.)

Bramlette, T. Taz Slot heating associated with roll control fins. (JSR, EN)

-Simple technique for predicting Type III and IV shock interference. (AIAA J. TN) 1151

Brashears, M. R. and Hallock, James N. Aircraft wake vortex transport model. (JA) 265

Bratanow, Theodore and Ecer, Akin Sensitivity of rotor blade vibration characteristics to torsional oscillations. (JA) 375

-and Ecer, Akin On the applications of the finite element method in unsteady aerodynamics. (AIAA J) 503

-and Ecer, Akin Analysis of three-dimensional unsteady viscous flow around oscillating wings. (AIAA J) 1577

Brederlow, G. and Witte, K. J. Effective electrical conductivity and related properties of a nonequilibrium high pressure MHD plasma. (AIAA J) 83

Brederlow, G., Witte, K. J., and Zinko, H. Performance of a Faraday rare gas alkali MHD generator. (AIAA J) 481

Brennan, P. J. (PS, V. 35; see Kirkpatrick, J. P.) Brent, John A. (PS, V. 34; see Johnson, Bruce V.)

Breslin, John P. Notes from abroad. (JH, E) 1

—Dynamic forces exerted by oscillating cables. (JH) 19
Brewer, G. Daniel The case for hydrogen-fueled transport aircraft. (A/ A. May) 40

Brilliant, H. M. and Adamson, T. C., Jr. Shock wave boundary-layer interactions in laminar transonic flow. (AIAA J) 323

Brink, Donald F. (JSR, EN; see Greene, George C.)

Briot, M. (JSR; see Costes, A.)

Broadwell, J. E. (AIAA J. SYN; see Shackleford, W. L.)

Brockman, Philip and Seals, R. K., Jr. Analysis of laser measurement of high-altitude aircraft emissions. (AIAA I) 651

Brode, H. L. (AIAA J: see Glass, I. I.)

Brooks, David R. Mission strategy for combined comet-asteroid flybys. (JSR, EN) 115

Brown, Clarence A., Jr. (JSR; see Campbell, James F.) Brown, Glen J. (A/ A. February; see Seemann, Gerald R.) Brown, John V. (PS. V. 33; see Hanson, Charles W.)

Brown, R. S., Erickson, J. E., and Bahcock, W. R. Combustion response function measurements by the rotating valve method. (AIAA J) 1502

Brownstein, Barry J. (JA; see Ellis, Stanley H.)

Bruckner, Adam P. and Jahn, Robert G. Exhaust plume structure in a quasi-steady MPD accelerator, (AIAA J) 1198

Brunelle, E. J. and Robertson, S. R. Initially stressed Mindlin plates. (AIAA J) 1036

Brussat, T. R. (JA: see Ekvall, J. C.)

Bryan, Curtis V. and Pennington, James H. RPV potential for naval applications. (A/A, Oct.) 58

Buchele, Donald R. and Lesco, Daniel J. Pyrometer for measurement of surface temeperature distribution on a rotating turbine blade. (PS, V. 34) 347

Bulmer, Bruce M. Radial base heat-transfer gradients in turbulent flow. (ISR. EN) 798

Burbank, R. A. (AlAA J. TN; see Kirchhoff, R. H.)

Burcham, F. W., Jr. (PS, V. 34; see Smith, R. H.)

Burgess, Ray W., Jr. (PS, V. 34; see Couch. Robert P.) Burnham, David C. and Sullivan, Thomas E. Influence of flaps and

engines on aircraft wake vortices. (JA, EN) 591

Burns, J. J. (JSR; see Vorreiter, J. W.)

Burton, T. D. Approximate impact dispersion methods for symmetric entry vehicles. (JSR) 77

Caine, P. (AIAA J; see Walkden, F.) Cameron, James M. (AIAA J, TN; see Waltrup, Paul J.)

Campbell, David H. F-12 series aircraft propulsion system performance and development. (JA) 670

Campbell, David R. Separation over a flat plate-wedge configuration at oceanic Reynolds numbers. (JH, SYN) 3

Campbell, D. R. and Quinn, B. Test results of a VTOL propulsion concept utilizing a turbofan powered augmentor. (JA) 467

Campbell, James F. and Brown, Clarence A., Jr. Experimental wake flow properties of a Viking '75 entry vehicle. (JSR) 11 Card, M. L. (PS, V. 32; see Blevis, B. C.)

Cardea, G. C. and Torvik, P. J. Cavity growth and collapse phase of hydraulic ram. (JA, EN) 252

Cardou, Alain Necessary condition for piecewise uniform optimum design under frequency constraint. (AIAA J, TN) 1415

Carey, Lee and Ellis, Russell Extendible exit cone development for the

Carey, Lee and Ellis, Russell Extendible exit cone development for the C4 third-stage motor. (JSR) 624
Carleton, C. H. (JSR; see Francis, E. C.)
Carlson, Leland A. Engineering approximations for radiating nonequilibrium shock layers. (AIAA J) 832
—Inverse transonic flow calculations using experimental pressure distributions. (AIAA J, TN) 571

Carnegis, I. A. Engine sensory requirements for energy management. (PS, V. 341 419

Carney, John F., III (AIAA J. SYN; see Stuart, Richard J.)

Carpenter, Robert T. (JSR, SYN; see Frey, Elmer J.) Carroll, John T. Dynamic flow studies by application of pressure and velocity sensors on axial flow fan blades. (PS, V. 34) 115

Carruthers, George R. Operation Kohoutek preliminary results, (A/A, Oct.1 42

Carta, F. O. (AIAA J; see Commerford, G. L.)
Carter, L. (AIAA J; see Horn, W.)
Carter, Richard P. (AIAA J, TN; see Murphree, David L.)

Cary, Aubrey M., Jr. (JSR, EN; see Hefner, Jerry N.) Casseday, E. D. (JSR; see Vicario, A. A., Jr.)

Cattolica, Robert (AIAA J: see Becker, Manfred) Caveny, L. H. (AIAA J; see Kubota, N.) Cavin, R. K., III (AIAA J, TC; see Hymas, C. E.)

Cebeci, Tuncer Calculation of three-dimensional boundary layers I. Swept infinite cylinders and small cross flow. (AIAA J) 779

—Attachment-line flow on an infinite swept wing. (AIAA J. TN) 242 Cebeci, Tuncer and Witherspoon, G. F. Theoretical suction and pressure distribution bounds for flow separation in retarded flow. (JA, EN) 61

Cenkner, August A., Jr. (AIAA J. TN) see Benenson, David M.)

Cerini, D. J. NaK-nitrogen liquid metal MHD converter tests at 30 kw. (AIAA J) 78

Cezairliyan, Ared A high-speed (subsecond) system for accurate thermophysical measurements at high temperatures. (PS, V. 35) 205

Chadwick, William R. External-store loads using nonplanar lifting surface theory. (JA) 181 Chambers, H. F., Jr. (PS, V. 34; see Matthews, B. J.)

Chakrabarti, A. K. (JSR, EN; see Durgapal, U. C.)

-Note on boundary layer in a dusty gas. (AIAA J. TN) 1136

Chan, S. K. (AlAA J; see Glass, I. I.)

-Stretch time of scribed metal diaphragms. (AIAA J. TN) 1149

Chan, Y. Y. Pressure sources for a wave model of jet noise. (AIAA J. TN) 241 Chang, L.Shih and Chow, W. L. Mach disk from underexpanded

axisymmetric nozzle flow. (AIAA J) 1079 Chang, S. and Bert, C. W. Analysis of longitudinal thickness-shear stiffness of a monolayer filamentary composite. (AIAA J) 1358

Channel, L. E. (JA; see Heppe, R. R.)

Chapter, John J. and Johnsen, Gary W. Thermoelectric device application to spacecraft thermal control. (JSR) 159

Chasteau, V. A. L. (AIAA J, TN; see Erens, P. J.) Chaturvedi, B. K. (AIAA J; see Rastogi, R. P.)

Chazen, M. L. and Sanscrainte, W. Space shuttle bipropellant RCS engine. (JSR) 685

Chen, C. H. S. Finite twisting and bending of thin orthotropic strip of lenticular section. (AIAA J. TN) 247

Chen, C. H. S. and Tabaddor, F. Effective moduli of layered composites. (JSR. EN) 262

Chetrit, M. (AIAA J. TN; see Kirszenblat, A.)

Chien, Kuei-Yuan Hypersonic, turbulent skin-friction and heat-transfer measurements on a sharp cone. (AIAA J) 1522 Childs, Dara W. and Hardison, Therman L. A movable-mass attitude

stabilization system for cable-connected artificial-g space stations. (JSR) 165

Childs, Morris E. (JA; see Sun, Chen-Chih)

Chmielewski, G. E. Boundary-layer considerations in the design of aerodynamic contractions. (JA) 435

Choate, Raoul (JSR, SYN; see Jaffe, Leonard D.)

Chou, P. C. (AIAA J; see Tsou, F. K.)

Chou, Y. S. Axisymmetric cavity flows past slender bodies of revolution. (JH) 13

Chow, W. L. (AIAA J; see Chang, I.-Shih)
Christie, Fred A. and DeVriendt, Andre B. Diffraction effects encountered in the measurement of bidirectional reflectance from square pyramids. (PS, V. 35) 167

Chu, Shih-Chi A numerical thermoelastoplastic solution of a thick-walled tube. (AIAA J) 176

Chu, Sing and Widnall, Sheila E. Prediction of unsteady airloads for

oblique blade-gust interaction in compressible flow. (AIAA J) 1228

and Widnall, Sheila E. Lifting-surface theory for a semi-infinite wing in oblique gust. (AIAA J) 1672

Chung, P. M., Talbot, L., and Touryan, K. J. Electric probes in stationary and flowing plasmas: Part 1. Collisionless and transitional probes. (AIAA J. SA) 133 -Electric probes in stationary and flowing plasmas: Part 2. Continuum

probes. (AIAA J. SA) 144

Cicerone, R. J. (AIAA J. TN; see Stolarski, R. S.)

Ciffone, D. L. Correlation for estimating vortex rotational velocity downstream dependence. (JA, EN) 716

-(JA, EN; see Orloff, K. L.)

Ciffone, D. L. and Orloff, K. L. Axial flow measurements in trailing vortices. (AIAA J. TN) 1154

Clare, Thomas A. (AIAA J; see Cohen, Charles J.)

Clark, Alan F. and Hust, Jerome G. A review of the compatibility of structural materials with oxygen. (AIAA J. SA) 441

Clark, K. J., Nardo, C. T., Jaffe, N. A., and Covington, M. A. Cooling by discrete and porous injection into a turbulent, supersonic boundary layer. (AIAA I) 1679

Clark, R. N. and Fosth, D. C. Analysis and test of a precision pulserebalance gyroscope. USR, EN) 264 Clark, S. K., Dodge, R. N., and Nybakken, G. H. Dynamic properties of

aircraft tires. (JA) 166

Clarkson, B. L. British contribution to structural response to noise. (JA)

Cliff, E. M. (AIAA J, SYN; see Vincent, T. L.)

Cline, Michael C. Computation of steady nozzle flow by a time-dependent method, (AIAA J. SYN) 419

Cloupeau, Michel (AIAA J; see Lengrand, Jean-Claude) Coates, R. L. (JSR, EN; see Horton, M. D.)

Cochran, John E., Jr. Concerning lateral dynamics of flight on a great circle. (AIAA J, TN) 557

Coe, Paul L., Jr. A vortex entrainment model applied to slender delta wings. (AIAA J. TN) 110

Coe, Paul L., Jr. and Kulla, D. Effect of upper-surface blowing on static longitudinal stability of a swept wing. (JA) 537

Cohen, Charles J., Clare, Thomas A., and Stevens, Frank L. Analysis of

the nonlinear rolling motion of finned missiles. (AIAA J) 303

Cohen, Gerald A. Comment on "buckling in segmented shells of revolution subjected to symmetric and antisymmetric loads." (AIAA J. TC) 1775

Cohen, Leonard S. (JA; see Couch, Harold T.)

Cohen, M. J. and Portnoy, H. Irrotational subsonic flow of an ideal gas in two-dimensional ducts-Optimal ducts and ducts with plane sonic exits. (AIAA J) 608

Cohen, N. S., Fleming, R. W., and Derr, R. L. Role of binders in solid propellant combustion. (AIAA J) 212

Cohen, Victor D. and Savet, Paul H. Attitude dynamics of an orbiting electromagnet. (JSR, EN) 252

Colby, Starr J., Franklin, Charles E., and Prins, Dougal W. S. Command and control challenge for RPVs. (A/A, Sept.) 64 Cole, John E., III Noise characteristics of a turbulent crosswind jet.

(AIAA J) 198 Coleman, G. T. and Stollery, J. L. Incipient separation of axially sym-

metric hypersonic turbulent boundary layers. (AIAA J, TN) 119 Coleman, Hugh W. and Lemmon, E. Clark Prediction of turbulent heat

transfer and pressure on swept leading edges. (JSR) 376 Collette, Rene The European communication satellite program. (PS, V.

321 213

Collier, Robert P. and Scott, David S. Simple spectroscopic technique for the arc region of plasma accelerators. (AIAA J. TN) 103

Collins, D. J. (AIAA J; see Kosakoski, R. A.)
Collins, Donald J. Laminar viscous-inviscid interactions at transonic speeds. (AIAA J, TN) 1146

Collins, Donald J. and Krupp, James A. Experimental and theoretical investigations in two-dimensional transonic flow. (AIAA J) 771 Collins, Jon D., Hart, Gary C., Hasselman, T. K., and Kennedy,

Bruce Statistical identification of structures. (AIAA J) 185

Collins, T. P. (JA; see Kutschenreuter, P. H., Jr.)

Colunga, D. (AIAA J. TC; see Hyme 3, C. E.) Colwell, G. T. (AIAA J; see Williams C. L.)

Commerford, G. L. and Carta, F. O. Unsteady aerodynamic response of a two-dimensional airfoil at high reduced frequency. (AIAA J) 43

Connell, G. M. and Gray, A. H. Frequency-dependent wave damping in the time domain. (JH, EN) 167

Cook, C. W. (JA; see Heppe, R. R.)

Cook, Robert D. Comment on "Effect of higher order terms in certain nonlinear finite element models." (AIAA J. TC) 1290

Cook, William Sidney Statistical models for Jupiter's troposphere and the

NH3-H2O cloud systems. (JSR) 512

Cooley, D. E. (JA; see Redd, L. T.)

Cooper, A. A. G. Effect of stress on the directions of stiffness extrema.

(AIAA J. TN) 1609

Cooper, G. L. and Schmars, W. T. Selected applications of a biaxial tiltmeter in the ground motion environment. (JSR) 530

Cooper, James R. and Hankey, Wilbur L., Jr. Flowfield measurements in an asymmetric axial corner at M = 12.5. (AIAA J) 1353

Cooper, Larry and Putz, Kurt E. Generalized flow in gaps and slots including the effects of ablation. (JSR) 287

Costes, A., Landrault, C., and Briot, M. Power conditioning and control unit for the French cesium contact ion thruster. (JSR) 759

Cothran, C. A. (AIAA J; see Schnurr, N. M.)

Couch, Harold T. and Cohen, Leonard S. Attenuation of instabilities in propulsion system combustors. (JA) 571

Couch, Robert P., Rossbach, Dennis R., and Burgess, Ray W., Jr. Sensing incipient engine failure with electrostatic probes. (PS, V. 34) 515

Covington, M. A. (AIAA J; see Clark, K. J.) Cowley, John R., Jr. (JSR; see Dyer, John W.)

Craig, R. R., Jr. and Su, Y.-W. T. On multiple-shaker resonance testing. (AIAA J) 924

Crawford, Davis H. Reply by author to K. M. Forster. (AIAA J. TC)

Creager, Matthew (JA; see Ekvall, J. C.)

Crimi, Peter Analysis of helicopter rotor blade stall flutter. (JA) 407

Crowe, C. T. (JSR, EN; see Swanson, D. E.)

Cuccia, C. Louis and Lee, Wilfred E. PSK and QPSK modulation and demodulation in digital satellite-to-satellite and satellite-to-ground links. (PS. V. 33) 479

Cullian, Charles A. (A/A, February; see Seemann, Gerald R.)

Cummings, Richard D. Thermal control of the large space telescope. (PS,

Cunningham, Atlee M., Jr. Oscillatory supersonic kernel function method for interfering surfaces. (JA) 664

Oscillatory supersonic kernel function method for isolated wings. (JA) 609

Cunningham, Edward P. Probability of crashing for a terrain-following missile. (JSR, EN) 257

-Guidance of a bank-to-turn missile with altitude control correction requirements. (JSR, EN) 340

Cunnington, G. R. (PS, V. 35; see Tien, C. L.)

Curwen, K. R. Turbine blade pyrometer system in the control of the concorde engine. (PS, V. 34) 399

Cutchins, Malcolm A. (AIAA J; see Orlin, Peter A.)

DaDeppo, Donald A. and Schmidt, Robert Stability of two-hinged circular arches with independent loading parameters. (AIAA J. TN) 385 Daily, J. W., Raeder, J., and Zankl, G. Effect of finite chemical reaction

rates on heat transfer to the walls of combustion-driven supersonic MHD generator channels. (AIAA J, TN) 403 D'Amario, Louis A. and Edelbaum, Theodore N. Minimum impulse

three-body trajectories. (AIAA J. SA) 455

Danberg, James E. (AIAA J. TN; see Kayser, Lyle D.) Danberg, James E. and Fansler, Kevin S. Additional two-dimensional wake and jet-like flows. (AIAA J. TN) 1432

Daniel, B. R. (JSR; see Janardan, B. A.)

Daniel, I. M. (AIAA J; see Rowlands, R. E.)

Dat, Jacques, Fabre, Jean, and Sanjurjo, Liber Simulation of the speed control for gas turbines using vibrating reed regulators. (JA) 624

Daughetee, C. C. Drop testing naval aircraft and the VSD landing gear dynamic test facility. (JA) 758

David, Thomas S. and Srinivasan, A. V. Flutter of coaxial cylindrical

shells in an incompressible axisymmetric flow. (AIAA J) 1631

Davies, M. S. (JSR, EN; see Pande, K. C.)

Davis, Donald R. (JSR, EN; see Blahnik, James E.)

Davis, Rodman Interactive-TV networkung: A Modest proposal for using domestic communication satellites. (A/A. April) 62

Davis, R. T. (AIAA J; see Ghia, U.)

-(AIAA J; see Ghia, K. N.)

—(AIAA J, ERR; see Ghia, K. N.) Davison, E. H. (PS, V. 32; see Franklin, C. A.)

Dayman, Bain, Jr. and Fiore, Anthony W. Ground testing and simulation—An overview: Part II: Aerodynamic testing. (A/A, June)

DeAtkine, David D. Mission planning aspects of Skylab Earth resources experiments. (JSR, EN) 266

DeBra, D. B. (JSR; see Lyons, M. G.)

DeBrock, S. C. and Rudey, C. J. Agena primary and integrated secondary propulsion systems. (JSR) 769
Deepak, Desh (AIAA J, TN; see Rastogi, R. P.)
Demetriades, S. T. (AIAA J; see Argyropoulos, G. S.)

Demirjian, A. M. (PS, V. 34; see Louis, J. F.)

De Montlivault, J. L. (PS, V. 32; see Hiergeist, F.)

Denman, E. D. and N3Ison, Paul, Jr. Comment on "Comparison of linear and Riccati equations used to solve optimal control problems. (AIAA J. TC) 575

Der, Joe, Jr. and Stauffer, John K. On the inverse calculation of the mass flow parameter. (JA, EN) 121

Derr, R. L. (AIAA J; see Cohen, N. S.) DeSantis, M. J. (AIAA J; see Galowin, L. S.)

Desmarais, Robert N. and Bennett, Robert M. An automated procedure for computing flutter eigenvalues. (JA) 75 de Virgilio, Miguel A., Wells, Gerald R., and Schiring, Earl E. Op-

timal guidance for aerodynamically controlled re-entry vehicles. (AIAA D 1331

DeVriendt, Andre B. (PS, V. 35; see Christie, Fred)

Dewan, E. M. (AIAA J; see Rosenberg, N. W.)

Dhameja, R. K., Saradhy, Y. P., and Jain, V. K. Influence of lithium fluoride on the burning rate of AF-polyester propellant. (AIAA J, TN)

Dhoopar, B. L. (AIAA J, TC; see Vendhan, C. P.)

Di Capua, Marco S. and Kurtz, Helmut L. Electrolytic capacitor power source design for quasi-steady magnetoplasmadynamic arcs. (JSR) 554 Dillow, C. F. (PS, V. 35; see Schmitt, R. J.) Dodge, R. N. (JA; see Clark, S. K.) Dokmeci, M. C. (AIAA J. TN; see Gulati, S. T.)

Dominguez, P. J. and Kosson, R. L. Development of a high capacity cryogenic heat pipe. (PS, V. 35) 395

Donaldson, Coleman duP., Snedeker, Richard S., and Sullivan, Roger
D. Calculation of aircraft wake velocity profiles and comparison with experimental measurements. (JA) 547 (AlAA J; see Lewellen, W. S.)

Dong, W. N. and Schlack, A. L., Jr. Stability of a spinning satellite with flexible antennas. (AIAA J. TN) 1737

Dorsch, Robert G. (JA, SYN; see Reshotko, Meyer)

Doss, E. D. (AIAA J; see Argyropoulos, G. S.)

Doss, E. D., Dwyer, H. A., and Hoffman, M. A. Influence of segmen-tation and ambipolar diffusion on MHD nonequilibrium boundary layers. (AIAA J) 155

Dostis, I. (PS, V. 33; see Bennett, S. B.) Dougherty, James E. Leadership. (JA, E) 1 Dowell, E. H. (AIAA J; see Vaicaitis, R.)

Dowell, E. H., Srinivasan, A. V., McLean, J. D., and Ambrose, J. Aeroelastic stability of cylindrical shells subjected to a rotating flow. (AIAA J) 1644

Downhower, Walter J. (A/ A, June; see Biggs, John R.)

Driftmyer, Richard T. Thick, two-dimensional, turbulent boundary layers separated by steps and slot jet. (AIAA J) 21

Duck, Kenneth I. (PS, V. 33; see Isley, William C.)
Dudzinski, T. J. (PS, V. 34; see Krause, L. N.)
Duffy, Robert (JA, SYN; see Bischoff, David)
Duiven, Edward M. Suboptimal linear filtering. (JSR, EN) 196

Dumas, L. N. Temperature control of the Mariner-class spacecraft: A seven-mission summary. (S, V. 35) 531 Dunavant, James C. and Throckmorton, David A. Aerodynamic heat

transfer to RSI tile surfaces and gap intersections. (JSR, EN) 437 Duncan, J. W., Hamada, S. J., and Wong, W. C. Polarization isolation characteristics of a dual-beam reflector antenna. (PS, V. 33) 331

Duncan, T. C. (AIAA J; see Salzman, P. K.)

Dunlap, R., Willoughby, P. G., and Hermsen, R. W. Flowfield in the combustion chamber of a solid propellant rocket motor. (AIAA J. TN) 1440

Dunn, Michael G. (AlAA J. TC; see Kang, Sang-Wook)

Durban, David and Baruch, Menahem Floating piecewise linear approximation of a nonlinear constitutive equation. (AIAA J, TN) 868 Durban, D. and Libai, A. Buckling of short cylindrical shells under axial

compression. (AIAA J) 909

Durgapal, U. C. and Chakrabarti, A. K. Regression rate studies of aniline formaldehyde—red fuming nitric acid hybrid system. IJSR, ENI 447 Durgapal, U. C. and Venugopal, V. K. Hypergolic ignition of rocket propellants with nitric acid containing dissolved nitrogen tetroxide.

(AIAA J. TN) 1611

Durvasula, S. (AIAA J, TN; see Prabhu, M. S. S.)

Duxbury, T. C., Born, G. H., and Jerath, N. Viewing Phobos and

Deimos for navigating Mariner 9. (JSR) 215

Dwyer, H. A. (AIAA J; see Doss, E. C.)

Dyer, John W., Nunamaker, Robert R., Cowley, John R., Jr., and Jackson, Robert W. Pioneer Venus mission plan for atmospheric probes and an orbiter. (JSR) 710

Dylewski, T. J. Reply by author to R. G. Easterling. (AIAA J. TC) 734 Eades, J. B., Jr. Analytical solution for extensible tethers. (JSR, EN) 254 Eallonardo, C. M. (PS, V. 35; see Basiulis, A.)

Easterling, Robert G. Comment on "Criteria for selecting curves for fitting to data." (AIAA J. TC) 733

Eatock, H. C., Plucinsky, J. C., and Saintsbury, J. A. Designing small gas turbine engines for low noise and clean exhaust. (JA) 616

Eberle, William R. Reduction of TACV power requirements by multiple stage air cushions. (JA) 154

stage air cushions. (JAI 154
Ecer, Akin (AIAA J; see Bratanow, Theodore)
—(JA; see Bratanow, Theodore)
Eckerman, Jerome A NASA program to characterize propagation and interference for space applications. (PS, V. 32) 327
Eckhardt, G., Haberle, H., Reidel, B., and Rupp, H. Results of German TDMA experiments. (PS, V. 33) 431

Edelbaum, Theodore N. (AIAA J, SA; see D'Amario, Louis A.)
Edelstein, F. (PS, V. 35; see Harwell, W.)
Edgar, J. M. Systems analysis of Titan family for orbiting multiple communication satellites. (PS, V. 32) 405

Edguist, C. T. Correlation of radiative heating calculations for Venus entry. (JSR, EN) 440

Edwards, Terry L. and Kaplan, Marshall H. Automatic spacecraft detumbling by internal mass motion. (AIAA J) 496 Eggers, J. M. (AIAA J, SYN; see Rogers, R. C.)

Eggers, Philip E. and Ridihalgh, John L. Cost-effective radioisotope thermoelectric generator designs involving Cm-244 and Pu-238 heat sources. (JSR) 704

Ehhalt, D. H. and Heidt, L. E. Vertical profiles of molecular H2 and CH4 in the stratosphere. (AIAA J) 822

Eickhoff, H. E. A note on interacting boundary layers. (AIAA J. TN) 392 Ekvall, J. C., Brussat, T. R., Liu, A. F., and Creager, Mat-thew Preliminary design of aircraft structures to meet structural integrity requirements. (JA) 136

Elishakoff, I. B. Vibration analysis of clamped square orthotropic plate. (AIAA J) 921

Elleman, Daniel D. (A/A, July-August, see Wang, Taylor G.)

Elliott, Jarrell R. (JA, EN; see Tiroshi, Igal) Ellis, Russell (JSR; see Carey, Lee)

Ellis, Stanley H. and Brownstein, Barry J. Inlet distortion evaluation from limited high-response instrumentation. (JA) 112

Elrod, Harold G., Jr. (AIAA J; see Kao, Tsai-tse)
——(AIAA J; see Sood, Des R.)

Elsbernd, Arnold A. and Hoffman, Joe D. Maximum thrust nozzles for gas particle flows. (AIAA J) 283

Elzweig, Sheldon (AlAA J. TN; see Ferri, Antonio) Emory, M. Lawrence (AIAA J, TN) see Hillard, Mervin E., Jr.)

Engel, Carl D. and Farmer, Richard C. Radiation-gas dynamic shock layer coupling. (AIAA J, TN) 1144 Engersbach, N. H. (AIAA J; see Gruver, W. A.) Englund, D. R., Jr. (PS, V. 34; see Nieberding, W. C.)

Erens, P. J. and Chasteau, V. A. L. Laminar boundary-layer response to freestream disturbances. (AIAA J, TN) 93

Erickson, J. E. (AIAA J; see Brown, R. S.)

Erickson, Lars E. Transition effects on slender vehicle stability and trim characteristics. (JSR) 3

-Transition effects on slender vehicle stability and trim characteristics. (JSR. ERR) 448

-Correlation of attitude effects on a slender vehicle transition. (AIAA J)

Blowing simulation of asymmetric transition effects on slender ablating vehicles. (JSR, EN) 58

Ericsson, L. E., Guenther, R. A., Stake, W. R., and Olmsted, G. S. Combined effects of nose bluntness and cone angle on unsteady aerodynamics. (AIAA J. TN) 729

Escher, William J. D. Future availability of liquid hydrogen. (A/ A. May) 55

Eslami, M. R. (AIAA J; see Sabbaghian, M.) Espander, W. R. (AIAA J; see Baer, M. R.) Evans, J. S. (AIAA J; see Schexnayder, C. J.)

Evans, John S., Schexnayder, Charles J., Jr., and Grose, William L. Effects of nonequilibrium ablation chemistry on Viking radio blackout. (JSR) 84

— Schexnayder, Charles J., Jr. and Grose, William L. Reply by authors to D. E. Jensen (JSR, TC) 736 Evbuoma, S. M., Walker, J. S., and Robertson, J. M. Higher order boundary layer for viscous flow past sharp wedges. (AIAA J. TN) 1001 Fabre, Jean (JA; see Dat, Jacques) Fairbanks, D. R. (PS, V. 35; see Vachon, W. A.)

Fallin, E. H., III Time requirements for multiple intersatellite transfers.

Fanoe, Ole Optimum propeller in viscous flow. (JA, EN) 241

Fansler, Kevin S. (AIAA J. TN; see Danberg, James E.)

Faria, H. Tom (JSR; see Bertin, John J.) Farmer, Richard C. (AIAA J, TN; see Engel, Carl D.)

Farr, A. P. and Schumacher, G. A. System for evaluation of F-15 inlet dynamic distortion. (PS, V. 34) 59

Farrenkopf, R. L. (AIAA J; see Scher, M. P.)

Farshad, Mehdi Variations of eigenvalues and eigenfunctions in continuum mechanics. (AIAA J. TN) 560

Farshi, B. (AIAA J; see Schmit, L. A., Jr.)

Faulkner, H. B. The cost of noise reduction in intercity commercial helicopters. (JA) 89

Favier, Daniel (AIAA J. TN; see Maresca, Christian)

Fearn, D. G. (AIAA J; see Philip, C. M.)
Fearn, D. G., Hastings, R., Philip, C. M., Harbour, P. J., and Watson,
H. H. H. RAE/ Culham T4 ten centimeter electron-bombardment Mercury ion thruster. (JSR) 481

Fearn, Richard and Weston, Robert P. Vorticity associated with a jet in a cross flow. (AIAA J) 1666

Fein, H. L. and Shelor, D. E. Testing the external burning propulsion concept. (JSR, EN) 538

Feldman, K. T., Jr. (PS, V. 35; see Roberts, C. C., Jr.)

Felleman, Philip G. (A/A, July-August; see Fraser, Donald C.)

Feller, W. V. (AIAA J. TN; see Hillard, M. E., Jr.) Felton, Lewis P. (AIAA J. TN; see Fuchs, Moshe)

Ferri, Antonio, Elzweig, Sheldon, and Baronti, Paolo Numerical solution of transonic flows about quasi-eylindrical configurations. (AIAA J. TN) 1447

Fettis, Henry E. Determination of bending influence coefficients from bending slope data. (AIAA J, TN) 112

-Method for determining the effect of added stores on aeroelastic

systems. (AIAA J. TN) 1733

Feve, Philippe (PS, V. 32; see Blachier, Bruno)

Fidler, John E. Approximate method for estimating wake vortex strength. (AIAA J) 633

Filotas, L. T. Oblique compressible Sears function. (AIAA J. TN) 1601 Finke, Robert C. (JSR, EN; see Kerslake, William R.)

-(PS, V. 33; see Herron, B. G.) Finke, R. C. (JSR; see Nakanishi, S.)

Finley, S. G. (JSR; see Thornton, C. L.)

Fiore, Anthony W. (A/A, June; see Dayman, Bain, Jr.)

Fiorino, Thomas D. and Rasmussen, Maurice L. Integral approximation for slender-body shock shapes in hypersonic flow. (AIAA J. TN) 1735

Fischer, Michael C. and Weinstein, Leonard M. Turbulent compressible three-dimensional mean flow profiles. (AIAA J. SYN) 131

Fitzsimmons, Richard D. Concorde: Testing the market. (A/A, July-

August) 46 Flaherty, Richard J. Arbitrary pressure gradient integral technique for

predicting boundary layer and thermal parameters. (JA) 293 Flanders, H. R. (JSR; see Lebsock, K. L.) Flax, Alexander H. Rayleigh and Ritz revisited. (AIAA J. TN) 224

-Comment on "Correlation of wing-body combination lift data." (JA,

Fleming, R. W. (AIAA J; see Cohen, N. S.) Fletcher, L. S. (PS, V. 35; see Miller, R.)

(AIAA J; see Galowin, L. S.)

Fletcher, L. S. and Miller, R. G. Thermal conductance of gasket materials for spacecraft joints. (PS, V. 35) 335

Fletcher, L. S. and Shoup, T. E. Optimum design of elastomeric gaskets for combined thermal and vibration performance. (JSR, EN) 344

Follett, W. H., Ostwald, L. T., Simpson, J. O., and Spencer, T. M. Decade of improvements to orbiting solar observatories. (JSR) 327

Forney, J. A. (JSR; see Masek, R. V.)

Forrestal, M. J. and Overmier, D. K. An experiment on an impulse loaded elastic ring. (AIAA J. TN) 722

Forster, Karl M. Comment on "A graphical method for the investigation

of shock interference phenomena." (AIAA J. TC) 1167

Fosth, D. C. (JSR, EN; see Clark, R. N.)

Foudriat, Edwin C. Aircraft 4-D constant velocity control system. (JA)

Fowler, Wallace T. (JSR; see Garcia, Frank, Jr.)
—(AIAA J; see Gottlieb, R. G.)

Fox, Herbert Looking before you leap—The state of the art of technology essment. (A/ A, Nov.) 40

Fox, John H. On the structure of jet plumes. (AIAA J. TN) 105

Francis, E. C., Carleton, C. H., and Lindsey, G. H. Viscoelastic fracture of solid propellants in pressurization loading conditions. (JSR) 691 Francis, Philip H. (AIAA J. SA; see Bert, Charles W.)

Franklin, C. A. and Davison, E. H. High-power communications

technology satellite for the 12- and 14-GHz bands. (PS, V. 32) 87

Franklin, Charles E. (A/ A, Sept.; see Colby, Starr J.)

Franks, W. J. (AIAA J. TN; see Wortman, A.)

-Comments on "Solution of nonlinear problems in magnetofluiddynamics and non-Newtonian fluid mechanics through parametric differentiation." (AIAA J, TC) 1455

Fraser, Donald C. and Felleman, Philip G. Digital fly-by-wire

Computers lead the way. (A/ A, July-August) 25 Free, Bernard and Huson, George Selected comparisons among propulsion systems for communications satellites. (PS, V. 33) 245 Freeman, W. T., Jr. (JSR; see Vicario, A. A., Jr.)

Frey, Elmer L. Raab, Bernard, Schock Alfred, and Carpenter, Robert T. Spacecraft standardization through nuclear power. (JSR, SYN) 741 Friedlander, Alan L. Comet Encke flyby-Asteroid rendezvous mission. (JSR, EN) 270

(JSR; see Niehoff, John C.)

Friedman, Herbert Exotic astrophysics. (A/ A, April) 20

Friedmann, P. and Silverthorn, L. J. Aeroelastic stability of periodic systems with application to rotor blade flutter. (AIAA J) 1559

Frohn, A. (AlAA J. TN; see Garen, W.)

Frutkin, Arnold W. Apollo-Soyuz: A substantial engagement. (A/A, Dec. 1 24

Fry, R. S. and Nicholls, J. A. Blast initiation and propagation of cylindrical detonations in MAPP-air mixtures. (AIAA J) 1703

Fuchs, Moshe and Felton, Lewis P. On a class of fully stressed trusses. (AIAA J. TN) 1597

Fuhs, Allen E. (PS, V. 34; see Margerum, Gordon W.)

(AIAA J; see Biblarz, Oscar)

Fujimori, Yoshinori Shear and moment response of the airplane wing to nonstationary turbulence. (AIAA J. SYN) 1459

Fujita, Hajime and Kovasznay, Leslie S. G. Unsteady lift and radiated sound from a wake cutting airfoil. (AIAA J) 1216

Fulton, Robert E., Sobieszczanski, J., Storaasli, O., Landrum, Emma Jean, and Loendorf, D. Application of computer-aided aircraft design in a multidisciplinary environment. (JA, SYN) 369

Funk, G. (AIAA J; see Huang, N. C.)

Gabel, R. and Tarzanin, F., Jr. Blade torsional tuning to manage large amplitude control loads. (JA) 460

Galowin, L. S., Fletcher, L. S., and DeSantis, M. J. Investigation of laminar flow in a porous pipe with variable wall suction. (AIAA J) 1585 Ganz, Anthony A. and Serra, Raymond A. Boundary conditions and uniqueness in internal gas dynamic flows. (AIAA J. SYN) 263

Gaonkar, G. H. A study of lifting rotor flapping response peak distribution in atmospheric turbulence. (JA) 104

Garber, Vitalij Remotely piloted vehicles for the Army. (A/A, Oct.) 46 Garcia, Frank, Jr. and Fowler, Wallace T. Thermal protection system weight minimization for the space shuttle through trajectory optimization. (JSR) 241

Garen, W., Synofzik, R., and Frohn, A. Shock tube for generating weak shock waves. (AIAA J. TN) 1132

Garrison, C. J. Hydrodynamics of large objects in the sea. Part I-Hydrodynamic analysis. (JH) 5

Garth, D. R. (PS, V. 33; see Herron, B. G.)

Geissler, W. Three-dimensional laminar boundary layer over a body of revolution at incidence and with separation. (AIAA J. TN) 1743

Gell, D. (AIAA J. TN; see Sherman, P. M.) Gentry, Garl L. (AIAA J. TN; see Roper, Alan T.) Gentry, Roy (AIAA J; see Vander Veen, Richard) George, A. R. (JA; see Seebass, A. R.)

Georgeff, Michael P. Momentum integral method for viscous-inviscid interactions with arbitrary wall cooling. (AIAA J) 1393 -Extension of the momentum integral method to three-dimensional

viscous-inviscid interactions. (AIAA J, TN) 1603

Gerber, Nathan and Bartos, Joan M. Strong spherical blast waves in a dust-laden gas. (AIAA J. TN) 120

Gerhart, Philip M. On prediction of separated boundary layers with pressure distribution specified. (AIAA J. TN) 1278

German, R. C., Robinson, C. E., High, M. D., and Lauer, R. F. Aircraft turbine engine emissions under simulated supersonic flight conditions. (JA) 472

Gersten, K. and Gross, J. F. Reply by author to A. Wortman. (AIAA J. TC) 574

Ghia, K. N. and Davis, R. T. A study of compressible potential and asymptotic viscous flows for corner region. (AIAA J) 355

and Davis, R. T. A study of compressible potential and asymptotic viscous flows for corner region. (AIAA J, ERR) 1456

Ghia, U. and Davis, R. T. Navier-Stokes solutions for flow past a class of two-dimensional semi-infinite bodies. (AIAA J) 1659

Gianelli, M. J. (PS, V. 33; see McIntyre, J. E.)

Giesing, Joseph P. (JA, TC; see Rodden, William P.)

Gill, J. C. Advanced technology thrust vectoring exhaust systems. (JA)

Gilman, J., Jr. (JA; see Redd, L. T.)

Ginoux, Jean J. (AIAA J, TN; see Matthews, Richard D.)

Giri, J. (AIAA J. TN; see Rehfield, L. W.)

Glasgow, Edsel R. and Santman, Don M. Aft-end design techniques for twin-engine fighters. (JA) 39

Glasgow, E. R. Integrated airframe-nozzle performance for designing twin-engine fighters. (JA) 354

Glass, I. I., Chan, S. K., and Brode, H. L. Strong planar shock waves generated by explosively-driven spherical implosions. (AIAA J) 367 Glick, Robert L. On statistical analysis of composite solid propellant

combustion. (AIAA J, TN) 384

Glickman, Roger A. (JSR; see Schuster, John R.)

Gold, Theodore Visual perception of pilots in carrier landing. (JA) 723

Golden, Dennis J. (JA; see Simpkins, Darrell) Golden, J. O. (JSR; see Bain, R. L.)

Goldman, Robert L. Mode shapes and frequencies of clamped-clamped cylindrical shells. (AIAA J, TN) 1755

Goldschmied, Fabio R. (JH; see Parsons, Jerome S.) Goldwasser, Samuel R. (AIAA J, SYN; see Saad, Michel A.)

Good, R. E. (AIAA J; see Rosenberg, N. W.)

Goodman, Theodore R. Reply by author to E. M. Murman and F. W. Steinle Jr. (JA, TC) 783

Goodmanson, Lloyd T. and Gratzer, Louis B. Recent advances in aerodynamics for transport aircraft. Part II. (A/A, January) 52

Goodrich, Winston D. (JSR; see Bertin, John J.) Goodson, Raymond E. (JH; see Parsons, Jerome S.)

Goodwin, M. A. (JSR; see Murtagh, T. B.) Goody, Richard The Mars emerging from a generation of discoveries. (A/ A. January) 24

Goodykoontz, Jack H. (JA, SYN; see Reshotko, Meyer) Goradia, Suresh H. and Lyman, Victor Laminar stall prediction and estimation of CL_{max}. (JA) 528 Gorzynski, Carl S., Jr. and Maycock, J. Norman Explosives and

pyrotechnic propellants for use in long-term deep space missions. (JSR,

Gosset, Bernard (AIAA J. SYN; see Padovan, Joseph)

Goto, Norihiro and Washizu, Kyuichiro On the dynamics of human pilots in marginally controllable systems. (AIAA J) 310 Gottlieb, R. G., Hull, D. G., and Fowler, W. T. Generalized perturbation

method for solving two-point boundary-value problems. (AlAA J) 648 Graham, S. C., Grant, A. J., and Jones, J. M. Transient molecular concentration measurements in turbulent flows using Rayleigh light scattering. (AIAA J, TN) 1140

Graig, W. A. Comment on "Canadian advances in surface-piercing hydrofoils." (JH, TC) 74

Gran, Richard (JA; see Berman, Howard)

Grande, E. and Oates, G. C. Response of miniature pressure transducers to fluctuations in supersonic flow. (PS, V. 34) 3 Grant, A. J. (AIAA J. TN; see Graham, S. C.)

Grantham, W. J. (AIAAJ, SYN; see Vincent, T. L.)

Gratzer, Louis B. (A/ A, January; see Goodmanson, Lloyd T.)

Gray, A. H. (JH, EN; see Connell, G. M.) Greegor, R. (JA, EN; see Rosen, J. M.)

Green, Richard N. (JSR, SYN; see Harrison, Edwin E.)

Green, William D. Skylab II. Seeing the Sun in a different light. (A/ A, February) 36

Greenberg, E. (PS, V. 32; see Morgan, R. P.) Greenberg, Joel S Risk analysis. (A/ A, Nov.) 48

Greenberg, J. S. and Hazelrigg, G. A., Jr. Methodology for reliabilitycost-risk analysis of satellite networks. (JSR) 650

Greenberg, M. D. (JH; see Mitra, A.) Greene, Bruce E. (JA; see Musgrove, Max D.)

Greene, George C. and Brink, Donald F. Method for producing a uniform, low Reynolds number jet. (JSR, EN) 604

Greenlee, J. E. (JSR; see Murtagh, T. B.)

Gregory, Thomas J., Bailey, Rodney O., and Nelms, Walter P. RPVs

-Exploring civilian applications. (A/A, Sept.) 38

Gregorwich, W. S. and Westerman, C. W. A near-isotropic microwave antenna for communications satellites. (PS, V. 33) 533

Grenleski, S. E. (PS, V. 34; see Orth, R. C.)

Grey, Jerry AIAA holds fuel-saving session. (A/ A. May) 52

—Future engines and fuel. (A/A, Sept.) 14 Grose, William L. (JSR; see Evans, John S.) Gross, J. F. (AIAA J, TC; see Gersten, K.)

Gross, Larry R. and Prussing, John E. Optimal multiple-impulse direct ascent fixed-time rendezvous. (AIAA J) 885

Gruver, W. A. and Engersbach, N. H. Nonlinear programing by projection-restoration applied to optimal geostationary positioning. AIAA J) 1715

Guenther, R. A. (AIAA J. TN; see Ericsson, L. E.)

Gulati, S. T. and Dokmeci, M. C. Flexure of elastically supported axisymmetric shells. (AIAA J. TN) 1411
Guman, William J. and Williams, Thomas E. Pulsed plasma microthruster for synchronous meteorological satellite. (JSR, EN) 729 Gupta, A. K. and Sharma, S. C. Cambered Joukowsky airfoil in a

nonuniform weak shear flow. (JA, EN) 653
Gupta, B. P. and Loewy, R. G. Theoretical analysis of the aerodynamic stability of multiple, interdigitated helical vortices. (AIAA J) 1381

Gustafson, Donald E. (AIAA J, SA; see Speyer, Jason L.)

Guy, T. B. A note on the shock standoff distance for a spherical body in

supersonic flow. (AIAA J, TN) 380

Haberle, H. (PS, V. 33; see Eckhardt, G.)

Hacker, D. S. A simplified mixing length model of flame stability in swirling combustion. (AIAA J) 65

Hagedorn, Peter On the stability of equilibrium sets of discrete con-servative mechanical systems. (AIAA J) 1057

Haglund, G. T. and Kane, E. J. Analysis of sonic boom flight test easurements near the shock wave extremity. (JA) 745

Hall, D. F. and Lyon, W. C. Low thrust propulsion system effects on communication satellites. (PS, V. 33) 279

Hall, G. Warren, Weingarten, Norman C., and Lockenour, Jerry L. Handling qualities effects on precision weapons delivery. (JA, SYN)

Hall, J. Gordon, Srinivasan, G., and Rathi, Jaipal S. Unsteady exion waveforms generated by diaphragm rupture. (AIAA J, TN) 724 Hall, Morris F. (PS, V. 34; see Schwedland, Ronald P.)

Hallock, James N. (JA; see Brashears, M. R.)
Halsey, N. D. Methods for the design and analysis of jet-flapped airfoils.
(JA) 540

Hamada, S. J. (PS, V. 33; see Duncan, J. W.)

Hamed, A. and Tabakoff, W. Some effects caused by solid particles in flows. (AIAA J, SYN) 581

Hankey, Wilbur L., Jr. (AIAA J; see Cooper, James R.) Hanks, Richard W. and Ricks, Brad L. Laminar-turbulent transition in flow of pseudoplastic fluids with yield stresses. (JH) 163

Hansen, S. D. and McHarg, Q. D. Reliability and quality control of production engineering computer programs. (JA) 232 Hanson, Charles W. and Brown, John V. Attitude determination for the

SKYNET and NATO synchronous communications satellites. (PS, V. 33) 127

Hanson, K. L. Results from tests of a large lightweight solar array unit. (PS, V. 33) 307

Harbour, P. J. (JSR; see Fearn, D. G.)

Hardison, Therman L. (JSR; see Childs, Dara W.) Hardrath, Herbert F. Fracture mechanics. (JA, Dryden Research Lecture 305

Hardy, H. D. Use of laser-powered optical proximity probe in advanced turbofan engine development. (PS, V. 34) 317

Harris, Gordon L. (A/ A, February; see Seemann, Gerald R.) Harrison, Edwin F. (A/A, February; see Pritchard, E. Brian) Harrison, Edwin F. and Green, Richard N. Orbit analysis for coastal

zone oceanography observations. (JSR, SYN) 131 Harrison, J. A. (AIAA J; see Mingori, D. L.)

Harrison, J. A. (AIAA J; see Mingor, D. L.) Harrje, D. T. (AIAA J; see Abderhamid, A. N.) Hart, Gary C. (AIAA J; see Collins, Jon D.)

-(AIAA J; see Hasselman, T. K.)

Hartley, Danny L. Application of laser Raman scattering to the study of turbulence. (AIAA J) 816

Hartzman, Mark Comparison of calculated static and dynamic collapse pressures for clamped spherical domes. (AIAA J. TN) 568

Harwell, W., Edelstein, F., McIntosh, R., and Ollendorf, S. Orbiting astronomical observatory heat pipe flight performance deta. (PS, V. 35)

Harwit, Martin Infrared astronomy and the shuttle. (A/ A, Oct.) 23

Hassan, H. A. (AIAAJ, SYN; see Smith, Neill S.) Hasselman, T. K. (AIAAJ; see Collins, Jon D.)

Hasselman, T. K. and Hart, Gary C. A minimization method for treating convergence in modal synthesis. (AIAA J) 316

Hastings, R. (JSR; see Fearn, D. G.) Hatt, Fritz (AIAA J. ERR; see Barker, Richard M.)

Havener, Albert G. and Radley, Roger J., Jr. Turbulent boundary-layer flow separation measurements using holographic interferometry. (AIAA

Haviland, R. P. Individual and thin-route communications by satellite. (PS, V. 32) 417

Hayden, Richard E. (JA; see Hersh, Alan S.)

Hayes, D. T., Herskovitz, S. B., Lennon, J. F., and Poirier, J. L. Electrostatic probe measurements of chemical injection effects during a re-entry flight test. (JSR) 388

Hazelrigg, G. A., Jr. (JSR; see Greenberg, J. S.)

Hazen, David Design for survival. (A/ A, February) 57 Hearn, H. C. and Young, D. L. Performance prediction model for a high-

impulse monopropellant propulsion system. (JSR) 764 Heath, R. A. and Holland, W. B. Skylab experience with Apollo

docking/ latching loads. (JSR) 107
Hebbar, K. S. (AIAA J, TN; see Murthy, A. V.)
Hedrick, J. Karl (JA; see Nichola, M. A.)
Hefner, Jerry N. Vortex-induced heating to a cone-cylinder body at Mach 6. (JSR. EN) 127

Hefner, Jerry N. and Cary, Aubrey M., Jr. Swept-slot film-cooling effectiveness in hypersonic turbulent flow. (JSR, EN) 351
Hefner, Jerry N. and Whitehead, Allan H., Jr. Vortex-induced heating

to cone flaps at Mach 6. (JSR, EN) 200

Hegner, H. R. Engine condition monitor system to detect foreign object damage and crack development. (PS, V. 34) 531

Heidt, L. E. (AIAA J; see Ehhalt, D. H.)

Helliwell, William S. (AIAA J; see Lubard, Stephen C.)

Hempel, Peter R. High-speed computation of ascent trajectories within iterative loops using collocation methods. (AIAA J, SYN) 1467 Hender, Douglas R. (JSR; see Schuster, John R.)

-(JSR; see Masek, R. V.)

Henderson, H. LeRoy (JSR; see Luttrell Alvin L.)
Henry, Samuel (JA, SYN; see Roskam, Jan)
Henry, V. F., Whitworth, J. E., and Neham, E. A. Quantifying parameters influencing the spacing of geostationary satellites. (PS, V. 32)

Henschel, Frohmut, Plaetschke, Ermin, and Schulze, Hans-Kurt Minimum noise climbout trajectories of a VTOL aircraft. (JA, EN1 429

Heppe, R. R., Channel, L. E., and Cook, C. W. S-3A-A new dimension in airborne sea control. (JA) 577

Heppenheimer, T. A. Spaceborne very-long-baseline radio astronomy interferometry. (JSR, EN) 268

-Holographic structural control for large space reflectors and radio telescopes, (JSR, EN) 536

-Equations of motion for the perturbed restricted three-body problem. (AIAA J. TN) 1442

Hering, R. G. (PS, V. 35; see Smith, T. F.)

Hermance, C. E. Ignition analysis of adiabatic, homogeneous systems including reactant consumption. (AIAA J. ERR) 1008

Hermsen, R. W. (AlAA J. TN; see Dunlap, R.)
Herron, B. G., Barth, D. R., Finke, R. C., and Shumaker, H. A. Power
processing systems for ion thrusters. (PS, V. 33) 261
Hersh, Alan S., Soderman, Paul T., and Hayden, Richard E. In-

vestigation of acoustic effects of leading-edge serrations on airfoils. (JA)

Herskovitz, S. B. (JSR; see Hayes, D. T.)

Hiergeist, F., De Montlivault, J. L., and Payet, G. The Earth segment in the symphonie project. (PS, V. 32) 231 High, M. D. (AIAA J. TN; see Benek, J. A.)

(JA; see German, R. C.)

Hildebrand, C. E. (JSR; see Ransford, G. A.)

Hill, Maynard L. and Hoppel, William A. Comment on "Wind effects on electrostatic autopilots." (JA, TC) 781 Hillard, M. E., Jr., Hunter, W. W., Jr., Meyers, J. F., and Feller, W.

V. Simultaneous Raman and laser velocimeter measurements. (AIAA J.

Hillard, Mervin E., Jr., Morrisette, E. Leon, and Emory, Lawrence Raman scattering applied to hypersonic air flow. (AIAA J.

Hillard, Stanley E. Frequency determination from similarity con-siderations. (JA, EN) 651

Hillberry, B. M. (AIAA J; see Probst, E. P.)

Hintz, Gerald R. Orbit trim strategies for the 1975 Mars Viking mission. (JSR) 783

Hirata, Y., Kyogoku, M., and Isomura, E. A study on satellite communications for mobiles. (PS, V. 32) 249

Hitzl, Donald L. Computer illustrations of Earth satellite orbits. (JSR,

Hodapp, Albert E., Jr. Effects of unsymmetrical stability derivative characteristics on re-entry vehicle trim angle behavior. (JSR) 300

—Effect of transverse products of inertia on re-entry vehicle trim angle behavior. (JSR, EN) 733 Hoffman, Joe D. (AIAA J; see Elsbernd, Arnold A.)
—(AIAA J, SYN; see Taylor, Allan A.)
—(AIAA J; see Vander Veen, Richard)

Hoffman, Joe D. and Maykut, A. R. Gas dynamic gain of supersonic thrust nozzles (ISR) 697

Hoffman, M. A. (AIAA J; see Doss, E. D.) Hojnacki, J. (PS. V. 34; see Matthews, B. J.)

Holcomb, L. B. and Lee, D. H. Survey of auxiliary-propulsion systems for communications satellites. (PS, V. 33) 191

Holdeman, James D. Dispersion and dilution of jet aircraft exhaust at high-altitude flight conditions. (JA) 483

Holland, W. B. (JSR; see Heath, R. A.)

Holmes, Leroy A. (JSR; see Lovrich, Thomas M.) Holmes, R. E. (JA, EN; see Mays, J. A.)

Holster, Jesse L. and Astleford, William J. Analytical model for liquid rocket propellant feedline dynamics. (JSR) 180

Honecker, J. J., Jr. (JSR, EN; see Jenkins, R. B.) Hong, Yong S. Base flow analysis for a dual-engine booster. (JSR, SYN) 209

Hooper, Richard M. (PS, V. 34; see Johnson Bruce V.)

Hoppel, William A. (JA, TC; see Hill, Maynard L.) Horn, W., Barr, G., Carter, L., and Stearman, R. Recent contributions

to experiments on cylindrical shell panel flutter. (AIAA J) 1481 Hornkohl, J. O. (PS, V. 34; see Lennert, A. E.)

Horstman, C. C. and Owen, F. K. New diagnostic technique for the study of turbulent boundary-layer separation . (AIAA J, TN) 1436

Horton, Harry P. Separating laminar boundary layers with prescribed wall shear. (AIAA J. TN) 1772

Horton, M. D. and Coates, R. L. T-Burners: Experiments compared with theory. (JSR, EN) 48

Howe, John T. Hydrogen ionization in the shock layer for entry into the outer planets. (AIAA J. TN) 875

Howell, John R. (PS, V. 35; see Sohal, Manohar S.)

Hsieh, B. J. (AIAA J; see Belytschko, Ted)

Hsin, Chen-Chung Arrested landing studies for STOL aircraft. (JA) 159 Hsu, T. R. and Bertels, A. W. M. Improved approximation of constitutive elasto-plastic stress-strain relationship for finite element analysis. (AIAA J. TN) 1450

Hua, Hsichun M. Reply by author to W. P. Rodden, J. P. Giesing, T. P. Kalman, and J. C. Rowan. (JA, TC) 367

Huang, N. C. and Funk, G. Inelastic buckling of a deep spherical shell subject to external pressure. (AIAA J) 914 Huang, S. N. and Alspaugh, D. W. Minimum weight sandwich beam

design. (AIAA J. SYN) 1617

Huberman, M. N. and Rosen, S. G. Advanced high-thrust colloid sources. (ISR) 475

Hubert, Carl H. (JSR; see Alfriend, Kyle T.)

Huffman, G. David and Tramm, P. C. Airfoil design for high tip speed compressors. (JA) 682

Hugel, Helmut Flow rate limitations in the self-field accelerator. (AIAA J. SYN) 1461

Hughes, T. A. (PS, V. 35; see Schmitt, R. J.)

Hull, D. G. (AIAA J; see Gottlieb, R. G.) Humbad, N. G. Comment on the equation for aeroelastic divergence of unguided launch vehicles. (AIAA J, TN) 1739

Huneidi, F. (JSR; see Niblock, G. A.)

Hunt, David A. Various aspects of the structural theory of liquids. (AIAA J) 1548

Hunt, James L., Jones, Robert A., and Midden, Raymond E. Simulation of real-gas effects for Mars entry. (JSR, EN) 62

Hunter, J. H. (PS, v. 35; see Hwangbo, H.)

Hunter, W. W., Jr. (AIAA J. TN; see Hillard, M. E., Jr.)

Huson, George (PS, V. 33; see Free, Bernard) Hust, Jerome G. (AIAA J. SA; see Clark, Alan F.)

Hwangho, H., Hunter, J. H., and Kelly, W. H. Analytical modeling of

spacecraft with heat pipes and louvers. (PS, V. 35) 469 Hyde, J. R. (A/A, Sept.; see Beckman, J. C.) Hymas, C. E., Cavin, R. K., III, and Colunga, D. Reply by authors to L. J. Wood. (AIAA J. TC) 1454

Imber, Murray Temperature extrapolation mechanism for two-dimensional heat flow. (AIAA J) 1089 Inger, G. R. Supersonic laminar flow past a small rear-facing step. (AIAA

J. SYN1 739

-Viscous effects in massively ablating planetary entry body flowfields. (ISR. EN) 540

Supersonic laminar base pressure, heat-transfer, and upstream influence correlations for small steps. (AIAA J, TN) 1157

Inouye, Kenji and Tate, Atsushi Finite-difference version of quasilinearization applied to boundary-layer equations. (AIAA J. TN) 558 Ishiguro, Tomiko Calculations of flow around a semi-infinite flat plate in a shock tube. (AIAA J. TN) 376

Isley, William C. and Duck, Kenneth I. Propulsion requirements for communications satellites. (PS, V. 33) 165

Isogai, Koji Lifting-surface theory for an oscillating T-Tail. (AIAA J) 28 Isomura, E. (PS, V. 32; see Hirata, Y.)

Iversen, James D. and Bernstein, Shmuel Trailing vortex effects on following aircraft. (JA, EN) 60

Jackson, J. P. and Nielsen, P. E. Role of radiative transport in the propagation of laser supported combustion waves. (AIAA J) 1498

Jackson, Robert W. (JSR; see Dyer, John W.)

Jackson, Roy P. Putting all our noise technology to work. (A/A.) January) 48

Jacobs, T. A. (AIAA J, SYN; see Shackleford, W. L.)

Jacobson, Ira D. Contribution of a wall shear stress to the Magnus effect on nose shapes. (AIAA J. TN) 1003

Jacobson, Robert A. and Powers, William F. Iterative explicit guidance

for low thrust spaceflight. (JSR) 494
Jacobson, Robert A., McDanell, James P., and Rinker, George C. Terminal navigation analysis for the 1980 Comet Encke slow flyby mission. (JSR) 590

Jaffe, Leonard D. and Choate, Raoul Unmanned surface traverses of Mars and Moon: Science objectives, payloads, operations. (JSR, SYN) 353

Jaffe, N. A. (AIAA J; see Clark, K. J.)

Jahn, Robert G. (AIAA J; see Bruckner, Adam P.) Jain, A. C. and Adimurthy, V. Hypersonic merged stagnation shock layers. Part I: Adiabatic wall case. (AIAA J) 342

-Hypersonic merged stagnation shock layers. Part II: Cold wall case.

Jain, V. K. (AIAA J. TN; see Dhameja, R. K.)

Jakubowski, Antoni K. A wind-tunnel study of spinning conical disk decelerators at Mach 4. (JSR) 141 James, R. M. and Panico, V. D. Evaluation of drag integral using cubic

splines. (JA, EN) 494

Janardan, B. A., Daniel, B. R., and Zinn, B. T. Damping of axial instabilities by small-scale nozzles under cold-flow conditions. (JSR) 812 Jannssen, Terry L. and Swaney, Thomas G. Shell instability analysis applied to a radome. (AIAA J, TN) 714

Jansson, B. (JH; see Almqvist, H.)

Jefferis, A. K. (PS, V. 33; see Withers, D. J.)

Jen, H. (JA, EN; see Bloom, A. M.)

Jenkins, R. B., Taylor, J. P., and Honecker, H. J., Jr. Development of the Astrobee F sounding rocket system. (JSR, EN) 56

Jensen, D. E. Comment on "Effects of nonequilibrium ablation chemistry on Viking radio blackout." (JSR, TC) 736

Jerath, N. (JSR; see Duxbury, T. C.)

Jerath, Navin and Ohtakay, Hiroshi Mariner 1X optical navigation
using Mars lit limb. (JSR) 505

Johns, D. J. (JSR; see Parthan, S.)

Johnsen, Gary W. (JSR; see Chapter, John J.) Johnson, Bruce V., Marman, Henry V., Brent, John A., and Hooper, Richard M. Measurement of instantaneous air angle and total temperature fluctuations behind transonic compressor rotors. (PS, V. 34)

Johnson, C. P. (AIAA J. TC; see Oden, J. T.)

Johnson, D. A. Attitude stability of multibody symmetrical satellites with mechanical damners. (ISR) 645

Johnson, Dennis A. Turbulence measurements in a Mach 2.9 boundary layer using laser velocimetry. (AIAA J. TN) 711

Johnson Donald W. Sounding rocket payload recovery systems. (JSR, EN1 424

Johnson, John A. Opportunities for U.S.-European cooperation in application satellite programs. (PS, V. 321 47 Johnson, J. M., Jr. Digital filters using observers applied to ICBM control

system design. (JSR) 498

Johnson, R. C. (PS, V. 34; see Krause, L. N.)

Johnson, R. L. and O'Keefe, J. D. Laser burnthrough time reduction due to tangential airflow-An interpolation formula. (AIAA J) 1106 Johnson, Walter A., Teper, Gary L., and Rediess, Herman A. Study of

control system effectiveness in alleviating vortex wake upsets. (JA) 148 Johnson, W. Donald (AIAA J; see Williams, James C., 111)

-(AIAA J. TN; see Williams James C., III)

Johnston, Sheridan C. Reply by author to U. H. Kurzweg. (AIAA J. TC) 416

Jolly, Alexander C. (JSR, SYN; see Pastrick, Harold L.)

Jones, B. A. On the determination of the internal aerodynamics of compressors. (PS, V. 34) 109

Jones, J. C. (JH; see Lavis, D. R.) Jones, J. M. (AIAA J; see Graham, S. C.)

Jones R. and Mazumdar, J. A method of static analysis of shallow shells. (AIAA J. TN) 1134

Jones, Richard B. and Lutze, Frederick H., Jr. Computer simulation of near midair collisions in the terminal environment. (JA) 457

Jones, Robert A. (JSR, EN; see Hunt, James L.)

Jones, Robert A. and Richie, Christine B. Effect of wall temperature spatial variations on aerodynamic heating to an actively cooled aircraft. (JA. EN) 488

Jones, Robert E. (AIAA J: see Niedzwiecki, Richard W.)

Jones, Robert M. Stiffness of orthotropic materials and laminated fiberreinforced composites. (AIAA J. TN) 112

Jones, Robert T. and Nisber, James W. Transonic transport wings-Oblique or swept? (A/ A. January) 40

Kalb, H. T. (PS, V. 34; see Lennert, A. E.)

Kale, P. P., Nickelson, R. L., and Sarles, F. W., Jr. A design for INSAT. (PS, V. 32) 173

Kaloni, Purna N. and Smith, Raymond Penny-shaped crack in a linear viscoelastic medium under torsion. (AIAA J. TN) 1745

Kane, T. R. Spin stability of torque-free systems containing rotors. (AIAA L TN1 720

Kalman, Terez P. (JA, TC; see Rodden, William P.)

Kane, E. J. (JA; see Haglund, G. T.)

Kang, Sang-Wook and Dunn, Michael G. Reply by authors to E. W. Miner and C. H. Lewis. (AIAA J. TC) 127

Kao, Hsiao C. Some aspects of airfoil stall in low-speed flow. (JA) 177 Kao, Tsai-tse and Elrod, Harold G., Jr. Laminar shear-stress pattern for

nonsimilar incompressible boundary layers. (AIAA J) 1401 Kaplan, Marshall H. Active attitude and orbit control of body-oriented geostationary communications satellites. (PS, V. 33; 29

— (AIAA J; see Edwards, Terry L.) Karamcheti, K. (AIAA J; see Woolley, James P.)

Kassal, Thomas T. Scattering properties of ice particles formed by release of H₂O in vacuum. (JSR, EN) 54 Katz, Herbert Experiences in the design and application of turbine blade

pyrometers. (PS, V. 34) 409

Kaufman, Howard (JA, SYN; see Bischoff, David) Kayser, Lyle D. and Danberg, James E. Experimental study of separation from the base of a cone at supersonic speeds. AIAA J. TN1

Keigler, J. E., Lindorfer, W. J., and Muhlfelder, L. Momentum wheel three-axis attitude control for synchronous communication satellites. (PS, V. 331 141

Keith, Theo G., Jr. Subsonic flow into a downstream facing inlet. (JA, EN1 251

Kelley, James H. Hydrazine attitude-control propulsion: Evolution of a standardization program. (A/ A, June) 34

Kelly, J. G. (JH; see Sandman, B. E.) Kelly, W. H. (PS, V. 35; see Hwangbo, H.)

Kemp, Nelson H. Lift and moment for arbitrary power-law upwash in oscillating subsonic unsteady thin-airfoil theory. (AIAA J. TN) 413

Kendall, B. M. (PS, V, 35; see Basiulis, E. A.) Kenkare, A. S. (JSR, EN; see Lewis, J. G.)

Kennedy, Bruce (AIAA J; see Collins, Jon D.) Kennedy, Lawrence A. (AIAA J; see Scaccia, Carl)

Kerslake, William R. and Finke, Robert C. SERT II hollow cathode multiple restarts in space. (JSR, EN) 669

Kerzner, Harold and Krier, Herman Finite-thickness diffusion flames over approlyzing fuel plate. (AIAA J. TN) 1155. Keshock, Edward G. Thermal conductivity measurements of porous

materials in several gaseous environments. (JSR) 41 Kiesling, J. D. (PS, V. 32; see Podraczky, E.)

Kilgore, R. A. (A/A, Oct.; see Polhamus, E. C.)
Kilgore, Robert A., Adcock, Jerry B., and Ray, Edward J. Flight
simulation characteristics of the Langley high Reynolds number cryogenic transonic tunnel. (JA) 593

Kim, H. W. (AIAA J. SYN; see Yang, T. Y.)

Kimble, K. R., Liu, D. D., Ruo, S. Y., and Wu, J. M. Unsteady transonic flow analysis for low aspect ration, pointed wings. (AIAA J) 516
King, Joseph H. Solar proton fluences for 1977-1983 space missions.

King, Wilton W. (AIAA J, TN; see Morgan, Joseph D., III)

King, Wilton W. and Lin, Chien-Chang Applications of Bolotin's method to vibrations of plates. (AIAA J, TN) 399

Kinney, Robert B. (AIAA J.; see Schmall, Robert A.)
Kirchhoff, R. H. and Burbank, R. A. Response of a hot wire oscillating
in a shear flow. (AIAA J. TN) 96
Kirchhoff, R. H. and Safarik, R. R. Turbulence calibration of a hot wire
anemometer. (AIAA J. TN) 710

Kirkpatrick, J. P. and Brennan, P. J. Advanced thermal control flight experiment. (PS, V. 35) 409

Kirlin, William F. (A/ A, Sept.; see Kresa, Kent)

Kirszenblat, Albert Determination of allowable tolerances for asymmetries of a free rolling missile. (JSR) 295

Kirszenblat, A. and Chetrit, M. Least squares nonlinear parameter

estimation by the iterative continuation method, (AIAA J. TN) 1751

Kishore, K. (AIAA J. SYN; see Rastogi, R. P.)

-(AIAA J. TN; see Rastogi, R. P.)

(AIAA J; see Rastogi, R. P.) Kitchens, Clarence W., Jr. Calculation of low Reynolds number flow past

a square protuberance. (AIAA J. TN) 1005 Kitscha, W. W. (PS, V. 35; see Yovanovich, M. Michael)

Kleinbub, D. L. (JSR, SYN; see Liang, A. C.)

Klunker, E. B. and Newman, P. A. Computation of transonic flow about lifting wing-cylinder combinations. (JA, EN) 254

Knopow, J. J. Next generation communications satellites, (PS, V. 32) 63 Kobayashi, Ryoji Taylor-Gortler instability of a boundary layer with suction or blowing. (AIAA J, TN) 394

Kochevar, Henry J. Measurements of Earth station antennas G/T ratio by radio stars and satellites. (PS, V. 33) 359

Koenig, Walter A. (PS, V. 32; see Blachier, Bruno)

Kohlman, David L. and Brainerd, Carl H. Evaluation of spoilers for light aircraft flight path control. (JA) 449

Kohnecke, B. (JSR; see Rex, D.)

Kollrack, Reiner (AIAA J; see Aceto, Leonard D.) Koosinlin, M. L. and Lockwood, F. C. The prediction of axisymmetric turbulent swirling boundary layers. (AIAA J) 547

Korn, James A. Compressor distortion estimates using parallel compressor theory and stall delay. (JA, EN) 584

Kosakoski, R. A. and Collins, D. J. Application of holographic interferometry to density field determination in transonic corner flow. (AIAA I) 767

Kosson, R. L. (PS, V. 35; see Dominguez, P. J.)

Kovasznay, Leslie S. G. (AIAA J; see Fujita, Hajime)

Krause, L. N., Dudzinski, T. J., and Johnson, R. C. Total pressure averaging in pulsating flows. (PS. V. 34) 193

Kresa, Kent and Kirlin, William F. Mini-RPVs: Big potential, small cost. (A/ A, Sept.) 48

Krider, E. P., Noggle, R. C., Uman, M. A., and Orville, R. E. Lightning and the Apollo 17/ Saturn V exhaust plume. (JSR) 72

Krier, Herman (AIAA J. TN; see Kerzner, Harold)

Krishnamoorthy, G. Buckling of thin cylinder under combined external pressure and axial compression. (JA) 65
—Buckling of open cylindrical shells with torsionally stiff rectangular

edge stiffeners. (AIAA I) 1348

Krishnamurthy, V. and Subramanian, N. R. Potential flow past annular aerofoils. (JA, EN) 712

Krupp, James A. (AIAA J; see Collins, Donald J.)

Kryvoruka, John K. (JSR, SYN; see Phillips, Robert W.)

Kryvoruka, John K. and Ashurst, William T. Aerodynamic and flight dynamic analysis of finned re-entry vehicles. (JSR) 135

Kubota, N., Ohlemiller, T. J., Caveny, L. H., and Summerfield, M. Site and mode of action of platonizers in double base propellants. (AIAA J) Kuhar, Edward J. and Stahle, Clyde V. Dynamic transformation method

for modal synthesis. (AIAA J) 672 Kuhn, Gary D. and Nielsen, Jack N. Prediction of turbulent separated

boundary layers. (AIAA J. SYN) 881 Kulla, D. (JA; see Coe, Paul L., Jr.)

Kumar, K. (AIAA J. TN; see Modi, V. J.)

Kumar, Rajnish and Ahmed, Shabeer Analysis of thickness tapered booms for space applications. (JSR, EN) 125

Kuo, B. C., Seltzer, S. M., Singh, G., and Yackel, R. A. Design of a digital controller for spinning flexible spacecraft. (JSR) 584 Kuo, Ching-Chiang (AIAA J; see Morino, Luigi)

Kuo, K. K. and Summerfield, M. Theory of steady-state burning of gaspermeable propellants. (AIAA J) 49

Kurfess, James D. Superpressure balloons for long-duration flight. (A/A, April) 68

Kurtz, Helmut L. (JSR; see Di Capua, Marco S.)

Kurzweg, Ulrich H. Comment on "Stability of rotating stratified fluids." (AIAA J. TC) 415

Kusomoto, Keiichi, Yoshikawa, Takao, and Murasaki, Toshimitsu Ion current collection by cylindrical electrostatic probe in a flowing plasma. (AIAA J. TN) 726

Kutler, Paul Supersonic flow in the corner formed by two intersecting wedges. (AIAA J. SYN) 57

Kutschenreuter, P. H., Jr., Collins, T. P., and Vier, W. F., 111 P3G-A new dynamic distortion generator. (JA) 344

Kwok, Munson A. (AIAA J: see Varwig, Robert L.)

Kyogoku, M. (PS, V. 32; see Hirata, Y.)

Lai, R. Y.S. (AIAA J. TN; see Sun, C. T.)

Laitone, E. V. and Lin, Wen-Fan Effect of thrust on the longitudinal oscillations of missiles. (JSR, EN) 121

Lakshmikantham, C. and Tsui, Tien-Yu Dynamic stability of axially-

stiffened imperfect cylindrical shells under axial step loading. (AIAA J)

-(AIAA J; see Wan, F. Y. M.)

Lakshminarayana, B. (JA; see Robbins, B.) Lam, T. T. (PS, V. 35; see Armaly, B. F.)

Lan, C. Edward Quasi-vortex-lattice method in thin wing theory. (JA) 518 -Some characteristics of airfoil-jet interaction with Mach number nonuniformity. (JA, EN) 491

Landrault, C. (JSR; see Costes, A.)

Landrum, Emma Jean (JA. SYN; see Fulton, Robert E.)

Landweber, L. Axisymmetric potential flow in a circular tube. (JH) 137 Larson, Victor Suboptimal controller for a linearized 7-body spacecraft. (JSR, EN) 858

Lastman, G. J. Transformation for the numerical integration of systems of the form X(t) = F[X(t)]. (AIAA J. TN) 1430

Lau, R. A. (JSR; see Moog, R. D.)

Lauchle, Gerald C. Dynamic hinge moment of a low aspect ratio control surface. (JH. EN) 119

Laudadio, John F. Prediction of pressure fluctuation in sounding rockets and manifolded recovery systems. (JSR, EN) 119 Lauer, R. F. (JA; see German, R. C.)

LaVean, Gilbert E. and Martin, Edward J. Communication satellites: The second decade. (A/A, April) 54

Lavis, D. R., Bartholomew, R. J., and Jones, J. C. Response of air cushion vehicles to random seaways and the inherent distortion in scale models, (JH) 83

Law, C. Herbert Supersonic, turbulent boundary-layer separation. (AIAA

Law, C. K. Surface reaction model for metal particle combustion. (AIAA J. TN1 1612

Laws, G. T. (AIAA J; see Walkden, F.)

Lebsock, K. L., Flanders, H. R., and Rodden, J. J. Simulation and testing of a double-gimballed momentum wheel stabilization system for communication satellites. (JSR) 395

Ledder, H. J. (JA; see Boothe, E. M.)

Lederman, S. (AIAA J. TN; see Avidor, J. M.)

Lederman, S. and Bornstein, J. Application of Raman effect to flowfield diagnostics. (PS, V. 34) 283

Lee, D. H. (PS, V. 33; see Holcomb, L. B.)

Lee, L. H. N. Inelastic asymmetric buckling of ring-stiffened cylindrical

shells under external pressure. (AIAA J) 1051 Lee, Patrick H. W. (AIAA J; see Wu, James H. T.) Lee, Wilfred E. (PS, V. 33; see Cuccia, C. Louis) Leech, John W. (AIAA J; see Morino, Luigi)

Lefferdo, James M. (AIAA J. TN; see Rao, Prabhakara P.)

Leiby, David W. A systems engineering approach to effective engine condition monitoring. (PS, V. 34) 481

Lemley, C. E. and Mullans, R. E. Transonic wind-tunnel and flight buffet pressures on a swept wing. (JA) 173

Lemmon, E. Clark (JSR; see Coleman, Hugh W.) Lengrand, Jean-Claude and Cloupeau, Michel Application of Smith's model to rotational temperature measurements in nitrogen. (AIAA J)

Lennert, A. E., Hornkohl, J. O., and Kalb, H. T. Application of laser velocimeters for flow measurements. (PS, V. 34) 7

Lennon, J. F. (JSR: see Hayes, D. T.)

Leonard, John W. (PS, V. 34; see Margerum, Gordon W.)

Leong, R. K. Linear spatial stability of the plane Poiseuille flow. (AIAA J. TN1 1605

Lesco, Daniel J. (PS, V. 34; see Buchele, Donald R.)

Lesco, Daniel J., Sturman, John C., and Nieberding, William C. Onthe-shaft data systems for rotating engine components. (PS, V. 34) 131 Levine, Andrew S. (AIAA J. SYN; see Otterman, Bernard)

Levy, S. A., Zinkham, R. E., and Spangler, G. E. X2048, a high strength, high toughness aluminum alloy for aircraft applications. (JA)

Lewellen, W. S., Teske, M., and duP. Donaldson, Coleman Application of turbulence model equations to axisymmetric wakes. (AIAA J) 620

Lewis, Clark H. (AIAA J. TC; see Miner, E. W.)

Lewis, J. G., and Kenkare, A. S. Assessment of an active thermal control louvre array for spacecraft. (JSR, EN) 342

Lewis, J. W. L. (AIAA J. TN; see Whitfield, D. L.)

Lezius, Dietrich K. Water tank study of the decay of trailing vortices. (AIAA J) 1065

Lhuillier, J. N. (JSR; see Barrere, M.)
Li, C. P. Recent developments on time-dependent calculation of nonequilibrium flows. (JSR, EN) 123

Liang, A. C. and Kleinbub, D. L. Drift compensation and acceleration resolution for a rotating platform IMU, (JSR, SYN) 547

Libai, A. (AIAA J; see Durban, D.)

Libby, Paul A. Wall shear at a three-dimensional stagnation point with a moving wall. (AIAA J. TN) 408 Liber, T. (AIAA J; see Rowlands, R. E.)

Liddle, Sidney G. Integral relations method computations of annular and asymmetric plane nozzle flowfields. (JSR) 146

Liden, Sam P. Precision CMG control for high-accuracy pointing. (JSR) 936

Liebing, L. and Seidel, F. Low current pulsed ablation plasma thruster. (JSR, SYN) 609

Liegeois, Alain (JSR, EN; see Amieux, Jean Claude)

Liepmann, H. W. (AIAA J. TN; see Barker, S. J.)

Lilley, David G. Turbulent swirling flame prediction. (AIAA J) 219

Lin, Chien-Chang (AIAA J. TN; see King, Wilton W.)

Lin, J. T. Outgas dominated pressure distribution in a multilayer insulation system. (AIAA J) 1590

Lin, T. C. and Rubin, S. G. Viscous flow over spinning cones at angle of attack. (AIAA J) 975

Lin, Wen-Fan (JSR, EN; see Laitone, E. V.) Lindorfer, W. J. (PS, V. 33; see Keigler, J. E.)

Lindsey, G. H. (JSR; see Francis, E. C.) Linford, R. M. F. (PS, V. 35; see Schmitt, R. J.)

Lippisch, Alexander M. Comment on "Ram wing surface effect boat." (JH, TC) 76

Lissaman, P. B. S. Analysis of high-aspect ratio jet-flap wings of arbitrary geometry. (JA) 259

Liu, A. F. (JA; see Ekvall, J. C.)

Liu, Alan Fong-Ching Crack growth and failure of aluminum plate under in-plane shear. (AIAA J) 180

Liu, D. D. (AIAA J; see Kimble, K. R.)

Liu, Frank C. Coupled librational motions of a gyrostat satellite. (JSR)

Liu, J. J. Satellite motion about an oblate earth. (AIAA J) 1511 Lobitz, Donald W. (AIAA J; see Nayfeh, Ali H.)

Lockenour, Jerry L. (JA, SYN; see Hall, G. Warren)

Lockwood, F. C. (AIAA J; see Koosinlin, M. L.) Loeb, Horst W. Electric propulsion technology status and development plans—European programs. (JSR) 821 Loendorf, D. (JA, SYN; see Fulton, Robert E.)

Loewy, R. G. (AIAA J; see Gupta, B. P.)

Loftin, Laurence K., Jr. Toward a second-generation supersonic transport. (JA) 3

Lohfeld, R. E., Anand, D. K., and Whisnant, J. M. Pitch axis stabilization in eccentric orbits using a variable-speed rotor. (JSR, EN)

Longstrezt, C. S. (PS. V. 34; see Small, L. L.)

Look, D. C. Analysis of thermal radiation bidirectionally reflected from roughened brass. (AIAA J) 656

Louis, J. F., Demirjian, A. M., and Topping, R. F. Heat transfer measurements in turbines. (PS, V. 34) 333 Love, William J. Prediction of pressure drop in straight vortex tubes.

(AlAA J) 959 Lovelace, Alan M. Advanced composites. (JA, 11th von Karman Lecture)

Lovrich, Thomas M., Schwartz, Sidney H., and Holmes, Leroy A. Flow visualization of thermal stratification with localized heat sources. (JSR)

Lubard, Stephen C. and Helliwell, William S. Calculation of the flow on a cone at high angle of attack. (AIAA J) 965

Ludewig, Hans, Manning, A. James, and Raseman, Chad J. Feasibility of rotating fluidized bed reactor for rocket propulsion. (JSR) 65

Luthra, V. K. (AIAA J; see Afzal, Noor)

Luttrell, Alvin L. and Henderson, H. LeRoy Pressure vessel certification based on fracture mechanics technology. (JSR) 838

Lutze, Frederick H., Jr. (JA; see Jones, Richard B.)

Lyman, Victor (JA; see Goradia, Suresh H.) Lyon, W. C. (PS, V. 33; see Hall, D. F.)

Lyons, M. G. and DeBra, D. B. A reduced state estimator for orbital heading reference. (JSR) 97

MacLellan, D. C. Anticipated developments in communications satellite technology. (PS, V. 32) 145 Maddalon, Dal V. Rating aircraft on energy. (A/A, Dec.) 26

Maddox, S. A. (JA, EN; see Mook, D. T.)

Mager, Artur Steady, incompressible, swirling jets and wakes. (AIAA J) 1540

Maiersperger, Walter P. Zeppelins? Not again! (A/A, February) 28 Maisenhalder, F. and Mayerhofer, W. Jet-diagnostics of a self-field accelerator with Langmuir probes. (AIAA J) 1203

Majumder, D. K. (AIAA J. TN; see Thornton, W. A.) Malkin, M. S. Space shuttle/ The new baseline. (A/A, January) 62 Mamada, Hiroshi and Ando, Shigenori Minimum induced drag of semielliptic ground effect wing. (JA, SYN) 257

Mandal, Satyanarayan Crack in a thin infinite plate of viscoelastic medium. (AIAA J, TN) 233

Mann, Ronald L. and Perkins, Richard W. Buckling behavior of a composite beam column. (AIAA J, TN) 872

Manning, A. James (JSR; see Ludewig, Hans)

Mantz, Arlan W. (PS, V. 35; see Thompson, Samuel B.)

Marcillat, Jacques Surface flowfield induced by the turbulent boundary layer on a vawed cone. (AIAA J. TN) 1164

Maresca, Christian, Favier, Daniel, and Rebont, Jean Instantaneous velocity measurements in the near wake of a helicopter rotor. (AIAA J.

Margerum, Gordon W., Leonard, John W., and Fuhs, Allen E. Fiber optic and laser digital pressure transducers. (PS, V. 34) 217

Markson, Ralph Practical aspects of electrostatic stabilization. (A/A. April) 44

Marman, Henry V. (PS, V. 34; see Johnson, Bruce V.)

Marsh, Elbert L. Attitude control of solar electric spacecraft by thruster gimballing. (JSR, SYN) 737

Attitude stability of a flexible solar electric spacecraft: A parametric study. (JSR) 89

Marshall, Larry R. (JH; see Mook, Dean T.)
——(JH; see Nayfeh, Ali H.)
Martin, Edward J. A./ A, April; see LaVean, Gilbert E.)

Martin, James A. Optimal payload ascent trajectories of winged vehicles. (JSR, EN) 860

Martindale, W. R. (JSR; see Adams, J. C., Jr.)

— (JSR; see Bertin, John J.) Martorana, R. T. (PS, V. 35; see Vachon, W. A.)

Masek, R. V., Hender, D., and Forney, J. A. Evaluation of aerodynamic heating uncertainties for space shuttle. (JSR) 368 Matthews, B. J., Wuerker, R. F., Chambers, H. F., Jr., and Hojnacki,

J. Holography of JP-4 droplets and combusting boron particles. (PS, V. 341 207

Matthews, Richard D. and Ginoux, Jean J. Correlation of peak heating in the reattachment region of separated flows. (AIAA J. TN) 397

Matuszewski, John P. (JSR, EN; see Asher, Robert B.)

Mau, S. T. and Tong, P. Calculation of mechanical impedance by finite element hybrid model. (AIAA J. TN) 249

Maxwell, Barry R. Particle flow in turbomachinery with application to laser-Doppler velocimetry. (AIAA J, SYN) 1297

Maycock, J. Norman (JSR, WYN; see Gorzynski, Carl S., Jr.)

Mayerhofer, W. (AIAA J; see Maisenhalder, F.) Maykut, A. R. (JSR; see Hoffman, Joe D.) Mayne, R. W. (JSR, SYN; see Afimiwala, K. A.)

Mays, J. A. and Holmes, R. E. An optimized video output from a wide angle optical probe. (JA, EN) 124

Mazumdar, J. (AIAA J. TN; see Jones, R.)

McClendon, Ronald W. (AIAA J; see Murphree, David L.)

McColgan, Charles J. (AIAA J. TN; see McLaughlin, Dennis K.)

McCormick, Michael E. Analysis of a wave energy conversion buov. (JH)

McCrory, W. W. Thermal protection for divers. (JH) 115 McCune, James E. (AIAA J; see Okurounmu, Olufemi) McCutchen, C. W. Comment on "Bone articulations as systems of poroelastic bodies." (AIAA J. TC) 256

McDanell, James P. (JSR: see Jacobson, Robert A.)

McElroy, Michael B. (JSR; see Noll, Richard B.) McGregor, R. C. (JH, EN; see Swales, P. D.)

McHarg, Q. D. (JA; see Hansen, S. D.) McIntosh, R. (PS, V. 35; see Harwell, W.)

McIntyre, J. E. and Gianelli, M. J. Effect of an autotracking antenna on the nutational stability of a dual-spin spacecraft. (PS, V. 33) 85

McInville, Roy M. (AlAA J. SYN; see Smith, Neill S.)
McLaughlin, Dennis K. and McColgan, Charles J. Hot-wire measurements in a supersonic jet at low Reynolds numbers. (AIAA J.

McLean, J. D. (AIAA J; see Dowell, E. H.)

McLean, W. J. (AIAA J; see Anderson, L. B.) McManus, Neil P. (AIAA J, TN; see Schmitz, Peter D.)

McMaster, John R. and Schenk, Frederick L. Development of the F-12 aircraft flight centrol system. (JA) 225 McMillan, J. D. (AIAA J. SYN; see Schutz, B. E.)

McNary, Charles A. (JA; see Balser, Martin)

McVey, D. F. and Wolf, D. F. Analysis of deployment and inflation of large ribbon parachutes. (JA) 96

Meese, R. A. and Skifstad, J. G. Ignition and global combustion models for clouds of boron particles. (AIAA J) 71

Meetin, Ronald J. and Seifert, Howard S. Propulsion dynamics of lunar hoppers. (JSR) 852

Mehra, Raman K., Stepner, David E., and Tyler, James S. Maximum likelihood identification of aircraft stability and control derivatives. (JA)

Meirick, R. P. (JSR; see Tewell, J. R.)

Meirovitch, Leonard Liapunov stability analysis of hybrid dynamical systems in the neighborhood of nontrivial equilibrium. (AIAA J) 889

-A new method of solution of the eigenvalue problem for gyroscopic systems. (AIAA J) 1337

-Bounds on the extension of antennas for stable spinning satellites. (JSR, EN) 202

Menichelli, V. J. (JSR; see Rosenthal, L. A.)

Mercanti, Enrico P. Widening SRTS applications. (A/A, May) 28 Mercdith, C. O. Lessons learned from INTELSAT III satellite program. (PS. V. 32) 3

Merritt, Gordon E. Wake growth and collapse in stratified flow. (AIAA J)

Mertaugh, L. J. (AIAA J. TN; see Warsi, Z. U. A.)

Merz, A. W. (The homicidal chauffeur. (AIAA J. SYN) 259

Messner, A. M., Taylor G. Q., and Price, C. F. Interdisciplinary computer analyses of three-dimensional solids defined by polyhedral surfaces. **USR. EN). 52**

Meyer, J. W. (AIAA J; see Anderson, L. B.)

Meyers, J. F. (AIAA J. TN; see Hillard, M. E., Jr.) Midden, Raymond E. (JSR, EN; see Hunt, James L.) Mihlfeith, C. M. and Sayer, L. H. Novel high area ratio T-burner for characterizing metalized propellants. (JSR) 574

Millard, John P. and Pearson, B. Douglas, Jr. Optical stability of coatings exposed to four years space environment on OSO-III. (PS, V.

Miller, Charles G. Flow properties in expansion tube with helium, argon, air, and CO₂ flows. (AIAA J. TN) 564

Miller, Charles G. and Moore, John A. Shock shapes of blunt bodies in hypersonic helium, air, and CO₂ flows. (AIAA J, TN) 411

Miller, Gabriel (AIAA J, TN; see Baronti, Paolo) Miller, R. G. (PS, V. 35; see Fletcher, L. S.)

Miller, R. G. and Fletcher, L. S. Thermal conductance of porous metallic materials in a vacuum environment. (PS, V. 35) 321

Mills, A. F. (JSR; see Wassel, A. T.)

Miner, E. W. and Lewis, Clark H. Comment on "Hypersonic, viscous shock layer with chemical nonequilibrium for spherically blunted cones. (AIAA J. TC) 124

Mingori, D. L. and Harrison, J. A. Circularly constrained particle motion

in spinning and coning bodies. (AIAA J) 1553 Minkowski, J. M. (AIAA J. TN; see Singer, A.) Mirza, Shaukat and Singh, Anand V. Axisymmetric vibration of circular sandwich plates. (AIAA J, TN) 1418 Mitani, Tohru (AIAA J, TN; see Nioka, Takashi)

Mitchell, C. E. (AIAA J; see Baer, M. R.)

Mitchell, William Simulation of a ground facility for testing ramjets under flight conditions. (JSR, SYN) 449

Mitra, A. and Greenberg, M. D. Effect of a wavy bottom on Kelvin-Helmholtz instability. (JH) 53

Miyazawa, M. (AIAA J. TN; see Zakkay, V.)

Modi, V. J. Attitude dynamics of satellites with flexible appendages—A brief review. (JSR, SA) 743 (JSR, EN; see Pande, K. C.)

Modi. V. J. and Kumar. K. Periodic solutions of gravity oriented axisymmetric systems. (AIAA J. TN) 225

Modi, V. J. and Pande, K. C. Magnetic-solar hybrid attitude control of satellites in near-equatorial orbits. (JSR) 845

Moffat, Robert J. (AIAA J. TN; see Pimenta, Marcos) Mohling, R. A. (AIAA J. SYN; see Tannehill, J. C.)

Molitor, J. H. Ion propulsion flight experience, life tests, and reliability estimates. (JSR) 67

Monsler, M. J. (AIAA J; see Pirri, A. N.)

Montgomery, Leslie D. Analytic model for assessing the thermal performance of scuba divers. (JH) 108

Montoya, Earl J. (PS, V. 34; see Schweikhard, William J.)

Moog, R. D., Bendura, R. J., Timmons, J. D., and Lau, R. A. Qualification flight tests of the Viking decelerator system. (JSR) 188 Mook, Dean T. (AIAA J; see Nayfeh, Ali H.)

-(JH; see Nayfeh, Ali H.)

Mook, Dean T. and Maddox, S. A. Extension of a vortex-lattice method to include the effects of leading-edge separation. (JA, EN) 123

Mook, Dean T., Marshall, Larry R., and Nayfeh, Ali H. Subharmonic and superharmonic resonances in the pitch and roll modes of ship motions. (JH) 32

Moore, Jesse W. (A/ A, February; see Pritchard, E. Brian)

Moore, John A. (AIAA J. TN; see Miller, Charles G.)

Morel, Thomas and Torda, T. Paul Calculation of free turbulent mixing

by the interaction approach. (AIAA J) 533

Morgan, Joseph D., III, Anderson, Jerry M., and King, Wilton W. Elastodynamics of cracked structures using finite elements. (AIAA J. TN1 1767

Morgan, R. P., Singh, J. P., Anderson, B. D., and Greenberg, E. Satellites for U.S. education: Needs, opportunities, and systems. (PS, V. 32) 441

Morino, Luigi and Kuo, Ching-Chiang Subsonic potential aerodynamics

for complex configurations: A general theory. (AIAA J) 191 Morino, Luigi, Leech, John W., and Witmer, Emmett A. Optimal predictor-corrector method for systems of second-order differential equations. (AIAA J) 1343

Morrisette, E. Leon (AIAA J. TN; see Hillard, Mervin E., Jr.)

Mowlem, A. Robin and Smith, Russell A. Analysis of compressible turbulent flow over a yawed cone. AIAA J, SYN) 1171

Moya, F. (AIAA J; see Regnier, P. R.) Muhlfelder, L. (PS, V. 33; see Keigler, J. E.)

Mukunda, H. S. and Raghunandan, B. N. Burning constant-stoichiometric ratio relation-some clarifications. (AIAA J, TN) 1429

Mullans, R. E. (JA; see Lemley, C. E.)

Munjal, N. L. and Parvatiyar, M. G. Ignition of hybrid rocket fuels with fuming nitric acid as oxidant. (JSR, EN) 428

Murasaki, Toshimitsu (AIAA J. TN; see Kusumoto, Keiichi) Murdoch, Peter Low order observer for a linear functional of the state vector. (AIAA J, TN) 1288

Transfer function synthesis by state vector feedback. (AIAA J, TN)

Murman, Earll M. Analysis of embedded shock waves calculated by relaxation methods. (AIAA J) 626

-Reply by author to T. C. Tai. (AIAA J, TC) 736

Murman, Earll M. and Steinle, Frank W., Jr. Comment on "A criterion for assessing wind-tunnel wall interference at Mach 1." (JA, TC) 782 Murphree, David L., Carter, Richard P., and Smith, Dennis R. Laser absorption and gain by Ar⁺-ion states in a supersonic expansion. (AIAA J. TN) 1732

Murphree, David L., Taylor, Clayborne D., and McClendon, Ronald W. Mathematical modeling for the detection of fish by an airborne laser. (AIAA J) 1686

Murphy, Andrew J. (JSR; see Wool, Mitchell R.)

Murphy, J. D. (AIAA J, TN; see Rubesin, M. W.) Murphy, J. L. and Netzer, D. W. Ammonium perchlorate and ammonium perchlorate-binder sandwich combustion. (AIAA J, SYN) 13

Murray, J. A. Chamber bleed auxiliary power unit. (JSR) 808 Murtagh, T. B., Whitsett, C. E., Goodwin, M. A., and Greenlee, J. E. Automatic control of the Skylab Astronaut Maneuvering Research

Vehicle, (ISR) 321 Murthy, A. V. Hypersonic flow over blunted slender wedges. (JA, EN)

249 Murthy, A. V. and Hebbar, K. S. Calculation of laminar boundary layers on continuous surfaces by Meksyn's method. (AIAA J, TN) 732

Murthy, M. V. Krishna (JSR, EN; see Srinivasan, K.)

Musgrove, Max D., Greene, Bruce E., Shideler, John L., and Bohon, Herman L. Advanced beaded and tubular structural panels. (JA) 68

Myers, M. K. (AIAA J; see Zahalak, G. I.)

Na, T. Y. Comment on "unsteady boundary-layer flow of power law fluids." (AIAA J. TC) 1775

Nadaud, L. (JSR; see Barrere, M.)

Nagy, Arthur E. (JA; see Balser, Martin) Nagy, A. F. (AIAA J, TN; see Stolarski, R. S.)

Nakamura, Takashi and Riedmuller, Wolfgang Stability of nonequi-librium MHD plasma in the regime of fully ionized seed. (AIAA J) 661

1) 661 Nakamura, Yoshiya (JA; see Azuma, Akira)

Nakanishi, S. and Finke, R. C. 9700-hour durability test of a five centimeter diameter ion thruster. (JSR) 560

Nakayama, A. and Patel, V. C. Calculation of the viscous resistance of bodies of revolution. (JH) 154

Narayanaswami, R. Dependence of plate-bending finite element deflections and eigenvalues on Posson's ratio. (AIAA J. TN) 1420

—New triangular plate-bending finite element with transverse shear flexibility. (AIAA J, TN) 1761

Narayanaswami, R. and Adelman, H. M. Inclusion of transverse shear deformation in finite element displacement formulations. (AIAA J. TN) 1613

Nardo, C. T. (AIAA J; see Clark, K. J.)

Nash, John F. (AIAA J; see Singleton, Robert E.)

Nath, G. Reply by author to W. J. Franks. (AIAA J. TC) 1456.

Nathanson, D. (PS, V. 35; see Vachon, W. A.) Nayfeh, Ali H. (JH; see Mook, Dean T.)

Navfeh, Ali H., Mook, Dean T., and Lobitz, Donald W. Numericalperturbation method for the ponlinear analysis of structural vibrations. (AIAA J) 1222

Nayfeh, Ali H., Mook, Dean T., and Marshall, Larry R. Perturbationenergy approach for the development of the nonlinear equations of ship motion. (JH) 130

Nayfeh, Ali H., Sun, John, and Telionis, Demetri P. Effect of bulkreacting liners on wave propagation in ducts. (AIAA J) 838

Nayfeh, Ali H. (JH; see Mook, Dean T.) Nebolsine, P. E. (AIAA J; see Pirri, A. N.)

Needleman, A. Axisymmetric buckling of elastic-plastic annular plates. (AIAA J, TN) 1594

Neemeh, Rafik A. (AIAA J; see Wu, James H. T.)

Neer, J. T. INTELSAT IV nutation dynamics. (PS, V. 33) 57

Neham, E. A. (PS, V. 32; see Henry, V. F.)

Nelms, Walter P. (A/A, Sept.; see Gregory, Thomas J.) Nelson, Paul, Jr. (AIAA J, TC; see Denman, E. D.) Netzer, D. W. (AIAA J, SYN; see Murphy, J. L.)

Neulieb, Robert L. JA; see Simpkins, Darrell) Newman, J. A. (AlAA J; see Wong, J. K. S.) Newman, M. (JA; see Pines, S.) Newman, P. A. (JA, EN; see Klunker, E. B.)

Nguyen, Phung K. Comments on "Analytical design of optimal nutation dampers." (JSR, TC) 606

Niblock, G. A., Reeder, J. C., and Huneidi, F. Four space shuttle wing leading edge concepts. (JSR) 314

Nicholls, J. A. (AIAA J; see Fry, R. S.)

Nickelson, R. L. (PS, V. 32; see Kale, P. P.)

Nicolet, William E. JSR; see Peterson, David L.) Nichols, M. A. and Hedrick, J. Karl Minimum time and minimum fuel flight path sensitivity. (JA) 320

Nidey, Russell A. Optimal scan of the sky from a rocket. (AIAA J. TN)

Nieberding, W. C. and Englund, D. R., Jr. Modularized instrument system for turbojet engine test facilities. (PS, V. 34) 205

Nieberdin, William C. (PS, V. 34; see Lesco, Daniel J.)

Niedzwiecki, Richard W. and Jones, Robert E. Pollution measurements of a swirl-can combustor. (AIAA J) 844

Niehoff, John C. and Friedlander, Alan L. Comparison of advanced propulsion capabilities for future planetary missions. (JSR) 566

Nielsen, Jack N. (AIAA J, SYN; see Kuhn, Gary D.)

Nielsen, P. E. (AIAA J; see Jackson, J. P.)
Niioka, Takashi and Mitani, Tohru Independent region of acceleration in solid propellant combustion. (AIAA J, TN) 1759

Nilson, R. H. and Tsuei, Y. G. Film cooling by oblique slot injection. (AIAA J. TN) 727

Nisbet, James W. (A/ A, January; see Jones, Robert T.)

Nixon, D. Transonic flow around symmetric aerofoils at zero incidence. (JA. EN) 122

Noggle, R. C. (JSR; see Krider, E. P.) Noji, T. T. (PS, V. 32; see Sielman, P. F.) Noll, Richard B. and McElroy, Michael B. Engineering models of the Venus atmosphere. (JSR) 21

Nolte, E. P., Stearman, R. O., and Russell, P. E. Simple active aerodynamic suspension systems for high-speed ground vehicles. (JA)

Norris, P. Accuracy of orbit determination from ionospherically corrupted tracking data. (JSR, EN) 794

Nowell, A. R. M. Some response characteristics of parabolic hot films in water. (JH, EN) 169

Nunamaker, Robert R. (JSR; see Dyer, John W.)

Nybakken, G. H. (JA; see Clark, S. K.) Oates, G. C. (PS, V. 34; see Grande, E.)

Oberkampf, William L. and Watson, Leon E., Jr. Incompressible potential flow solutions for arbitrary bodies of revolution. (AIAA J, TN)

O'Connell, R. F. Incremented flutter analysis. (JA) 236

Oden, J. T., Akay, H., and Johnson, C. P. Reply by authors to R. D. Cook. (AIAA J, TC) 1290

Oh, Youn H. Calculation of compressible turbulent free shear layers. (AIAA J. TN) 401

O'Hare, J. E. (PS. V. 34; see Trolinger, J. D.)

Ohlemiller, T. J. (AIAA J; see Kubota, N.)

Ohtokay, Hiroshi (JSR; see Jerath, Navin)

Ojalvo, I. U. Improved thermal stress determination by finite element methods. (AIAA J. TN) 1131

O'Keefe, J. D. (AIAA J; see Johnson, R. L.)
Okurounmu, Olufemi and McCune, James E. Lifting surface theory of axial compressor blade rows: Part I—Subsonic compressor. (AIAA J) 1363

and McCune, James E. Lifting surface theory of axial compressor blade rows: Part II-Transonic compressor. (AIAA J) 1372

Oliver, D. A. (AIAA J; see Argyropoulos, G. S.)

Ollendorf, S. (PS, V. 35; see Harwell, W.) Olmsted, G. S. (AIAA J. TN; see Ericsson, L. E.)

Olstad, Walter B. A thick-thin approximation for radiative transfer. (PS, V. 351 75

-Planetary entry aerothermodynamics. Part I. Technology requirements and experimental facilities. (A/ A, Nov.) 58

Planetary entry aerothermodynamics. Part II. Computational analysis and flight experience. (A/A, Dec.) 55

Ondrasik, V. J. (JSR; see Ransford, G. A.)
Onufry, M. (PS, V. 33; see Suyderhoud, H. G.)

Oppenheim, Antoni, K. and Weinberg, Felix J. Combustion R&D-Key to our energy future. (A/A, Nov.) 22

Orbock, D. (A/A, July-August; see Sheffield, R. W.)

Orlin, Peter A. and Cutchins, Malcolm A. Optimum vibration isolation system design using linear programing. (AIAA J) 1517 Orloff, K. L. (AIAA J, TN; see Ciffone, D. L.)

Orloff, Kenneth L. Trailing vortex wind-tunnel diagnostics with a laser velocimeter. (JA) 477

Orloff, K. L. and Ciffone, D. L. Vortex measurements behind a swept wing transport model. (JA, EN) 362

Orth, R. C., Billig, F. S., and Grenleski, S. E. Measurement techniques for supersonic combustion testing. (PS, V. 34) 263

Orville, R. E. (JSR: see Krider, E. P.)

Osgerby, I. T. Literature review of turbine combustor modeling and emissions. (AIAA J, SA) 743

-Vibrational nonequilibrium in a high temperature turbojet engine. (JA. EN) 302

Ostrowski, P. Perry (AIAA J; see Wu, James H. T.)

Ostwald, L. T. (JSR; see Follett, W. H.)

Otterman, Bernard and Levine, Andrew S. Analysis of gas-solid particle flows in shock tubes. (AIAA J. SYN) 579

Otto, H. Calculation of nonlinear lift and pitching moment coefficients for slender wing-body combinations. (JA, EN) 489

Overmeir, D. K. (AIAA J, TN; see Forrestal, M. J.)

Owen, F. K. (AlAA J, TN; see Horstman, C. E.)

Padovan, Joseph Solution for inplane and bending fields of tapered anisotropic conical shells. (AIAA J, TN) 101

-Static solution of monoclinic laminated circular plates. (AIAA J. TN) 862

-Generalized Sturm-Liouville procedure for composite domain anisotropic transient conduction problems. (AIAA J. TN) 1158 Orthogonality procedure for forced response of multispan beams.

(AIAA J. TN) 1599

Padovan, Joseph and Gosset, Bernard Static fields of curved generally

laminated anisotropic plate strips. (AIAA J. SYN) 737
Palmer, John A. Air Force concepts for RPV application. (A/A, Oct.) 52 Pan, Y. S. and Sotomayer, W. A. Sonic boom of hypersonic vehicles. (AIAA J. ERR) 416

Pande, K. C., Davies, M. S., and Modi, V. J. Time-optimal pitch control of satellites using solar radiation pressure. (JSR, EN) 601

Pande, K. C. (JSR; see Modi, V. J.)

Panico, V. D. (JA, EN; see James, R. M.)

Paparozzi, Frank A. and Anderson, Neal T. DOD's space test program. (A/ A, June) 42

Parameswaran, V. and Alpay, S. A. Normal impingement of jets. IJA, EN1 189

Parker, A. G. Use of slotted walls to reduce wind-tunnel boundary corrections in subsonic flow. (AIAA J. TN) 1771

Parker, A. G. and Bicknell, J. Some measurements on dynamic stall.

Parsons, Jerome S., Goodson, Raymond E., and Goldschmied, Fabio R. Shaping of axisymmetric bodies for minimum drag in incompressible flow. (JH) 100

Parthan, S. and Johns, D. J. Vibration and flutter of stringer-stiffened cylindrical shells. (JSR) 579

Parthasarathy, S. P. Evaluation of jet noise sources by cross-correlation of far field microphone signals. (AIAA J) 583

Parvatiyar, M. G. (JSR, EN; see Munjal, N. L.)

Pastrick, Harold L., York, Randy J., and Jolly, Alexander C. System performance prediction by modeling test data in digital simulations. (JSR, SYN) 133

Pate, S. R. Comparison of NASA belium tunnel transition data with noise transition correlation. (AIAA J. TC) 1615

Pate, S. R., Siler, L. G., Stallings, D. W., and Wagner, D. A. Development of an MHD-augmented, high enthalpy, shock tunnel facility. (AIAA J) 289

Patel, V. C. (JH; see Nakayama, A.)

Patha, John T. and Woodcock, Gordon R. Feasibility of large-scale orbital solar/ thermal power generation. (JSR) 409 Payet, G. (PS, V. 32; see Hiergeist, F.)

Payne, Peter R. Coupled pitch and heave porpoising instability in hydro-dynamic planning. (JH) 58 -Comment on "The lift force due to von Karman's vortex wake." (JH.

Pearce, Blaine E. An approximate distribution of particle mass flux in a high altitude solid propellant rocket plume. (AIAA J, TN) 718 Pearson, B. Douglas, Jr. (PS, V. 35; see Millard, John P.)

Peisa, Arthur J. Ontimum skewed redundant inertial navigators. (AIAA

Peng, W. Y. (AIAA J, SYN; see Vincent, T. L.)

Pennington, James H. (A/ A, Oct.; see Bryan, Curtis V.)

Peralta, Bernal (JA; see Richardson, Ryden L.)

Perdreauville, Farrell J. (JSR; see Womack, William C.) Perkins, Richard W. (AIAA J, TN; see Mann, Ronald L.)

Peters, Norbert Surface heat transfer in the flow of dissociated nitrogen. (AIAA J. TN) 1747

Peterson, David L. and Nicolet, William E. Heat shielding for Venus entry probes. (JSR) 382

Philip, C. M. (JSR; see Fearn, D. G.)

Philip, C. M. and Fearn, D. G. Recent hollow cathode investigations at the Royal Aircraft Establishment. (AIAA J) 1319

Phillips, Robert W. and Kryvoruka, John K. Closed-loop flight vehicle qualification testing. (JSR, SYN) 355

Phillips, Samuel C. More national security from the defense dollar: Project ACE. (A/ A, Dec.) 44

Pian, T. H. H. Nonlinear creep analysis by assumed stress finite element methods. (AIAA J, TN) 1756

Pickering, W. H. Proposal: For an International Solar System Decade. A, Sept.) 22

Pike, Jack Moments and forces on general convex bodies in hypersonic flow. (AIAA J) 1241

Pilkey, Walter D. and Wang, Bo Ping Limiting performance of ground transportation vehicles subject to transient loading. (AIAA J, SYN) 1011 Pimenta, Marcos and Moffat, Robert J. Stability of flow through porous

plates: Coalescent jets effect. (AIAA J. TN) 1438 Pinckney, S. Z. An improved static probe design. (AIAA J. TN) 562 Pindzola, Michael Ground testing and simulation—An overview: Part IV: Propulsion testing. (A/A, July-August) 63

Pines, S. and Newman, M. Constrained structural optimization for aeroelastic requirements. (JA) 313

Pirri, A. N., Monsler, M. J., and Nebolsine, P. E. Propulsion by absorption of laser radiation. (AIAA J) 1254

Pitkins, Edward T. (JA; see Presz, Walter M., Jr.) Pitts, W. C. (JSR; see Vorreiter, J. W.)

Plaetschke, Ermin (JA, EN; see Henschel, Frohmut)

Pleasants, James E. Parachute mortar design. (JSR) 246 Plett, E. G. (AIAA J; see Abdelhamid, A. N.)

Plotkin, Allen Laminar boundary-layer induced wave forces on a submerged flat-plate hydrofoil. (JH) 47 The symmetric far wake behind a cylinder beneath the free surface.

Plucinsky, J. C. (JA; see Eatock, H. C.)

Podraczky, E. and Kiesling, J. D. INTELSAT V system concepts and technology. (PS, V. 32) 31

Poirier, J. L. (JSR; see Hayes, D. T.)

Polak, A. Numerical study of supersonic turbulent boundary layer over a small protuberance. (AIAA J, TN) 1409
 Polhamus, E. C., Kilgore, R. A., Adcock, J. B., and Ray, E. J. The

Langley cryogenic high Reynolds number wind-tunnel program. (A/A, Oct.) 30

Polhemus, C. E. (JSR; see Tewell, J. R.)

Pollack, Frank G. Advances in measuring techniques for turbine cooling test rigs: Status report. (PS, V. 34) 371

Pollard, Ben M. Aerodynamics Hanoi Hilton style. (A/ A, Sept.) 71 Poole, Lamont R. and Whitesides, John L. Suspension-line wave motion

during the lines-first parachute unfurling process. (AIAA J) 38 Portnoy, H. (AIAA J; see Cohen, M. J.)

Postula, Frank D. (JSR, SYN; see Bradshaw, George B.)

Potter, J. Leith Boundary-layer transition on cones near Mach one. (AIAA J. TN) 570

Powers, William F. (JSR; see Jacobson, Robert A.)

Prabhu, M. S. S. and Durvasula, S. Postbuckling behavior of clamped skew plates. (AIAA J. TN) 1423

Prasad, Anant and Agrawal, H. C. Biot's variational principle for aerodynamic ablation of melting solids. (AIAA J. TN) 250

Prasad, B. (AIAA J; see Radhamohan, S. K.)

Presz, Walter M., Jr. and Pitkin, Edward T. Flow separation over axisymmetric afterbody models. (JA) 677

Price, C. F. (JSR, EN; see Messner, A. M.)

Pringle, Ralph, Jr. Effect of perturbed orbital motion on a spinning symmetrical satellite. (JSR) 451

Prins, Dougal W. S. (A/ A, Sept.; see Colby, Starr J.)

Pritchard, E. Brian, Harrison, Edwin F., and Moore, Jesse W. Options for Mars exploration. (A/ A, February) 46

Probst, E. P. and Hillberry, B. M. Fatigue crack delay and arrest due to

single peak tensile overloads. (AIAA J) 330
Prussing, John E. (AIAA J; see Gross, Larry R.)
Przemieniecki, J. S. Reply by author to W. H. Wittrick. (AIAA J, TC) 124

Putz, Kurt E. (JSR; see Cooper, Larry)

Quantock, Charles W. (PS, V. 32; see Waltz, Donald M.)

Quinn, B. (JA; see Campbell, D. R.)

Raab, Bernard (JSR, SYN; see Frey, Elmer J.) Radhamohan, S. K. (AIAA J, TN; see Rao, G. Venkateswara)

Radhamohan, S. K. and Prasad, B. Asymmetric buckling of toroidal shells under axial tension. (AIAA J) 511

Radley, Roger J., Jr. (AIAA J.; see Havener, Albert G.) Raeder, J. (AIAA J., TN; see Daily, J. W.) Ragan, Ralph R. Report. (JSR, E) 1

Raghunandan, B. N. (AIAA J, TN; see Mukunda, H. S.)

Raghunathan, S. (AIAA J. TN; see Bergstrom, E. R.)

Ragsdale, W. C. (PS, V. 34; see Spring, W. C., III)

Raju, I.S. (AIAA J. TN; see Rao, G. Venkateswara)

Rakich, J. V. (AIAA J. SYN; see Tannehill, J. C.)

Ramachandra, S. M. (JA, EN; see Bera, Rajendra K.)

Ramaiah, G. K. and Vijayakumar, K. Buckling of polar orthotropic annular plates under uniform internal pressure. (AIAA J) 1045

Ramsden, Philip (JSR, EN; see Usiak, Leonard)

Randall, Roger R. (A/ A, July-August; see Van Allen, James A.)

Ransford, G. A., Hildebrand, C. E., and Ondrasik, V. J. Orbit determination capability analysis for the Mariner-Jupiter-Saturn 1977 mission. (JSR) 658

Rao, B. V. A. (JSR, SYN; see Bhat, B. Rama)
Rao, G. N. V. Comment on "Mean velocity profile of a thick turbulent boundary layer along a circular cylinder." (AIAA J. TC) 574

Rao, G. Venkateswara, Radhamohan, S. K., and Raju, I. S. Reinvestigation of buckling of shells of revolution by a refined finite element. (AIAA J. TN) 100

Rao, Prabhakara P. Inviscid supersonic far wake flow past pointed bodies. (AIAA J, SYN) 421

Rao, Prabhakara P. and Lefferdo, James M. Time-saving asymptotic solution for sphere-cones in hypersonic flow. (AIAA J, TN) 386

Rao, V. Seshagiri (JSR, EN; see Srinivasan, K.)

Rao, Y. V. K. Sadasiva and Sinha, P. K. Vibrations of sandwich plates under uniaxial compression. (AIAA J, TN) 1282

Rapuano, R. A. and Shimasaki, N. Synchronization of Earth stations to satellite-switched sequences. (PS, V. 33) 411

Raseman, Chad J. (JSR; see Ludewig, Hans)

Rasmussen, Maurice L. (AIAA J. TN; see Fiorino, Thomas D.)

Rasool, S. I. (A/A, Sept.; see Beckman, J. C.)

Rastogi, R. P. and Deepak, Desh Char formation in ablatives. (AIAA J. TN) 114

Rastogi, R. P., Kishore, K., and Chaturvedi, B. K. Heterogeneous combustion studies on polystyrene and oxygen styrene copolymer. (AIAA J) 1187

Rastogi, R. P., Kishore, K., and Singh, Gurdip Combustion of polystyrene and oxygen-styrene copolymer/ammonium perchlorate propellants. (AIAA J, SYN) 9

Rastogi, R. P., Singh, H. J., and Kishore, K. Studies on mixed fuelshydrazine and ethyl alcohol system. (AIAA J, TN) 227

Rathi, Jaipal S. (AIAA J. TN; see Hall, J. Gordon)

Ray, A. M. (JSR; see Tewell, J. R.)

Ray, Edward J. (JA; see Kilgore, Robert A.)

-(A/ A, Oct.; see Polhamus, E. C.)

Rebont, Jean (AIAA J. TN; see Maresca, Christian)

Reda, Daniel C. Comment on "Calculation of turbulent boundary-layer shock-wave interaction." (AIAA J, TC) 1291

Redd, L. T., Gilman, J., Jr., Cooley, D. E., and Sevart, F. D. Windtunnel investigation of a B-52 model flutter suppression system. (JA) 659
Redall, Walter F., III Reply by author to I. Beckwith (AIAA J. TC) 1616

Reddy, K. R. Unsteady vortex flow past an inflating, decelerating wedge. (JA, EN) 427

Reddy, R.S. (AIAA J. TN; see Weston, Kenneth C.)

Rediess, Herman A. (JA; see Johnson, Walter A.)

Redman, M. C. (JA; see Rowe, W. S.)

Reed, R. Dale RPRVs: The first and future flights. (A/ A, April) 26

Reeder, J. C. (JSR; see Niblock, G. A.)

Reedy, Gary K. (JSR; see Strand, Leon D.) Reese, Charles D. and Bert, Charles W. Buckling of orthotropic sandwich cylinders under axial compression and bending. (JA) 207 Reeves, Barry L. Two-layer model of turbulent boundary layers. (AIAA

JI 932

Regnier, P. R., Moya, F., and Taran, J. P. E. Gas concentration measurement by coherent Raman anti-Stokes scattering. (AIAA J) 826 Rehfield, L. W. Nonlinear flexural oscillations of shallow arches. (AIAA J. TN) 91

-Large amplitude forced vibrations of elastic structures. (AIAA J, TN)

Rehfield, L. W., Giri, J., and Sparrow, C., A. Edge restraint effect on vibration of curved panels. (AIAA J. TN) 239

Reidel, B. (PS, V. 33; see Eckhardt, G.)

Reinecke, W. G. Debris shielding during high-speed erosion. (AIAA J. TN1 1592

Reinhardt, Thomas F. (JSR; see Shorr, Morton)
Reshotko, Meyer, Goodykoontz, Jack H., and Dorsch, Robert
G. Engine-over-the-wing noise research: (JA, SYN) 195
Reukauf, Paul J. (JA; see Webb, William L.)

Rex, D. and Kohnecke, B. Redundant configuration of electric propulsion systems for stationkeeping. (JSR) 488

Reynolds, Philip A. Ground testing and simulation-An overview: Part III: Flight simulation. (A/A, July-August) 58

Rich, Ben R. F-12 series aircraft aerodynamic and thermodynamic design in retrospect. (JA) 401

Richardson, Ryden L. and Peralta, Bernal Refining of turbine fuels by modern hydrotreating. (JA) 771

Richie, Christine B. (JA, EN; see Jones, Robert A.)

Ricks, Brad L. (JH; see Hanks, Richard W.) Ridihalgh, John L. (JSR; see Eggers, Philip E.)

Riedmuller, Wolfgang (AIAA J; see Nakamura, Takashi)

Rindal, Roald A. (JSR; see Wool, Mitchell R.) Rinker, George C. (JSR; see Jacobson, Robert A.)

Robben, Frank (AIAA J; see Becker, Manfred)

Robbins, B. and Lakshminarayana, B. Effect of inlet turbulence on compressor noise. (JA) 273 Roberts, B. W. Aerodynamic inflation of shell type, parachute structures.

(IA) 390

-Axisymmetric, self-excited oscillations in parachutes. (JA) 736

Roberts, C. C., Jr. and Feldman, K. T., Jr. A probabilistic approach to the design of heat pipes. (PS, V. 35) 371 Roberts, J. B. Probability of first passage failure for stationary random

vibration. (AIAA J) 1636

Robertson, J. M. (AIAA J. TN; see Evbuoma, S. N.) Robertson, S. R. (AIAA J; see Brunelle, E. J.)

Robinson, C. E. (JA; see German, R. C.)

Robinson, Lawrence Baylor and Yang, Tien Tsai Inverse relationships in equilibrium statistical thermodynamics. (AIAA J. TN) 1433

Rodden, J. J. (JSR; see Lebsock, K. L.) Rodden, William P., Giesing, Joseph P., Kalman, Terez P., and Rowan, Jack C. Comment on "A finite-element method for calculating aerodynamic coefficients of a subsonic airplane." (JA, TC) 366

Rodkiewicz, Czesław M. Hypersonic flow with viscous interaction over a sharp slender wedge. (AIAA J. SYN)

Rogers, David F, Further comments on "Local nonsimilarity boundary-layer solutions." (AIAA J, TC) 1007

Rogers, Kenneth H. Boundary-layer theory for pressure and drag of a

wavy surface. (JA) 382 Rogers, R. C. and Eggers, J. M. Supersonic combustion of hydrogen injected perpendicular to a ducted vitiated airstream. (AIAA J. SYN)

Rohy, David A. (PS, V. 34; see Van Roberts, J.)

Rom, J. (JA; see Braha, J.)

Roper, Alan T. and Gentry, Garl L. Growth of turbulent boundary layers over nonstationary boundaries. (AIAA J. TN) 95 Rosciszewski, J. J. and Yeh, T. T. Establishment of quasi-steady con-

ditions in a blow-down nonequilibrium MHD generator. (AIAA J)

Rose, P. G. (AIAA J: see Rowlands, R. E.)

Rose, William C. Turbulence measurements in a compressible boundary layer. (AIAA J) 1060

(AIAA J. TN; see Rubesin, M. W.)

Rosen, Aviv and Singer, Josef Effect of axisymmetric imperfections on

the vibrations of cylindrical shells under axial compression. (AIAA J.

Rosen, Gerald Manufacture and deflagration of an atomic hydrogen propellant. (AIAA J) 1325

Rosen, J. M. and Greegor, R. Jet engine soot emission measured at altitude. (JA, EN) 243

Rosen, S. G. (JSR; see Huberman, M. N.)

Rosenberg, N. W., Good, R. E., Vickery, W. K., and Dewan, E. M. Experimental investigation of small scale transport mechanisms in the stratosphere. (AIAA J) 1094

Rosenthal, L. A. and Menichelli, V. J. Thermal coupling measurement method. (JSR) 282

Roskam, Jan and Henry, Samuel Synthesis of a separate surface wing leveler. (JA, SYN) 657

Ross, R. Boundary-layer transition on the same model in two supersonic wind tunnels. (AIAA J. TN) 992 Rossbach, Dennis R. (PS, V. 34; see Couch, Robert P.)

Roth, R. S. (AIAA J; see Shiau, A. C.)

Rothwell, W. S. and Schick, H. L. Emission spectra from a stream of cooling particles. (JSR, EN) 597

Rouklove, P. Performance testing of a transit generator at JPL. (JSR, EN1 434

Roux, J. A. and Smith, A. M. Comparison of three techniques for solving the radiative transport equations, (PS, V. 35) 3

and Smith, A. M. Radiative transport analysis for plane with isotropic scattering and arbitrary temperature. (AIAA J) 1273

Roux, J. A., Smith, A. M., and Shahrokhi, F. Effect of boundary conditions on the radiative reflectance of dielectric coatings, (PS, V. 35) 131 Rowan, Jack C. (JA, TC; see Rodden, William P.)

Rowe, W. S., Winther, B. A., and Redman, M. C. Unsteady subsonic aerodynamic loadings caused by control surface motions. (JA) 45

Rowlands, R. E., Liber, T., Daniel, I. M., and Rose, P. G. Stress analysis of anisotropic laminated plates. (AIAA J) 903 Roy, Sreedhan Reply by author to T. Y. Na. (AIAA J. TC) 1775

Rubesin, M. W., Murphy, J. D., and Rose, W. C. Wall shear in strongly retarded and separated compressible turbulent boundary layers. (AIAA J. TNI 1442

Rubin, S. G. (AlAA J; see Lin, T. C.) Rudey, C. J. (JSR; see DeBrock, S. C.)

Rudinger, George Experimental investigation of gas injection through a transverse slot into a subsonic cross flow. (AIAA J. TN) 566

Penetration of particles injected into a constant cross flow. (AIAA J.

Rudisill, Carl S. Derivatives of eigenvalues and eigenvectors for a general matrix. (AIAA J. TN) 721.

Rudy, David H. and Birch, Stanley F. Mean flow development and surface heating for an attaching compressible free shear layer. (JSR, EN) 348

Ruo, S. Y. (AIAA J; see Kimble, K. R.)

Ruo, S. Y., Yates, E. Carson, Jr., and Theisen, J. G. Calculation of unsteady transonic aerodynamics for oscillating wings with thickness.

Rupp, H. (PS, V. 33; see Eckhardt, G.)

Ruppe, Harry O. Helios/ the sungrazer. (A/ A. June) 62 Following the trail blazed by Helios. (A/ A, July-August) 53

Russell, P. E. (JA; see Nolte, E. P.) Saad, Michel A. and Goldwasser, Samuel R. Time-temperature simulation in low-pressure ignition of hypergolic liquids. (AIAA J. SYN)

Saaski, E. W. Gas occlusions in arterial heat pipes. (PS, V. 35) 353 Sabbaghian, M. and Eslami, M. R. Creep relaxation of nonaxisymmetric

thermal stresses in thick walled cylinders. (AIAA J) 1652 Sachs, Gottfried Stability limits for downsprings. (JA, EN) 710

Saced, Iftikhar and Stuiver, Willem Periodic boom forces in dumbbelltype satellites moving in a circular orbit. (AIAA J. SYN) 423

Safarik, R. R. (AIAA J. TN; see Kirchhoff, R. H.) Saffman, P. G. and Wilcox, D. C. Turbulence-Model predictions for turbulent boundary layers. (AIAA J) 541

Saffren, Melvin M. (A/ A, July-August; see Wang, Taylor G.) Sagartz, Mathias J. Response of a three-layered ring to an axisymmetric npulse. (AIAA J. TN) 390

Saintsbury, J. A. (JA; see Eatock, H. C.)

Saito, Haruo (AIAA J; see Tsuchiya, Kazuo) Sajben, M. An integral theory for inviscid, rotational flow in variable area ducts. (AIAA J, TN) 378

Salkeld, Robert Single-stage shuttles for ground launch and air launch. (A/ A, March) 52

Sallet, D. W. Reply by author to P. R. Payne. (JH, TC) 123

Salomon, M. (JA; see Braha, J.)

Salzman, P. K. and Duncan, T. C. Prediction of the critical diameter of composite propellants. (AIAA J) 985 amin, J. -C. (AIAA J; see Boland, P.)

Sandell, N. R., Jr. (AIAA J; see Scharmack, D. K.)

Sanders, Robert OMEGA-Past, present, and future. (A/ A, April) 50 Sanderson, Richard B. (PS, V. 35; see Thompson, Samuel B.)

Sandhu, G. S. Rigid body mode pointing accuracy and stability criteria for an orbiting spacecraft. (JSR, EN) 599
Sandman, B. E. and Kelly, J. G. Systems identification: Application to

underwater vehicle dynamics. (JH) 94

Sandri, R. (AIAA J; see Wong, J. K. S.) Sanjurjo, Liber (JA; see Dat, Jacques)

San Miguel, Anthony Design of missile-aircraft component white noise isolators. (JA) 704

Sanscrainte, W. (JSR; see Chazen, M. L. Santman, Don M. (JA; see Glasgow, Edsel R.) Saradhy, Y. P. (AIAA J, TN; see Dhameja, R. K.) Sarles, F. W., Jr. (PS, V. 32; see Kale, P. P.)

Sarpkaya, Turgut Effect of the adverse pressure gradient on vortex breakdown. (AIAA J) 602

Savet, Paul H. (JSR, EN; see Cohen, Victor D.) Sawyer, James Wayne (JA; see Shyprykevich, Peter)

Saver, L. H. (JSR; see Mihlfeith, C. M.)

Scaccia, Carl and Kennedy, Lawrence A. Calculating two-dimensional chemically reacting flows. (AIAA J) 1268 Schadow, K. (AIAA J; see Abbott, S. W.)

Scharmack, D. K. and Sandell, N. R., Jr. Generalized quasi-linearization method. (AIAA J) 1236

Schenk, Frederick L. (JA; see McMaster, John R.)

Scher, M. P. and Farrenkopf, R. L. Dynamic trap states of dual-spin spacecraft. (AIAA J) 1721

Schexnayder, Charles J., Jr. (JSR; see Evans, John S.)

Schexnayder, C. J., Jr. and Evans, J. S. Influence of ablation impurities on blunt body re-entry ionization. (AIAA J) 805 Schick, H. L. (JSR, EN; see Rothwell, W. S.)

Schiehlen, Werner O. Fine pointing system for large orbiting telescopes. (JSR, SYN) 273

Schiring, Earl E. (AIAA J; see de Virgilio, Miguel A.) Schlack, A. O., Jr. (AIAA J, TN; see Dong, W. N.)

Schlichting, Hermann Recent Progress in boundary-layer research. (AIAA J. 37th Wright Brothers Lecture) 427

Schmall, Robert A. and Kinney, Robert B. Numerical study of unsteady viscous flow past a lifting plate. (AIAA J) 1566

Schmars, W. T. (JSR; see Cooper, G. L.)

Schmidt, Robert (AIAA J, TN; see DaDeppo, Donald A.)

Schmit, L. A., Jr. and Farshi, B. Some approximation concepts for structural synthesis. (AIAA J) 692

Schmitt, George F., Jr. On the dependence of materials erosion on environmental parameters at supersonic velocities. (JA, ERR) 192 Schmitt, R. J., Linford, R. M. F., Dillow, C. F. and Hughes, T.

A. Infrared properties of reusable surface insulations. (PS, V. 35) 183 Schmitz, Peter D. and McManus, Neil P. Average structural response to locally stationary random excitation. (AIAA J. TN) 229

Schneider, G. E. and Yovanovich, M. M. Correlation of the over-all thermal resistance of metallic 0-rings contacting two cylinders. (JSR,

Schnurr, N. M. and Cothran, C. A. Radiation from an array of gray circular fins of trapezoidal profile. (AIAA J) 1476

Schock, Alfred (JSR, SYN; see Frey, Elmer J.) Schroeder, K. G. Characteristics and applications of multibeam

spacecraft antennas. (PS, V. 33) 503 Schueler, C. J. (AIAA J, SYN; see Starr, R. F.)

Schulz, R. J. and Bauer, R. C. Rocket plume testing in ground test

facilities. (JSR) 16 Schulze, Hans-Kurt (JA, EN; see Henschel, Frohmut)

Schultz, August L. (JSR; see Strand, Leon D.) Schultz, Robert L. Fuel optimality of cruise. (JA, EN) 586

Schumacher, G. A. (PS, V. 34; see Farr, A. P.) Schuster, John R. (JSR; see Ward, Theodore E.)

Schuster, John R., Glickman, Roger A., and Hender, Douglas R. Transpiration nosetip coolant flow control. (JSR) 152

Schutz, Bob E. Analytical approach to orbit determination in the presence of model errors. (AIAA J) 298

Schutz, B. E., McMillan, J. D., and Tapley, B. D. Comparison of statistical orbit determination methods. (AIAA J, SYN) 1465

Schwartz, L. (PS, V. 32; see Sielman, P. F.)

Schwartz, Sidney H. (JSR; see Lovrich, Thomas M.)

Schwedland, Ronald P. and Hall, Morris F. Instrumenting a stoichiometric turbine development engine. (PS, V. 34) 387 Schweikhard, William G. and Montoya. Earl J. Research in-

strumentation requirements for flight/ wind-tunnel tests of the YF-12 propulsion system and related flight experience. (PS, V. 34) 19

Schwenzfeger, Klaus J. Contribution to regularization in optimal trajectory problems. (AIAA J) 850
Scott, David S. (AIAA J, TN; see Collier, Robert P.)

Seals, R. K., Jr. (AIAA J; see Brockman, Philip)

-Analysis of tunable laser heterodyne radiometry: Remote sensing of atmospheric gases. (AIAA J) 1118

Sears, W. R. On calculation of induced drag and conditions downstream of a lifting wing. (JA, EN) 191

Seebass, A. R. and George, A. R. Design and operation of aircraft to minimize their sonic boom. (JA) 509

Seemann, Gerald R., Harris, Gordon L., Brown, Glen J., and Cullian, Charles A. Remotely piloted mini-blimps for urban applications. (A/ A, February) 31

Seginer, A. (JA; see Braha, J.) Segletes, John A. Explicit numerical method for solution of heat-transfer problems. (AIAA J. SYN) 1463

Seidel, F. (JSR, SYN; see Liebing, L.)

Seifert, Howard S. (JSR; see Meetin, Ronald J.)

Seltzer, S. M. (JSR; see Kuo, B. C.)

Serafini, John S. and Terdan, Fred F. Plasma fluctuations in a Kaufman thruster. (JSR) 752

Serra, Raymond A. (AIAA J, SYN; see Ganz, Anthony A.)

Sevart, F. D. (JA; see Redd, L. T.)

Shackleford, W. L., Witte, A. B., Broadwell, J. E., Trost, J. E., and Jacobs, T. A. Experimental measurements in supersonic reacting (F+H2) mixing layers. (AIAA J. SYN) 1009

Shaffernocker, W. M. Current state-of-the-art for airbreathing combustor

measurements. (PS, V. 34) 227 Shahrokhi, F. (PS, V. 35; see Roux, J. A.) Shang, J. S. Computation of hypersonic turbulent boundary layers with

heat transfer. (AIAA J, SYN) 883

Shanks, S. P. (AIAA J; see Thompson, J. F.)
Sharifi, P. and Yates, D. N. Nonlinear thermo-elastic-plastic and creep analysis by the finite-element method. (AIAA J) 1210
Sharma, J. P. On Murphy's stability criterion. (JSR, EN) 432

Sharma, S. C. (JA, EN; see Gupta, A. K.) Sharma, Subhash Chander and Stuiver, Willem Boom forces in librating dumbbell-type satellites. (AIAA J, SYN) 425

Sheffield, R. W. and Orbock, D. Ground testing and simulation-An

overview: Part V: Space simulation. (A/ A, July-August) 67 Sheinman, Izhak and Tene, Yair Buckling in segmented shells of revolution subjected to symmetric and antisymmetric loads. (AIAA J) 15

and Tene, Yair Reply by authors to G. A. Cohen. (AIAA J, TC) 1775

Shelor, D. E. (JSR, EN; see Fein, H. L.) Sherman, P. M. and Gell, D. Variable energy blast wave measurements. (AIAA J. TN) 117

Shiau, A. C., Roth, R. S., and Soong, T. T. Dynamic buckling of conical shells with imperfections (AIAA J) 755

Shideler, John L. (JA; see Musgrove, Max D.)

Shimasaki, N. (PS, V. 33; see Rapuano, R. A.) Shioda, Susumu and Yamasaki, Hiroyuki Suppression of ionization instability in an MHD disk generator. (AIAA J, TN) 1763

Shorr, Morton and Reinhardt, Thomas F. Feasibility of a fluidized powder demand-mode gas generator. (JSR) 29 Shoup, T. E. (JSR, EN; see Fletcher, L. S.)

Shrestha, Gambhir M. Approximate method for solving boundary-layer equations. (AIAA J, TN) 382

Shumaker, H. A. (PS, V. 33; see Herron, B. G.)

Shyprykevich, Peter and Sawyer, James Wayne Flutter of orthotropic panels at arbitrary yaw angles-Experiment and theory. (JA) 15

Sibley, R. K. Engine condition monitoring as a part of the propulsion management concept. (PS, V. 34) 463 Siddiqi, Toufiq F. Parameters of technological growth: What makes an

optimist? (A/ A, June) 15 Sielman, P. F., Schwartz, L., and Noji, T. T. Multiple beam communications satellites with remote beam steering and beam shaping. (PS,

Siemers, Paul M., III (JSR; see Steinberg, Sy)

Siler, L. G. (AIAA J; see Pate, S. R.)

Simmons, N. The United Kingdom program of communications satellites. (PS. V. 321 293

Simodynes, E. E. Gradient optimization of structural weight for specified flutter speed. (JA) 143

Simpkins, Darrell, Neulieb, Robert L., and Golden, Dennis

J. Fatigue—A test integrated damage modeling approach. (JA) 563 Simpson, J. O. (JSR; see Follett, W. H.) Singa-Rao, K. and Amba-Rao, C. L. Analysis of axisymmetric shells by

transfer matrix method. (JSR) 829
Singer, A. and Minkowski, J. M. Role of plasma boundary conditions in the comparison of electron plasma temperatures. (AIAA J, TN) 876

and Minkowski, J. M. Basic limitation in microwave measurement of

plasma temperature. (AIAA J, TN) 1286 Singer, Josef (AIAA J, TN; see Rosen, Aviv) Singh, Anand V. (AIAA J, TN; see Mirza, Shaukat) Singh, G. (JSR; see Kuo, B. C.)

Singh, Gurdip (AIAA J. SYN; see Rastogi, R. P.)

Singh, H. J. (AIAA J, TN; see Rasotgi, R. P.)

Singh, I. (AIAA J; see Tsou, F. K.) Singh, J. P. (PS, V. 32; see Morgan, R. P.)

Singletary, H. J. Growing procedural problems of washing mammoth aircraft. (JA, EN) 587

Singleton, Robert E. and Nash, John F. Method for calculating unsteady turbulent boundary layers in two- and three-dimensional flows. (AIAA I) 590

Sinha, P. K. (AIAA J, TN; see Rao, Y. V. K. Sadasiva)

Sinha, Ram Torque development on a spherical body due to spin up of the concentric spherical container. (AIAA J, TN) 404

Skala, George F. The in-line oil monitor and its role in engine conditions monitoring. (PS, V. 34) 499

Skifstad, J. G. (AIAA J; see Meese, R. A.)

Slabinski, Victor J. Variation in range, range-rate, propagation time delay, and Doppler shift for a nearly geostationary satellite. (PS, V. 33) 3

Slayman, Roberg G. (JSR; see Steinberg, Sy)
Small, L. L. and Longstreet, C. S. An ultrasonic turbine inlet gas temperature sensor. (PS, V. 34) 437
Smith, A. M. (PS, V. 35; see Roux, J. A.)
Smith, C. V., Jr. (AIAA J: see Smith, Donald R.)

Smith, Dennis R. (AIAA J. TN; see Murphree, David L.)

Smith, Donald R. and Smith, C. V., Jr. When is Hamilton's principle an extremum principle? (AIAA J) 1573 Smith, G. Charles C. (JA, SYN; see Appa, Kari)

Smith, Jimmie H. Thermal analysis for antenna window in AGM nosetip. (JSR, EN) 198

Smith, Neill S., Hassan, H. A., and McInville, Roy M. Small signal gain calculations for high-flow CO discharge lasers. (AIAA J, SYN) 1619

Smith, Raymond (AIAA J, TN; see Kaloni, Purna N.) Smith, Russell A. (AIAA J, SYN; see Mowlem, A. Robin)

Smith, R. H. and Burcham, F. W., Jr. Instrumentation for in-flight determination of steady-state and dynamic inlet performance supersonic aircraft. (PS, V. 34) 41

Smith, T. F. and Hering, R. G. Surface roughness effects on bidirectional reflectance. (PS, V. 35) 145

Smithey, William J. H. Value of Mach angle for a given Prandtl-Meyer angle. (AIAA J, TN) 1596

Smoot, L. D. (AIAA J; see Abbott, S. W.)

Snedeker, Richard S. (JA; see Donaldson, Coleman duP.)

Snowball, H. M. Engine aids and the metrologist syndrome. (PS, V. 34) 505

Sobieszczanski, J. (JA, SYN; see Fulton, Robert E.)

——(AIAA J, TN; see Storaasli, Olaf O.) Soderman, Paul T. (JA; see Hersh, Alan S.)

Sohal, Manohar S. and Howell, John R. Thermal modeling of a plate with coupled heat-transfer modes. (PS, V. 35) 99

Sood, Des R. and Elrod, Harold G., Jr. Numerical solution of the incompressible Navier-Stokes equations in doubly connected regions. (AIAA J) 636

Soong, T. T. (AIAA J; see Shiau, A. C.)

Sorenson, Norman E. and Beneze, Daniel P. Possibilities for improved supersonic inlet performance. (JA) 288

Sotomayer, W. A. (AIAA J, ERR; see Pan, Y. S.)

Spangenberg, George High-low mix-Solution or problem? (A/A, Sept.) 18

Spangler, G. E. (JA; see Levy, S. A.)

Sparrow, C. A. (AIAA J, TN; see Rehfield, L. W.)

Spencer, T. M. Energy-sink analysis for asymmetric dual-spin spacecraft. (JSR) 463

—(JSR; see Follett, W. H.) Speyer, Jason (JA, EN; see Zeldin, Saydean)

Speyer, Jason L. and Gustafson, Donald E. Stochastic optimal control of linear dynamic systems. (AIAA J, SA) 1013
Spring, W. C., III and Ragsdale, W. C. Investigation of the use of

holography in studying supersonic flow in inlets. (PS, V. 34) 95 Spunt, Leonard A programing approach to optimal structural design using

structural indices. (AIAA J, TN) 865

Srinivasan, A. V. (AIAA J; see David Thomas S.)

-(AIAA J; see Dowell, E. H.)

Srinivasan, G. (AIAA J. TN; see Hall, J. Gordon)

Srinivasan, K., Rao, V. Seshagiri, and Murthy, M. V. Krishna Design considerations for space chamber cryopanels. (JSR, EN) 862 Sriramulu, A. N. (AIAA J, TN; see Baijal, S. K.)

Staffs of Space Dept., APL, and G&C Control Lab., Stanford U. A satellite freed of all but gravitational forces: "TRIAD I." (JSR) 637

Stahle, Clyde V. (AIAA J; see Kuhar, Edward J.) Stake, W. R. (AIAA J, TN; see Ericsson, L. E.)

Stallings, D. W. (AIAA J; see Pate, S. R.)

Starr, R. F. and Schueler, C. J. Experimental studies of a Ludweig tube high Reynolds number transonic tunnel. (AIAA J. SYN) 267

Stauffer, John K. (JA, EN; see Der, Joe, Jr.)

Stearman, R. (JA; see Nolte, E. P.)
——(AIAA J; see Horn, W.)

Steenken, W. G. Effect of transducer diameter on resolution of total pressure fluctuations in a turbulent flow. (PS, V. 34) 167

Steinle, Frank W., Jr. (JA, TC; see Murman, Earll M.)

Stengel, Robert F. Optimal guidance for the space shuttle transition.

Stepner, David E. (JA; see Mehra, Raman K.)

Steinberg, Sy, Siemers, Paul M., III, and Slayman, Robert G. Development of the Viking parachute configuration by wind-tunnel investigation. (JSR) 101

Steiner, Jack Airline airplanes for the eighties-A response. (A/A, March) 42

Stermole, F. J. (JSR; see Bain, R. L.)

Steven, Grant P. Stress diffusion in thick stiffened panels. (JA, EN) 779 Stevens, Frank L. (AIAA J; see Cohen, Charles J.)

Stine, H. A. (JSR; see Vorreiter, J. W.)

rski, R. S., Cicerone, R. J., and Nagy, A. F. Impact of space shuttle orbiter re-entry on mesospheric NO_x. (AIAA J, TN) 395 Stollery, J. L. (AIAA J, TN; see Coleman, G. T.)

Stone, D. R. (AIAA J. SYN; see Throckmorton, D. A.)

Storassli, O. (JA, SYN; see Fulton, Robert E.)
Storassli, Olaf O. and Sobieszczanski, Jaroslaw On the accuracy of the Taylor approximation for structure resizing. (AIAA J. TN) 231

Strand, Leon D., Schultz, August L., and Reedy, Gary K. Microwave Doppler shift technique for determining solid propellant transient sion rates. (JSR) 75

Straub, William L., Jr. Managerial implications of computerized aircraft design synthesis. (JA) 129

Stuart, Richard J. and Carney, John F., III Vibration of annular plates with edge-beams. (AIAA J, SYN) 5 Stuiver, Willem (AIAA J, SYN; see Saeed, Iftikhar)

-(AlAA J, SYN; see Sharma, Subhash Chander)

Dynamics and configuration control of two-body satellite systems. (JSR, SYN) 545

Sturek, Walter B. Turbulent boundary-layer shear stress distributions for compressible adverse pressure gradient flow. (AIAA J. TN) 375 Sturman, John C. (PS, V. 34; see Lesco, Daniel J.)

Sturrock, Peter A. UFO reports from AIAA members. (A/ A. May) 60

Su, Y.-W. T. (AIAAJ; see Craig, R. R., Jr.)
Subramanian, N. R. (JA, EN; see Krishnamurthy, V.)
Sullivan, Edmund, Jr. Study of wind effects on electrostatic autopilots. (JA) 221

Reply by author to M. L. Hill and W. A. Hoppel. (JA, TC) 782 Sullivan, Roger D. (JA; see Donaldson, Coleman duP.)

Sullivan, Thomas E. (JA, EN; see Burnham, David C.)

Summerfield, M. (AIAA J; see Abdelhamid, A. N.) -(AIAA J; see Kuo, K. K.)

-(AIAA J; see Kubota, N.)

Sun, Chen-Chih and Childs, Morris E. Flowfield analysis for succ oblique shock wave-turbulent boundary-layer interactions. (JA) 54 Sun, C. T. and Lai, R. Y. S. Exact and approximate analyses of transient

wave propagation in an anisotropic plate. (AlAA J. TN) 1415 Sun, John (AlAA J; see Nayfeh, Ali Hasan) Sun, Y.S. (AlAA J; see Ueng, C. E. S.)

Sutton, George W. Editorial. (AIAA J. E) 1

Sutton, James G. Shuttle extra-vehicular life support equipment. (JSR, EN1 442

Sutton, Kenneth Coupled nongray radiating flow about ablating planetary entry bodies. (AIAA J) 1099
Suyderhoud, H. G. and Onufry, M. Performance of a digital adaptive echo canceller in a simulated satellite circuit environment. (PS, V. 33)

Swales, P. D., McGregor, R. C., and Wright, A. J. Correlation of force easurements and separated flow regions on surface piercing struts. (JH, Swaney, Thomas G. (AIAA J, TN; see Janssen, Terry L.)

Swanson, D. E. and Crowe, C. T. Cylindrical wing-body configurations for space-limited applications. (JSR, EN) 60 Swigart, Rudolph J. Cross-hatching studies-A critical review. (AIAA J.

SAI 1301

Switzky, Harold and Wang, Ping-Chun Minimum weight design of finite element structures. (AIAA J) 170

Synofzik, R. (AIAA J, TN; see Garen, W.

Tabaddor, F. (JSR, EN; see Chen, C. H. S.)

Tabakoff, W. (AIAA J, SYN; see Hamed, A.)

Tai, Tsze Cheng Transonic inviscid flow over lifting airfoils by the method

of integral relations. (AIAA J) 798
—Comment on "Analysis of embedded shock waves calculated by relaxation methods." (AIAA J, TC) 735 Takayama, K. Laminar boundary layer behind a shock wave propagating

along perforated walls. (AIAA J, TN) 1152
Talbot, L. (AIAA J, SA; see Chung, P. M.)

Tannehill, J. C., Mohling, R. A., and Rakich, J. V. Numerical com putation of hypersonic viscous flow over a sharp leading edge. (AIAA J.

Tanner, M. Comment on "The lift force due to von Karman's vortex wake." (JH, TC) 123

Tapley, B. D. (AIAA J, SYN; see Schutz, B. E.)

Taran, J. P. E. (AIAA J; see Regnier, P. R.)

Tarzanin, F., Jr. (JA; see Gabel, R.) Tate, Atsushi (AIAA J, TN; see Inouye, Kenji)

Tawakley, V. B. Similarity laws for missiles of minimum ballistic factor. (JSR, EN) 671

Taylor, Allan A. and Hoffman, Joe D. Design of maximum thrust nozzles for nonequilibrium chemically reacting flow. (AIAA J. SYN) 1200

Taylor, Clayborne D. (AIAA J; see Murphree, David L.)

Taylor, G. Q. (JSR, EN; see Messner, A. M.) Taylor, J. P. (JSR, EN; see Jenkins, R. B.)

Telionis, Demetri P. (AIAA J; see Nayfeh, Ali Hasan)

-(AIAA J; see Tsahalis, D. Th.)

Telionis, D. P. and Tsahalis, D. T. Response of separation to impulsive changes of outer flow. (AIAA J) 614

Tene, Yair (AIAA J; see Sheinman, Izhak) -(AIAA J, TC; see Sheinman, Izhak)

Teper, Gary L. (JA; see Johnson, Walter A.)

Terdan, Fred F. (JSR; see Serafini, John S.) Teske, M. (AIAA J; see Lewellen, W. S.)

Test, Frederick L. Analytical prediction of the influence of polymer additives on the shear drag of bodies of revolution. (JH, SYN) 45 Tewell, J. R., Ray, A. M., Meirick, R. P., and Polhemus, C.

E. Teleoperator visual system simulations. (JSR) 418

Theisen, J. G. (JA; see Ruo, S. Y.)

Theobald, Richard T. Attitude motion of a roll accelerated vehicle. IJSR, EN1 857

Thomassen, K. I. (JSR; see Vondra, R. J.)
Thompson, J. F., Shanks, S. P., and Wu, J. C. Numerical solution of three-dimensional Navier-Stokes equations showing trailing tip vortices. (AIAA J) 787

Thompson, Samuel B., Arnold, Frederick, Sanderson, Richard B., and Mantz, Arlan W. Optical properties of cryodeposits on low scatter mirrors. (PS, V. 35) 229

Thornton, C. L. and Finley, S. G. Square-root algorithm for evaluating mismodeled process noise. (JSR) 223

Thornton, W. A. and Majumder, D. K. Reanalysis information for eigenvalues derived from a differential equation analysis formulation. (AIAA 1. TN) 1749

Throckmorton, David A. (JSR, EN; see Dunavant, James C.)
Throckmorton, D. A. and Stone, D. R. Model wall and recovery temperature effects on experimental heat-transfer data analysis. (AIAA J, SYN) 1169

Tien, C. L. and Cunnington, G. R. Radiation heat transfer in multilayer insulation having perforated shields. (PS, V. 35) 65
Timmons, J. D. (JSR; see Moog, R. D.)
Tiroshi, Igal and Elliott, Jarrell R. Explicit model following control

scheme incorporating integral feedback. (JA, EN) 364

Tischler, A. O. Lower space costs mean more space flight. (A/ A, June)

Tomlinson, J. G. (JA; see Verkamp, F. J.)
Tong, Pin Nonlinear instability of a helicopter blade in hovering. (AIAA

-(AIAA J, TN; see Mau, S. T.)

Tong, Pin and Adachi, J. On the dynamic buckling of shells of revolution. (AIAA J. TN) 863

Topping, R.F. (PS, V. 34; see Louis, J. F.) Torda, T. Paul (AIAA J; see Morel, Thomas) Torvik, P. J. (JA, EN; see Cardea, G. C.) Touryan, K. J. (AIAA J, SA; see Chung, P. M.) Tramm, P. C. (JA; see Huffman, G. David) Tran, Nam C. (AIAA J, SYN; see Arndt, Roger E. A.)

Trapp, W. J. (AIAA J; see Yang, J.-N.)

Trexler, Carl A. Performance of an inlet for an integrated scramjet concept. (JA, EN) 589 Trolinger, J. D., Belz, R. A., and O'Hare, J. E. Holography of nozzles.

jets, and spraying systems. (PS, V. 34) 249 Trost, J. E. (AIAA J, SYN; see Shackleford, W. L.)

Tsahalis, D. Th. and Telionis, D. P. Oscillating laminar boundary layers and unsteady separation. (AIAA J) 1469

-(AIAA J; see Telionis, D. P.)

Tsou, F. K., Chou, P. C., and Singh, I. Apparent tensorial conductivity of layered composites. (AIAA J) 1693

Tsuchiya, Kazuo and Saito, Haruo Dynamics of a spin-stabilized satellite having flexible appendages. (AIAA J) 490

Tsuei, Y. G. (AlAA J, TN; see Nilson, R. H.) Tsui, Tien-Yu (AIAA J; see Lakshmikantham, C.) Turco, R. P. (AIAA J; see Whitten, R. C.) Turner, L., III (AIAA J; see Wu, J. C.)

Tyler, James S. (JA; see Mehra, Raman K.)

Ueng, C. E. S. and Sun, Y. S. Large elastic deformation of an inflatable membrane of revolution. (AIAA J) 761 Uman, M. A. (JSR; see Krider, E. P.)

Unruh, James F. and Bass, Robert L., III Doublet lattice-source method for calculating unsteady loads on cavitating hydrofoils. (JH) 146 Unsworth, K. (AIAA J, TC; see Bradshaw, P.)

Usiak, Leonard and Ramsden, Philip Minuteman III liquid propulsion system storage surveillance program. (JSR, EN) 792

Vachon, W. A., Fairbanks, D. R., Martorana, R. T., and Nathanson, D. Thermal control of the Apollo 17 lunar traverse gravimeter. (PS, V. 35) 517

Vaeth, J. Gordon The airship can meet the energy challenge. (A/A, February) 25 Vaicaitis, R., Dowell, E. H., and Ventres, C. S. Nonlinear panel response

by a Monte Carlo approach. (AIAA J) 685

Van Allen, James A. and Randall, Roger F. Jupiter's magnetosphere as observed with pioneer 10. (A/A, July-August) 14

Van Cleve, G. C. Inflight engine condition monitoring system. (PS, V. 34) 471

Vander Veen, Richard, Gentry, Roy, and Hoffman, Joe D. Design of shrouded-plug nozzles for maximum thrust. (AIAA J) 1193

Van Roberts, J. and Rohy, David A. Gas temperature-density (GTD) sensor for turbine inlet gas temperature measurement. (PS, V. 34) 355 Varsi, Giulio (AIAA J; see Back, Lloyd H.)

Varwig, R. L. Photographic observations of CW HF chemical laser

reacting flowfield. (AIAA J, TN) 1448 Varwig, Robert L. and Kwok, Munson A. CW HF chemical laser flow diagnostic measurements. (AIAA J) 208

Vatsa, V. N. (AIAA J; see Werle, M. J.)

Vendhan, C. P. and Dhoopar, B. L. Nonlinear vibration of orthotropic triangular plates. (AIAA J, ERR) 1008 Ventres, C. S. (AIAA J; see Vaicaitis, R.)

Venugopal, V. K. (AIAA J, TN; see Durgapal, U. C.)

Verdon, Joseph M. Unstead flow downstream of an airfoil oscillating in a supersonic stream. (AIAA J, TN) 999

Verdouw, A. J. (JA; see Verkamp, F. J.)

Verkamp, F. J., Verdouw, A. J., and Tomlinson, J. G. Impact of emission regulations on future gas turbine engine combustors. (JAI 340 Vicario, A. A., Jr., Freeman, W. T., Jr., and Casseday, E. D. High-temperature properties and failure criteria for rocket nozzle materials.

(ISR) 631

Vickery, W. K. (AIAA J; see Rosenberg, N. W.) Vier, W. F., III (JA; see Kutschenreuter, P. H., Jr.) Viets, Hermann (JA, SYN; see Boyle, Robert E., Jr.)

Vijayakumar, K. (AIAA J; see Ramaiah, G. K.)
Vincent, T. L., Cliff, E. M., Grantham, W. J., and Peng, W. Y. Some aspects of collision avoidance. (AIAA J, SYN) 3

Vinh, N. X. Series expansion of the eccentricity for near parabolic orbits.
(AlAA J, TN) 281

Viskanta, R. (PS, V. 35; see Bergstrom, R. W., Jr.)

Vondra, R. J. and Thomassen, K. I. Flight qualified pulsed electric thruster for satellite control. (JSR) 613

Vorreiter, J. W., Burns, J. J., Pitts, W. C., and Stine, H. A. Atmosphereentry behavior of a modular, disk-shaped isotope heat source. JSRI 308 Wadsworth, Donald van Z. Vinti solution for free-flight rocket trajectories. (AIAA J, TC) 1296

Wagner, D. A. (AIAA J; see Pate, S. R.) Wagner, Hans (JSR, SYN; see Bhat, B. Rama)

Walkden, F., Laws, G. T., and Caine, P. Shock capturing numerical method for calculating supersonic flows. (AIAA J) 642 Walker, J. S. (AIAA J, TN; see Evbuoma, S. N.)

Waltrup, Paul J. and Billig, Frederick S. Structure of shock waves in cylindrical ducts. (AIAA J. ERR) 736

Waltrup, Paul J. and Cameron, James M. Wall shear and boundarylayer measurements in shock separated flows. (AIAA J. TN) 878

Waltz, Donald M. and Quantock, Charles W. Manned Earth orbital laboratories to perform communications/ navigation research. (PS, V.

Wan, F. Y. M. and Lakshmikantham, C. Spatial correlation method and a time-varying flexible structure. (AIAA J) 700 Wang, Bo Ping (AIAA J; see Pilkey, Walter D.)

Wang, Chi R. (AIAA J, TN; see Zakkay, V.)

Wang, K. C. Laminar boundary layer near the symmetry plane of a prolate spheroid. (AIAA J) 949

Wang, Ping-Chun (AIAA J; see Switzky, Harold)

Wang, Taylor G., Saffren, Melvin M., and Elleman, Daniel D. Acoustical levitation for space processing. (A/A, July-August) 42 Ward, J. Richard Specific heat of X | 4 propellant. (AIAA J, TN) 107

Ward, Theodore E. and Schuster, John R. Cooland pressurization and expulsion for transpiration nosetips. (JSR) 518

Wardlaw, Andrew B., Jr. Prediction of yawing force at high angle of attack. (AIAA J, TN) 1142

Warsi, Z. U. A. One-parameter solution of the spanwise rotating blade boundary-layer equation. (AIAA J. TN) 1421

Warsi, Z. U. A. and Mertaugh, L. J. Estimation of turbulent energy dissipation using available transfer theories. (AIAA J, TN) 237

Washizu, Kyuichiro (AIAA J; see Goto, Norihiro) Wassel, A. T. and Mills, A. F. Combustion of carbon particles in a hypersonic turbulent boundary layer. (JSR) 803

Watson, H. H. H. (JSR; see Fearn, D. G.)

Watson, Leon E., Jr. (AIAA J, TN; see Oberkampf, William L.)

Weaver, William L. Mars surface-to-orbit vehicles for sample return missions. (JSR, EN) 426

Webb, Clifford M. Thermal design of a Saturn/ Uranus atmospheric entry probe. (PS, V. 35) 499
Webb, William L. and Reukauf, Paul J. Turbine inlet gas temperature

measurement system using a fluidic temperature sensor. (JA) 422 Weidenbaum, Murray L. Restoring private enterprise to the defense industry. (A/A, Nov.) 15

Weinberg, Felix J. (A/A, Nov.; see Oppenheim, Antoni K.) Weingarten, Norman C. (JA, SYN; see Hall, G. Warren) Weinstein, Leonard M. (AIAA J. SYN; see Fischer, Michael C.)

Weiss, I. M. Information content subsetting of highly correlated error sources. (AIAA J) 1726

Weisshaar, Terrence A. Influence of static aeroelasticity on oblique winged aircraft. (JA, EN) 247 -Influence of static aeroelasticity on oblique winged aircraft. (JA,

ERR) 784 Weisshaar, Terrence A. and Ashley, Holt Static aeroelasticity and the

flying wing, revisited. (JA,EN) 718 Wells, Gerald R. (AIAA J; see de Virgilio, Miguel A.)

Werle, M. J. and Vatsa, V. N. New method for supersonic boundary-layer separations. (AIAA J) 1491

Westerman, C. W. (PS, V. 33; see Gregorwich, W. S.)

Weston, Kenneth C. and Reddy, R. S. Unsteady temperature distribution in volume reflectors. (AIAA J, TN) 716 Weston, Robert P. (AIAA J; see Fearn, Richard)

Westphal, L. C. Optimal scheduling of a satellite control network using zero-one linear programing. (JSR, EN) 731 Wheatcroft, Stephen Aeroplanes for the eighties. (A/A, March) 34

Whisnant, J. M. (JSR, EN; see Lohfeld, R. E.)

Whitehead, Allan H., Jr. (JSR, EN; see Hefner, Jerry N.) Whitesides, John L. (AIAA J; see Poole, Lamont R.)

Whitfield, D. L., Lewis, J. W. L., and Williams, W. D. Measurements in the near field of supersonic nozzles for chemical laser systems. (AIAA J. TN) 870

Whitfield, Jack D. Ground testing and simulation—An overview: Part I: Economics. (A/ A, June) 54

Whitsett, C. E. (JSR; see Murtagh, T. B.)

Whitten, R. C. and Turco, R. P. Perturbations of the stratosphere and mesosphere by aerospace vehicles. (AIAA J) 1110
Whitworth, J. E. (PS, V. 32; see Henry, V. F.)

Widnall, Sheila E. (AIAA J; see Chu, Sing)
Widnall, William S. Filtering and smoothing simulation results for CIRIS inertial and precision ranging data. (AIAA J) 856

Wierum, F. A. (PS, V. 35; see Bannerot, R. B.)

Wilbur, Paul J. Performance of a fifteen-centimeter ion thruster with reliable restart capability. (JSR) 621

—Mercury flow meter for ion thruster testing. (JSR, EN) 728
Wilcox, David C. (AIAA J; see Saffman, P. G.)

-Reply by author to D. C. Reda. (AIAA J. TC) 1292

Wilcox, James C. Competitive evaluation of failure detection algorithms for strapdown redundant inertial instruments. (JSR) 525 Willems, P. Y. (AIAA J; see Boland, P.)

Williams, C. L. and Colwell, G. T. Heat pipe model accounting for variable evaporator and condenser lengths. (AIAA J) 1261

wariable evaporator and condenser lengths. (AIAA J) 1201
Williams, James C., III Large amplitude, low frequency solutions for a
certain class of laminar boundary-layer problems. (AIAA J, SYN) 265
Williams, James C., III and Johnson, W. Donald Semisimilar solutions
to unsteady boundary-layer flows including separation. (AIAA J) 1388
—and Johnson, W. Donald Note on unsteady boundary-layer
separation. (AIAA J, TN) 1427

**The Company William I.)

Williams, Thomas E. (JSR, EN; see Guman, William J.)

Williams, W. D. (AIAA J, TN; see Whitfield, D. L.)
Willoughby, P. G. (AIAA J, TN; see Dunlap, R.)

Wing, L. D. Method for calculating aerodynamic heating on sounding

rocket tangent ogive noses. (JSR) 357
Winther, B. A. (JA; see Rowe, W. S.)
Withers, D. J. and Jefferis, A. K. A Time division multiple-access system for INTELSAT. (PS, V. 33) 393

Witherspoon, G. F. (JA, EN; see Cebeci, Tuncer) Witmer, Emmett A. (AIAA J; see Morino, Luigi) Witte, A. B. (AIAA J, SYN; see Shackleford, W. L.)

Witte, K. J. (AIAA J; see Brederlow, G.)

Wittrick, W. H. Comment on "Finite element structural analysis of local instability." (AIAA J, TC) 123

Witze, Peter O. Centerline velocity decay of compressible free jets. (AIAA I. SVN1 417

Wolf, Dean A simplified dynamic model of parachute inflation. (JA) 28 -(JA; see McVey, D. F.)

Womack, William C., Bert, Charles W., and Perdreauville, Farrell

J. Dynamics of sounding rockets at burnout. (JSR) 716 Wong, J. K. S., Sandri, R., and Newman, J. A. A new experimental method for the investigation of fuel spray evaporation. (AIAA J) 269 Wong, W. C. (PS, V. 33; see Duncan, J. W.)

Wood, Lincoln J. Second-order optimality conditions for the Bolza problem with both endpoints variable. (JA) 212

Comment on "Neighboring extremals for optimal control problems." (AIAA J. TC) 1452

Woodcock, Gordon R. (JSR; see Patha, John T.)

Wool, Mitchell R., Murphy, Andrew J., and Rindal, Roald A. Calorimeter measurement of heat transfer at hypersonic conditions.

Woolley, James P. and Karamcheti, K. Role of jet stability in edgetone generation. (AIAA J, SYN) 1457

Worster, Bruce W. Particulate infrared radiation in aluminized solid-fuel rocket plumes. (JSR, EN) 260

Wortman, Andrzej Foreign gas injection at windwardmost meridians of yawed sharp cones. (AIAA J, SYN) 741

Comments on the "Increase of boundary-layer heat transfer by mass injection." (AIAA J, TC) 573

Wortman, A. and Franks, W. J. Reversed boundary-layer flows with variable fluid properties. (AIAA J, TN) 406

Wray, W. O. (JA; see Bradley, R. G.)

Wright, A. J. (JH, EN; see Swales, P. D.)

Wright, Jan Robert Flutter test analysis in the time domain using a recursive system representation. (JA, EN) 774

Wright, W. H. Wobble correction for a dual-spin vehicle. (JSR, EN) 255 Wu, J. C. (AIAA J; see Thompson, J. F.)
Wu, J. C. and Turner, L., III Linear theory for chemically reacting flows.

(AIAA J) 468

Wu, James H. T., Ostrowski, P. Perry, Neemeh, Rafik A., and Lee, Patrick H. W. Experimental investigation of a cylindrical resonator. (AIAA I) 1076

Wu, J. M. (AIAA J; see Kimble, K. R.) Wuerker, R. F. (PS, V. 34; see Matthews, B. J.)

Yackel, R. A. (JSR; see Kuo, B. C.)

Yamasaki, Hiroyuki (AIAA J, TN; see Shioda, Susumu)

Yang, H. K. and Yu, C. P. Experimental study of mixed convection heat transfer in an MHD channel. (AIAA J, TN) 1740

Yang, J.-N. and Trapp, W. J. Reliability analysis of aircraft structures

under random loading and periodic inspection. (AIAA J) 1623 Yang, Tien Tsai (AIAA J, TN; see Robinson, Lawrence Baylor) Yang, T. Y. (JSR; see Baig, M. I.)

Yang, T. Y. and Kim, H. W. Asymmetrical bending and vibration of a conical shell finite element. (AIAA J, SYN) 257

Yates, D. N. (AIAA J; see Sharifi, P.)

Yates, E. Carson, Jr. (JA; see Ruo, S. Y.) Yates, John E. Calculation of initial vortex roll-up in aircraft wakes. (JA) 397

-Linearized integral theory of three-dimensional unsteady flow in a shear layer. (AIAA J) 596

Yeh, T. T. (AIAA J; see Rosciszewski, J. J.) York, Randy J. (JSR, SYN; see Pastrick, Harold L.)

Yoshikawa, Kenneth K. Numerical solution of a nonlinear integral equation by the use of step functions: III. continuous solutions. (AIAA J. TN1 1769

Yoshikawa, Takao (AIAA J, TN; see Kusumoto, Keiichi)

Young, D. L. (JSR; see Hearn, H. C.)

Young, Maurice I. and Bailey, David J. Stability and control of hingeless rotor helicopter ground resonance. (JA) 333

Yovanovich, M. Michael A general expression for predicting conduction shape factors. (PS, V. 35) 265

— (JSR, EN; see Schneider, G. E.)
Yovanovich, M. Michael and Kitscha, W. W. Modeling the effect of air
and oil upon the thermal resistance of a sphere-flat contact. (PS, V. 35)

Yu, C. P. (AIAA J, TN; see Yang, H. K.)

Zahalak, G. I. and Myers, M. K. On the accuracy of Whitham's method. (AIAA J) 203

Zakkay, V., Wang, Chi R., and Miyazawa, M. Effect of adverse pressure gradient on film cooling effectiveness. (AIAA J, TN) 708 Zankl, G. (AIAA J, TN; see Daily, J. W.)

Zelazny, S. W. Study of methods for modeling centerline mass fraction decay in turbulent jets. (AIAA J, TN) 235

Zeldin, Saydean and Speyer, Jason Maximum noise abatement trajectories. (JA, EN) 119

Zetkov, George (JSR, SYN; see Austin, Fred) Zinkham, R. E. (JA; see Levy, S. A.) Zinko, H. (AlAA J; see Brederlow, G.)

Zinn, B. T. (JSR; see Janardan, B. A.) Zukas, J. A. Effects of transverse normal and shear strains in orthotropic shells. (AIAA J. TN) 1753

Information for Contributors to Journals of the AIAA

General Requirements: Send all manuscripts, with covering letter, to the Managing Editor, AIAA Scientific Publications, 1290 Avenue of the Americas, New York, N.Y. 10019. Each manuscript must be accompanied by written assurance as to security clearance in the event the subject matter lies in a classified area or if the paper originates under government sponsorship. Full responsibility rests with the author. Signed assurance must be given that the manuscript or its equivalent has not been submitted for publication elsewhere. The AIAA has prior publication rights to any paper presented at its meetings, but preprints will be considered for publication only if the author requests it. All manuscripts must be as brief and concise as proper presentation of the ideas will allow.

Send 4 complete copies of each manuscript and 4 sets of figures. The manuscript must be in English, typed *double spaced* on one side of the page only, with wide margins to allow for editorial instructions. Footnetes, references, and figure captions also should be typed double spaced. Use standard-size $(8\frac{1}{2})$

11-in.) good-quality bond paper.

Synoptics: Alternatively, and at his option, an author may submit a Synoptic. Many subjects can be covered in a more useful and economical form for the majority of readers as a Synoptic, not exceeding 8 double-spaced typed pages (2 journal pages), with two major headings: Theme, which describes the purpose of the papers: and Contents, which is a concise but self-sufficient presentation of the key results in a form that readers can use without having to consult the full paper. Prior work and details of methodology generally may be omitted, but a few key references may be cited for important related work. Make a serious effort to write the Synoptic so that it is understandable to the general engineering community by replacing specialist jargon terms and acronyms with terms that the nonspecialist can understand. Where a device is the subject of the paper, a simple line diagram showing those elements being discussed in the Synoptic should be given. Coordinates should be shown on the diagram when pertinent, and symbols appearing in the tables and graphs of the Synoptic should be defined. Information should be given in tabular form rather than in prose when this simplifies the presentation and expedites comprehension. The relation of the author's contribution to the state-of-theart should be indicated briefly

If you have submitted a full paper, the Editors may request you to prepare a Synoptic for review instead. A Synoptic must still be accompanied by a full paper, preprint, or company report for verification. If the Synoptic is published, the full text will be available to interested readers. Complete citation data will

appear in a footnote on first page of Synoptic.

Full-Length Papers: In terms of standard-size double-spaced typed pages, the maximum length for full-length papers is 36 pages (including equations), where each normal-sized figure counts as one page. If a figure has several parts, each part counts as one page. Greater length usually will be unacceptable and may be the basis for return of the paper to the author for reduction prior to review.

Abstract: Each full-length paper must be accompanied by a 100- to 200-word abstract, written as a single paragraph. It should be a summary (not an introduction!) and complete in itself (no numerical references). The abstract should indicate the subjects dealt with in the paper and should state the objectives of the investigation. Newly observed facts and conclusions of the experiment or argument discussed in the paper must be stated in summary form. Readers should not have to read the paper to understand the abstract.

Introduction: The paper also must include an Introduction

a brief assessment of prior work by others and an explanation of how the paper contributes to the field.

Technical (or Engineering) Notes and Technical Comments: Short manuscripts, not exceeding one quarter the length stated for a full paper, may qualify for publication in one of these categories. Notes are intended for prompt disclosures of new, significant data or developments of limited scope. Comments should relate to papers previously published by AIAA. These categories are reviewed only by an editor and usually are published several months sooner than a full paper or Synoptic.

Titles and Authors' Names: The title should be brief and concise. The author's name should be typed on the line below the title, and it is preferable to use the full name. The company affiliation should follow on the next line, with the author's official title given in a footnote. This applies to all categories of

papers.

Mathematics: Equations and symbols may be handwritten or typewritten; clarity is essential. If handwritten, be sure that a reader can distinguish between capital and lower case letters; the letter o and zero; ell, the number one, and prime; k and kappa; u and mu, v and nu, n and eta. Always use the solidus for fractions in the text and for simple fractions in displayed equations.

References: References are to be grouped at the end of the

manuscripts and are to be given as follows:

1) Journals: Walker, R. E., Stone, A. R., and Shandor, M., Secondary Gas Injection in a Conical Rocket Nozzle," AIAA

Journal, Vol. 1, Feb. 1963, pp. 334-338.

2) Books: Turner, M. J., Martin, H. C., and Leible, R. C., "Further Development and Applications of Stiffness Method," *Matrix Methods of Structural Analysis*, 1st ed., Vol. 1, Macmillan, New York, 1964, pp. 203–206.

Segre, E., ed., Experimental Nuclear Physics, 1st ed., Vol. 1,

Wiley. New York, 1953, pp. 6-10.

3) Reports: Book, E. and Bratman, H., "Using Compilers to Build Compilers," SP-176, Aug. 1960, Systems Development

Corp., Santa Monica, Calif.

4) Transactions Proceedings: Soo, S. L., "Boundary Layer Motion of a Gas-Solid Suspension," *Proceedings of the Symposium on Interaction between Fluids and Particles*, Institute of Chemical Engineers, Vol. 1, 1962, pp. 50–63.

Always give inclusive page numbers for references to journal articles and a page or chapter number for books. Each reference

must be cited in the text.

Illustrations: Line drawings must be clear and sharp. Use black ink on white paper or tracing cloth. Lettering should be large enough to be legible (at least 1/6 in. high) after reduction. Plan figures for reduction to column width (3½ in.). Photographs should be glossy prints, not matte or semimatte. Each figure must have a caption: captions should be listed on a separate sheet. Write your name and the figure number in the margin of each figure. Cite each figure in numerical order in the text.

Tables: Type a double rule at the top and bottom of each table and a single rule under the column headings. Table footnotes should be placed under the final double rule and should be indicated by letters, a. b. c. etc. Do not number table footnotes consecutively with text references. Each table must have a number and a caption. Cite each table in numerical order in the

text.

Symbols and Units: Use standard symbols whenever possible, preferably those recommended by the American Standards Association. The metric or dual systems of units (metric and English) should be used, wherever possible, in accordance with an endorsement by the AIAA Board of Directors. Although such use is not mandatory, authors are urged to comply.

New technology is being created all the time.

Keep up to date with the AIAA Selected Reprint Series.

An editor prominent in his field draws from the recent literature the most significant new developments and adds an extensive bibliography and timely overview. With more immediacy than a textbook, but more perspective than the latest proceedings, each volume serves as an introduction to the field as well as bringing professionals up to speed. Learning is a life-long process.

Published by the AIAA at low cost with the aid of the Sherman M. Fairchild Fund.

VOLUMES AND EDITORS

- XVI HEAT PIPES
 - C-L. Tien
- **COMPUTER FLUID DYNAMICS—** RECENT ADVANCES F. H. Harlow
- XIV TURBULENCE TRANSPORT MODELING F. H. Harlow
- XIII THE EARTH'S ATMOSPHERE W. W. Vaughan and L. L. DeVries
- **ASTRODYNAMICS AND CELESTIAL** MECHANICS
- V. G. Szebehely **AERODYNAMIC NOISE**
- A. Goldburg SOLID PROPELLANT TECHNOLOGY
- F. A. Warren **AEROPHYSICS OF AIR POLLUTION**
- J. A. Fay and D. P. Hoult JET TRANSPORT DESIGN
- J. M. Swihart **RADIATIVE GAS DYNAMICS**
- R. J. Goulard
- RAMJETS
 - G. L. Dugger
- **AERODYNAMIC FLUTTER**
 - I. E. Garrick
- **COMPUTATIONAL FLUID DYNAMICS**
- C. K. Chu
- ION PROPULSION
- A. T. Forrester and G. Kuskevics
- **MAGNETO FLUID DYNAMICS**
 - W. R. Sears

ATMOSPHERE ENTRY A. J. Eggers Jr. (out of print)

Volumes I-XIII from this Series are \$2.50 per copy. Volumes XIV-XVI are \$3.00 per copy. All sales are final. Orders must be accompanied by remittance and should be addressed to the American Institute of Aeronautics and Astronautics, Special Publications Department, 1290 Avenue of the Americas, New York, N.Y. 10019.



